

FEATURES

- UL approved Nylon 66, 94V-2, With good tensile strength and insulation, not easy to get aging.
- Color: Standard color is natural, black, other special colors are available upon request.
- Use to bundle wires, cables, wrapping and get gardening neat and tidy.
- Easy to thread.

RS PRO Cable Ties

RS Stock No.: 2243144



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

ATTRIBUTE 1

- Material: UL approved Nylon 66, 94V-2, With good tensile strength and insulation, not easy to get aging.
- Color: Standard color is natural, black, other special colors are available upon request.
- Feature: Use to bundle wires, cables, wrapping and get gardening neat and tidy.
- Insert tie into the lock of head and pull out easily to bundle it.

General Specifications

Series	
Type	Non-Releasable
Colour	Natural
Material	Nylon 66
Finish	
Application	
Resistant To	
UV Resistant	No
Minimum Operating Temperature	-40°C
Maximum Operating Temperature	85°C
Fire Behaviour	Self-Extinguishing
Quantity	100

Mechanical Specifications

Length	300mm(11 7/8")
Width	2.5mm
Tensile Strength	18lbs/8kgs
Max. Bundle Dia.	80mm
Thickness	1.3±0.25mm

Protection Category

IP Rating

Classification

eCl@ss (10.0.1)

UNSPSC (6.01)

Approvals

Declarations

Standards Met

UL, RoHS, SVHC, DNV.GL, Lloyd's, CE, VDE, ABS, HF

Similar Products

Stock No.	Brand	Product Name	Colour	Material	Tensile strength
489-2140	RS PRO	Natural cable tie	Natural	Nylon 66	50lbs/22kg
178-490	RS PRO	Natural cable tie	Natural	Nylon 66	40lbs/18kg

