

## Features

- Simple and low cost fail-safe mount.
- Isolates structure-born vibration.
- Reduces noise.

## RS Pro Centre Bonded Mount



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

### *RS Pro Centre Bonded Mount*

*Centre bonded mounts are extensively used to isolate structure-born vibration, shock and noise.*


#### *Features:*

- *Simple and low cost fail-safe mount*
- *Natural rubber compound supplied as standard but may also be supplied in CR, NBR or EPDM*

#### *Applications:*

- *Vehicle cabs*
- *Engines*
- *Compressors*
- *Pumps*
- *Air conditioning units*
- *Engine exhaust mounts (in high temperature rubber compound)*

## Technical Drawing



## Sizes Available

RS Code	Description	D2 (mm)	H1 (mm)	F (mm)	D1	H2	Max Axial Deflection (KG)	Deflection (mm)
1263575	Centre Bonded Mount 27x16 M10 50 ShA NR (Terex)	20.1	25.4	10	27.7	5.5	56	0.64
1263574	Centre Bonded Mount 28x18 M10 50 ShA NR	20	23	9.9	27	6	56	0.64
1263573	Centre Bonded Mount M12 Clear Hole 60 shore	31	30	13	44.5	10.1	155	1.02
1263572	Centre Bonded Mount 51x35 M12 50 ShA NR	34	41	13	50	13.5	211	1.52
1263571	Centre Bonded Mount 64x45 M16 50 ShA NR	40	50	16	62.5	16	334	1.62
1263570	Centre Bonded Mount 95x51 M20 50 ShA NR	56	62	19.8	95	27.1	395	1.70