

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1. Product identifier | |
|---|--|
| Name of product | Contact VA 300 Code-Nr. 121000 |
| 1.2. Relevant identified uses of the substance or mixtu Recommended intended purpose(s) 1-Component Cyanacrylat - Adhesives | re and uses advised against |
| 1.3. Details of the supplier of the safety data sheet | |
| Distributor | WEICON GmbH & Co. KG Königsberger Str. 255, DE-48157 Münster Phone : +49(0)251 / 9322 - 0, Fax : +49(0)251 / 9322 - 244 E-Mail : msds@weicon.de Internet : www.weicon.de |
| Advice | Produktsicherheit / Product-Safety-Department Phone : +49(0)251 / 9322 - 0 Fax : +49(0)251 / 9322 - 244 E-mail (competent person): msds@weicon.de |
| 1.4. Emergency telephone number | |
| | EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel: ++44 1865 407333 (English) TRANSPORT EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel: ++44 1865 407333 (English) |
| Manufacturer | WEICON GmbH & Co. KG Königsberger Str. 255, DE-48157 Münster |
| 1.4. Emergency telephone number | |
| | GIFTNOTRUF/TRANSPORTNOTRUF - Deutschland (24h): Tel: ++49 69 222 25285 (Deutsch, Englisch) |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

| Hazard classes and Hazard categories | Hazard Statements Classification procedure |
|---|--|
| Skin Irrit. 2 | H315 |
| Eye Irrit. 2 | H319 |
| STOT SE 3 | H335 |
| | |

Hazard Statements

| H315 | Causes skin irritation. |
|------|-----------------------------------|
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |



2.2. Label elements Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



GHS07

Signal word Warning

Hazard Statements

| H315 | Causes skin irritation. |
|------|-----------------------------------|
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |

Precautionary Statements

| P261Avoid breathing vapours/spray.P264Wash hands thoroughly after handling.P271Use only outdoors or in a well-ventilated area.P302 + P352IF ON SKIN: Wash with plenty of soap and water.P304 + P340IF INHALED: Remove person to fresh air and keep comfortable for breathing.P305 + P351 +IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.P312Call a POISON CENTER or doctor/physician if you feel unwell.P332 + P313If skin irritation occurs: Get medical advice/attention.P337 + P313If eye irritation persists: Get medical advice/attention.P362Take off contaminated clothing.P403 + P233Store in a well-ventilated place. Keep container tightly closed.P405Dispose of contents/container to hazardous or special waste collection point. | Precautionary State | Keep out of reach of children. |
|--|--|--|
| P304 + P340IF INHALED: Remove person to fresh air and keep comfortable for breathing.P305 + P351 +IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.P312Call a POISON CENTER or doctor/physician if you feel unwell.P332 + P313If skin irritation occurs: Get medical advice/attention.P362Take off contaminated clothing.P403 + P233Store in a well-ventilated place. Keep container tightly closed.P405Store locked up. | P264 | Wash hands thoroughly after handling. |
| P405 Store locked up. | P304 + P340 P305 + P351 + P338 P312 P332 + P313 P337 + P313 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/physician if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. |
| P501 Dispose of contents/container to hazardous or special waste collection point. | | |
| | P501 | Dispose of contents/container to hazardous or special waste collection point. |

Special rules for supplemental label elements for certain mixtures

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

2.3. Other hazards

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/ information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Description

One-component adhesive based on cyanoacrylate acid alkyl ester.

Hazardous ingredients

| CAS No | EC No | Name | [% weight] | Classification according to Regulation (EC) No 1272/2008 [CLP/GHS] |
|-----------|-----------|-----------------------|---------------|---|
| 7085-85-0 | 230-391-5 | ethyl 2-cyanoacrylate | 85 - 99,9 | Eye Irrit. 2, H319 / STOT SE 3, H335 / Skin Irrit. 2, H315 |



| REACH | | |
|-----------|-----------------------|---------------------------|
| CAS No | Name | REACH registration number |
| 7085-85-0 | ethyl 2-cyanoacrylate | 01-2119527766-29 |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately. Take affected person into fresh air.

In case of inhalation

Remove the casualty into fresh air and keep him immobile. In the event of symptoms refer for medical treatment.

In case of skin contact

In case of contact with skin wash off immediately with soap and water. Do not take off solidified product from skin. Refer for medical treatment.

In case of eye contact After eye contact, rinse opened eye for 15 minutes under running water. Transfer to hospital for specialist examination.

In case of ingestion Call for a doctor immediately.

4.2. Most important symptoms and effects, both acute and delayed

Physician's information / possible symptoms Respiratory complaints skin irritation

4.3. Indication of any immediate medical attention and special treatment needed No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media Suitable extinguishing media Alcohol-resistant foam Dry powder Carbon dioxide

Unsuitable extinguishing media Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible. Nitrogen oxides (NOx) Carbon monoxide (CO) Carbon dioxide (CO2)

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Do not inhale explosion and/or combustion gases.



Additional information

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Ensure adequate ventilation. Use personal protective clothing. Use breathing apparatus if exposed to vapours/dust/aerosol.

6.2. Environmental precautions

Do not discharge into the drains or bodies of water..

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust). Disposal according to regulations.

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13 Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace. Open and handle container with care!

General protective measures

Do not inhale vapours. Avoid contact with eyes and skin

Hygiene measures

At work do not eat, drink and smoke. Wash soiled clothing immediately. Work in rooms with good ventilation. Wash hands before breaks and after work.

Advice on protection against fire and explosion

Pay attention to general rules of internal fire prevention.

7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels

Keep in closed original container.

Advice on storage compatibility

Do not store together with animal feedstuffs. Do not store together with food. Keep away from water.

Further information on storage conditions

Store at +5 till +25 °C. Keep container tightly closed and store at cool and aired place. Protect from heat and direct solar radiation.



7.3. Specific end use(s) Recommendation(s) for intended use

See section 1.2

See section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ingredients with occupational exposure limits to be monitored

| CAS No | Name | Code | [mg/m3] | [ppm] | Remark |
|-----------|-------------------------------|-----------------------|---------|-------|------------|
| 7085-85-0 | Ethyl cyanoacrylate | 8 hours Short-term | 1.5 | 0.3 | EH40/2005 |
| 7085-85-0 | Cyanacrylsäureethylester (CH) | MAK, 8 hours | 9 | 2 | OAW & Haut |

Additional advice

The statutory local and national regulations have to be observed.

8.2. Exposure controls

Respiratory protection

In case of insufficient ventilation or long-term effect use breathing apparatus. Short term: filter apparatus, filter AX

Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]:: Nitrile rubber; 0,4mm; 480min;60min.

Eye protection

tightly fitting goggles

Other protection measures protective clothing

Appropriate engineering controls

Sufficient ventilation and exhaustion.

SECTION 9: Physical and chemical properties

| Appearance liquid | | Colour colourless | | Odour typical, _l | pungent |
|-----------------------------------|-------------------------|----------------------|----|---------------------------------------|---------|
| Odour threshold not determined | | | | | |
| Important health, safet | y and environmental inf | ormation | | | |
| | | | | | |
| | Value | Temperature | at | Method | Remark |
| pH value | Value not determined | Temperature | at | Method | Remark |
| pH value boiling point | | Temperature | at | Method | Remark |



Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Printed 05.08.2019 revision 12.07.2018 (GB) Version 8.8

Contact VA 300

| | Value | Temperature | at | Method | Remark |
|--|----------------|-------------|----|--------|-------------------|
| Flash point | 87 °C | | | | |
| Vapourisation rate | not determined | | | | |
| Flammable (solid) | not determined | | | | |
| Flammability (gas) | not applicable | | | | |
| Ignition temperature | > 100 °C | | | | estimate |
| Self ignition temperature | 500 °C | | | | |
| Lower explosion limit | not applicable | | | | |
| Upper explosion limit | not applicable | | | | |
| Vapour pressure | not determined | | | | |
| Relative density | ca. 1 g/cm3 | 20 °C | | | |
| Vapour density | not determined | | | | |
| Solubility in water | | | | | Reacts with water |
| Solubility/other | not determined | | | | |
| Partition coefficient n- octanol/water (log P O/W) | not determined | | | | |
| Decomposition temperature | not determined | | | | |
| Viscosity | not determined | | | | |
| Oxidising properties no | | | | | |
| Explosive properties not applicable | | | | | |
| 9.2. Other information No information available. | | | | | |

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Reactions with oxidising agents. Explosive reaction with water Reactions with alcohols, amines, aqueous acids and alkalies.



10.4. Conditions to avoid

After contact with water: Keep away from heat. Risk of polymerisation.

10.5. Incompatible materials

Substances to avoid

Alkali (lye) Allyl alcohol Amines Oxidising agent, strong Water

10.6. Hazardous decomposition products

Gases/vapours, toxic Carbon monoxide and carbon dioxide. Nitrous oxides (NOx)

Thermal decomposition

Remark No decomposition if used as directed.

Additional information

Polymerization under development of heat.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

| | Value/Validation | Species | Method | Remark |
|--------------------|------------------|---------|--------|--------|
| LD50 acute oral | > 5000 | | | ATE |
| LD50 acute dermal | > 2000 | | | ATE |
| Skin irritation | irritant | | | |
| Eye irritation | irritant | | | |
| Skin sensitization | non-sensitizing | | | |

Subacute Toxicity - Carcinogenicity

| | Value | Species | Method | Validation |
|---------------------------|-------|---------|--------|---|
| Chronic Toxicity | | | | |
| Mutagenicity | | | | No experimental information on genotoxicity in vitro available. |
| Reproduction- Toxicity | | | | No indications of toxic effects were observed in reproduction studies in animals. |



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

 Printed
 05.08.2019

 revision
 12.07.2018 (GB) Version 8.8

 Contact VA 300

Value Method Validation Species No indications of carcinogenic Carcinogenicity effects are available from long-term trials Specific target organ toxicity (single exposure) not applicable Specific target organ toxicity (repeated exposure) not applicable Aspiration hazard not determined Experiences made from practice Persons suffering from hypersensitivity showed sensitization. Irritates mucous membranes. Irritates eyes and skin. Additional information The product is to be handled with the caution usual with chemicals. Other hazardous properties may not be excluded. The product has not been tested. The information is derived from the properties of the individual components. SECTION 12: Ecological information 12.1. Toxicity No information available. 12.2. Persistence and degradability Elimination rate Method of analysis Method Validation not applicable Biological degradability 12.3. Bioaccumulative potential The product has not been tested. Because of the product's consistency and low solubility in water bioavailability is not likely. 12.4. Mobility in soil not applicable 12.5. Results of PBT and vPvB assessment The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. 12.6. Other adverse effects General regulation Do not allow uncontrolled leakage of product into the environment. The ecotoxic effect of the product has not been tested. The information on this was derived from products of similar structure or composition. **SECTION 13: Disposal considerations** 13.1. Waste treatment methods Waste code No. Name of waste 08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.



Recommendations for the product

Remove in accordance with local official regulations.

Recommendations for packaging

Carefully polymerize content with water or alkali. Dispose of according to the local waste regulations.

General information

Assignment to a waste code number / waste identification according to the EWC is to be carried out on a sector or process-specific basis.

SECTION 14: Transport information

| - | ADR/RID | IMDG | IATA-DGR |
|-------------------------------------|---------|------|----------|
| 14.1. UN number | - | - | - |
| 14.2. UN proper shipping name | - | - | - |
| 14.3. Transport hazard class(es) | - | - | - |
| 14.4. Packing group | - | - | - |
| 14.5. Environmental hazard | S - | - | - |

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

! SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| VOC standard | |
|--------------|-----------|
| VOC content | 2 % |
| VOC value | ca.20 g/L |

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed. For industrial use only.

Further information

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product. Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EU-directives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.



- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.