

ENGLISH

Datasheet RS Pro 11.375 in Shears For Various Materials RS Stock No: 487-139



Product Details

RS Pro 11.375 Inch heavy duty shears are designed for optimum comfort, balance and control to reduce strain and fatigue. This razor sharp scissors are suitable for smooth effortless cutting through multiple layered materials. They come with stainless steel blades and hardened to 57 Rockwell. They are ideal for industrial/ office use, wet processing and other high moisture areas.

Features and Benefits

- Razor sharp scissors for smooth effortless cutting through multiple layered materials
- Blades hardened to 57 rockwell
- Stainless steel blade
- Bevelled and precision ground for long lasting sharpness
- Ideal for industrial/office use, wet processing and other high moisture areas
- Fitted with virtually unbreakable ABS handles



ENGLISH

Specifications:

Blade Finish Material Cut Overall Length

Blade Thickness

Hollow Ground Edge; Fully Polished Cloth; Upholstery; Leather; Rubber; Fabric 11-3/8 in 3 mm



Heavy-Duty Utility Shears

Material: High Carbon Stainless Steel Sheet for Shears Blade, SUS Bolt & Lock Nut and TPE Injection Handle Finish: Hollow Grounding Cutting Edge, Fully Polish Finish for Whole Body. Hardness: Vacuum Heat Treated to HRC: 54°~60° (Scissors Blades)

RS No.	Handle overall length	Cutting Length	Thickness of Blade	Alltrade Part No.	Handle
487-101	205mm(8")	65mm	3mm	PD-0591	Red TPR injection handle
487-050	230mm(9")	90mm	3mm	PD-0592	Red TPR injection handle
487-117	254mm(10")	121mm	3mm	PD-0593	Red TPR injection handle
487-107	243mm(9-3/4")	110mm	3mm	PD-0594	Red TPR injection handle
487-139	288mm(11-3/8")	152mm	3mm	PD-0595	Red TPR injection handle

Remarks:

Cutting Tests for Cloth, Upholstery, Leather, Rubber and Fabric are Required.

RS, Professionally Approved Products, gives you professional quality parts across all products categories. Our range has been testified by engineers as giving comparable quality to that of the leading brands without paying a premium price.