

FEATURES

- This range of RS PRO fasteners is ideal for applications where metal and wood need to be joined securely
- Manufactured with a zinc finish, each fastener provides good protection against surface rust and oxidisation and offers good lubricity to the threads of the fastener
- In addition to this, the zinc-coated steel fasteners are much more cost effective than stainless steel and is also widely recyclable, making them a much more sustainable option
- Available in a wide range of sizes

RS PRO Hanger Bolts

RS Stock No.: See Table Below



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description

Introducing the range of RS PRO Hanger Bolts, a high-quality fastener solution for applications such as connecting metal to wood in furniture legs. Each fastener is made from steel with a zinc coating, making them much more cost-effective than their stainless-steel counterparts, while still offering a high level of protection against surface rust and oxidisation.

Applications:

- Hanger bolts are much more common than you'd expect and are used for a wide range of
 applications. They have a unique, double-ended design, where one end is slightly pointier which is
 normally the end that goes into wood, while the other side has a flat head which would generally go
 into a metal mounting plate. Hanger bolts are also designed with two different thread types on each
 side, intended for whichever application they are being used for. Hanger bolts are most commonly
 used for:
- Furniture construction or carpentry and joinery
- Light duty building work and construction
- DIY

General Specifications

| RS Stock | Finish | Material | Length | Thread Size | |
|----------|--------|----------|--------|-------------|----------------------|
| Number | | | | | Stainless Steel Type |
| 2455318 | Zinc | Steel | 1 1/2 | 1/4-20 | Mild Steel |
| 2455319 | Zinc | Steel | 1 3/4 | 1/4-20 | Mild Steel |
| 2455320 | Zinc | Steel | 2 | 1/4-20 | Mild Steel |
| 2455321 | Zinc | Steel | 2 1/2 | 1/4-20 | Mild Steel |
| 2455322 | Zinc | Steel | 3 | 1/4-20 | Mild Steel |
| 2455324 | Zinc | Steel | 3 1/2 | 1/4-20 | Mild Steel |
| 2455325 | Zinc | Steel | 4 | 1/4-20 | Mild Steel |
| 2455326 | Zinc | Steel | 5 | 1/4-20 | Mild Steel |
| 2455327 | Zinc | Steel | 1 1/2 | 5/16-18 | Mild Steel |
| 2455328 | Zinc | Steel | 1 3/4 | 5/16-18 | Mild Steel |
| 2455329 | Zinc | Steel | 2 | 5/16-18 | Mild Steel |
| 2455330 | Zinc | Steel | 2 1/2 | 5/16-18 | Mild Steel |
| 2455331 | Zinc | Steel | 3 | 5/16-18 | Mild Steel |
| 2455332 | Zinc | Steel | 3 1/2 | 5/16-18 | Mild Steel |

Hanger Bolts



| 2455333 | Zinc | Steel | 4 | 5/16-18 | Mild Steel |
|---------|------|-------|-------|---------|------------|
| 2455334 | Zinc | Steel | 5 | 5/16-18 | Mild Steel |
| 2455335 | Zinc | Steel | 6 | 5/16-18 | Mild Steel |
| 2455336 | Zinc | Steel | 2 1/2 | 3/8 | Mild Steel |
| 2455337 | Zinc | Steel | 3 | 3/8 | Mild Steel |
| 2455338 | Zinc | Steel | 3 1/2 | 3/8 | Mild Steel |
| 2455340 | Zinc | Steel | 4 | 3/8 | Mild Steel |
| 2455341 | Zinc | Steel | 4 1/2 | 3/8 | Mild Steel |
| 2455342 | Zinc | Steel | 5 | 3/8 | Mild Steel |
| 2455343 | Zinc | Steel | 6 | 3/8 | Mild Steel |
| 2455344 | Zinc | Steel | 3/4 | 8/32 | Mild Steel |
| 2455345 | Zinc | Steel | 1 | 8/32 | Mild Steel |
| 2455346 | Zinc | Steel | 1 1/2 | 8/32 | Mild Steel |
| 2455347 | Zinc | Steel | 1 1/2 | 10/24 | Mild Steel |
| 2455348 | Zinc | Steel | 2 | 10/24 | Mild Steel |
| 2455349 | Zinc | Steel | 2 1/2 | 10/24 | Mild Steel |
| 2455350 | Zinc | Steel | 3 | 10/24 | Mild Steel |

Classification

| eCl@ss Version | |
|----------------|--|
| UNSPSC Version | |