


Product Datasheet MAX ROUTING TRUNKING

ENGLISH



A cost effective system designed to meet the expectations of a demanding cable management market. Suitable for a wide range of installations, including warehouses, trading premises and other industrial sites.

- MAX range provides a sturdy, neat solution
- Base profile is pre-punched for ease of installation
- Comprehensive range of accessories including moulded and fabricated
- A unique cable retainer system allows the clips to act as a cable support shelf during installation

Standard supply:Material:
Base and cover packed together
PVC-U 1309

Supplied length: Size: 3 mtr 50x50mm

Colour: 75x75mm

RAL 9010 Pure White

100x100mm

Bespoke fabrications can be made upon request, please contact your regional sales office.

RS, Professionally Approved Products, gives you professional quality parts across all products categories. Our range has been testified by engineers as giving comparable quality to that of the leading brands without paying a premium price.



ENGLISH





| | | 55 | | |
|-----------------|-----------------------------|------------|-------------|--------------------------------|
| | | MAX | MAX | |
| | Height/Width | 50x50 | 75x75 | |
| Base & Cover | RAL 9010 Pure White Art.No. | | | |
| | Pack/mtr | 24 | 24 | |
| Internal Corner | RAL 9010 Pure White Art.I | No. | | b |
| (moulded) | Dimension "a,b" mm Pack/pc | 75,24 5 | 100,24 5 | |
| | | | | a |
| External Corner | RAL 9010 Pure White Art.I | No. | | a |
| (moulded) | Dimension "a,b" mm | 75,24 | 100,24 | $ \langle \cdot \cdot \rangle$ |
| | Pack/pc | 5 | 5 | 8 B |

| Flat Angle | RAL 9010 Pure White Art.No. | | | _/\a |
|--------------------|-----------------------------|---------------|---------------|------|
| | Dimension "a,b" mm | 200,147 | 200,147 | |
| | Pack/pc | 1 | 1 | |
| Flat Tee | RAL 9010 Pure White Art.N | 0. | | a / |
| | Dimension "a,b,c,d" mm | 270,210,90,60 | 270,210,90,60 | |
| | Pack/pc | 1 | 1 | d b |
| Cable Shelf - 50mm | RAL 9010 Pure White Art.N | 0 | - | |
| | Pack/pc | - | - | |
| End Cap | RAL 9010 Pure White Art.N | 0. | | |
| | Pack/pc | 5 | 5 | 1 |

^{*} Use of standard mouldings is only possible with columns equal to or greater than 120mm deep x 70mm wide.

** Use of standard mouldings is only possible with columns equal to or greater than 145mm deep x 70mm wide.



ENGLISH



| | | MAX | |
|--------------|-----------------------------|----------|--|
| | Height/Width | 100x100 | |
| Base & Cover | RAL 9010 Pure White Art.No. | 843-1584 | |
| | Pack/mtr | 12 | |
| | | | |

| Internal Corner | RAL 9010 Pure White Art.No. | 843-1626 | b |
|-----------------|-----------------------------|----------|-----|
| | Dimension "a,b" mm | 110,147 | |
| | Pack/pc | 1 | |
| External Corner | RAL 9010 Pure White Art.No. | 843-1629 | a |
| | Dimension "a,b" mm | 200,147 | |
| | Pack/pc | 1 | B |
| Flat Angle | RAL 9010 Pure White Art.No. | 843-1623 | ı a |
| | Dimension "a,b" mm | 200,147 | |
| | Pack/pc | 1 | |



ENGLISH

| | | MAX | |
|----------|-----------------------------|----------------|-----|
| | Height/Width | 100x100 | |
| | | | |
| Flat Tee | RAL 9010 Pure White Art.No. | 843-1632 | a |
| | Dimension "a,b,c,d" mm | 355,255,110,60 | |
| | Pack/pc | 1 | |
| | | | d b |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| End Cap | RAL 9010 Pure White Art.No. | 843-1635 | |
| | Pack/pc | 5 | |
| | | | |
| | | | |