

### **FEATURES**

- All fluids usable in aggressive environment
- Mechanical resistance
- Silicon free

# RS PRO FEMALE PLUG EU DN7.8 INOX 1/4

RS Stock No.: 2312695



RS PROfessionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Pneumatic Quick Connect Couplings



The RS PRO female plug EU DN7.8 inox 1/4 works in 0 to 16 bar pressure range. It mainly used in compressed air & tools, pneumatic & fluid technology, food & beverages applications. It provides high performance for multiple fluids in a wide range of temperature and pressure. Operating temperature range is from - 15 °C to + 200 °C. RoHS and REACH compliant.

#### **General Specifications**

Material	Steel
Applications	Lubrication System, Cooling System, Pneumatic Machinery Equipment


#### **Mechanical Specifications**

Connection Type	Threaded, Tube		
Tube Connection Size	11mm		
Coupling Gender	Female		
Threaded Connection	1/4 in Female		
Thread Size	1/4in		
Wrench Size1	17		
Length L1	33mm		

#### **Similar Products**



Parameters	2312696	2312697	
Brand	RS PRO	RS PRO	
Connection Type	Threaded, Tube	Threaded, Tube	
Tube Connection Size	11.5mm	15mm	
Coupling Gender	Female	Female	
Threaded Connection	3/8 in Female	1/2 in Female	
Thread Size	3/8in	1/2in	
Wrench Size	19	24	
Length	33.5mm	37mm	



Α	В	С	D	СН	Pack.
1/4	11	33	-	17	2