

## FEATURES

- Micro head.
- Small cutting edges, angled at 50°, suitable for cutting pins or other elements that are very close to each other. Ideal for IC pin cutter.
- For copper wire max  $\varnothing$  0.64mm (22 AWG)
- Ergonomic anti-slip bi-component handle for a safe, light and comfortable grip
- Anti-reflection phosphating surface treatment
- Laser marking
- Made in Italy

## RS PRO reverse cut, angled at 50°, ideal for IC pin cut

RSPRO Stock No.: 249-8675



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

### Product Description

- *Made in Italy with special carbon steel and undergo a controlled atmosphere heat treatment.*
- *The anti-reflection phosphating surface treatment ensures an accurate view of the work being carried out.*
- *The tools are joined with grounded holes and surfaces, thereby allowing precise movements.*
- *The anti-slip bi-material dolphin handle is created following ergonomic principles, thus guaranteeing a safe, light and comfortable grip for the operator even when used constantly for many hours*
- *Small cutting edges, angled at 50°, suitable for cutting pins or other elements that are very close to each other. Ideal for IC pin cutter.*
- *This cutter is ideal for different applications in microelectronics but also in jewellery making, laboratory, watch making and repairs, DIY.*

### General Specifications

<b>Cutter Type</b>	Micro head. Reverse cut.
<b>Non-Sparking</b>	Yes
<b>Tip Style</b>	Small cutting edges, angled at 50°.
<b>Material</b>	Carbon steel
<b>Number Of Pieces</b>	1
<b>Finish</b>	Anti-reflection phosphating surface treatment, red grip

### Electrical Specifications

<b>ESD Safe</b>	No
-----------------	----

### Mechanical Specifications

<b>Overall Length</b>	130mm
<b>Cutting Force</b>	2 kg
<b>Weight</b>	50g
<b>Steel Thickness</b>	2mm
<b>Nose Angle</b>	50°

