

Datasheet

RS Pro Black PVC Cable Grommet Kit, Kit incl. Easy Fit Type Grommets, 3.2 to 19mm dia.

RS Stock No: **541-056**



Product Details

RS Pro cable grommet kit of 470, includes black PVC grommets in 18 different sizes (3.2 to 19 mm dia.), suitable for use with 1.6 mm thick panels. The panel hole sizes accommodate ranges from 4.8 to 25.4 mm with inner diameters ranging from 3.2 to 19.0 mm. The grommets are suitable for temperatures up to 70°C.

Features and Benefits

- Black PVC grommets in 18 different sizes
- Panel hole sizes accommodate ranges from 4.8 to 25.4 mm with inner diameters ranging from 3.2 to 19.0 mm
- Suitable for temperatures up to 70°C



Specifications:

Cable Diameter Range	4.8 to 25.4 mm
Colour	Black
Kit Includes	470 Pieces x Black PVC Grommets in 18 Different Sizes
Material	PVC
Maximum Cable Diameter	25.4 mm
Maximum Diameter	19 mm
Maximum Operating Temperature	+70°C
Minimum Cable Diameter	4.8 mm
Minimum Diameter	3.2 mm
Operating Temperature Range	Maximum of +70°C

P.V.C. GROMMET KIT


Stock No. 541-056

(Containing 470 grommets in 18 sizes)

Grommet material PVC Grade VX329

Normal Shore Hardness 55°

Maximum Constant Working Temperature 70°C



Panel hole dia.	4.8	6.4	6.4	7.9	9.6	9.6
Bore dia.	3.2	4.0	4.8	5.6	4.8	6.4
Outside dia.	7.9	9.6	9.6	10.6	13.8	13.8
Overall thickness	6.4	6.2	7.1	6.4	5.4	6.5
Quantité	50	50	50	50	40	40
Panel hole dia.	10.7	10.7	12.7	12.7	12.7	14.3
Bore dia.	6.4	6.0	4.8	7.9	9.6	11.1
Outside dia.	14.3	14.3	19.0	19.0	16.7	19.0
Overall thickness	8.6	14.3	7.9	8.0	7.1	7.9
Quantité	25	20	24	20	20	15
Panel hole dia.	15.9	15.4	17.5	19.0	22.2	25.4
Bore dia.	4.8	10.5	7.9	12.0	15.9	19.0
Outside dia.	20.6	18.5	27.0	25.4	27.0	31.6
Overall thickness	7.9	9.8	6.4	7.9	7.9	8.1
Quantité	15	15	10	10	10	5

All dimensions in millimetres.