



ENGLISH

## Datasheet

### RS Pro Silicone Heater Mat, 160W, 4" x 8", 230VAC

RS Stock No: 181-2065



## Product Details

RS Pro silicone heater mat operates at a supply voltage of 230V ac, with a power rating of 160W and a maximum temperature rating of +180°C. This rectangular shaped silicone heater mat measures 4" x 8". It is designed for areas where standard heating methods are difficult to apply. This mat is self-adhesive and has an etched foil element embedded into layers of silicone coated glass cloth.

## Features and Benefits

- Acrylic backing adhesive from Nitto, no loss in performance
- Flexible silicone with etched foil heating element
- Fits to irregular shaped objects
- Operating temperature +180°C (Maximum)
- All units supplied with instruction leaflet
- Not suitable for stand-alone operation



ENGLISH

## Specifications

|                          |  |
|--------------------------|--|
| Mat Shape                | Rectangular                                      |
| Maximum Temperature      | +180°C   |
| Rectangular Mat Size     | 4" x 8"  |
| Power Rating             | 160W   |
| Supply Voltage           | 230V ac  |
| Adhesive Backing Tape    | Yes  |
| Heater Insulation Layers | Silicone Rubber                                  |
| Lead Length              | 500mm  |
| Lead Type                | Silver Plated Copper Conductor + PTFE Insulation |
| Thickness                | 1.1mm (Not including lead connection patch)      |

## Range of Alternative Silicone Heater Mats

### Metric Range

| Stock No. | Size (mm)    | Rating    |
|-----------|--------------|-----------|
| 245-499   | 25 x 50      | 12V 1.25W |
| 245-506   | 50 x 50      | 12V 2.5W  |
| 245-512   | 50 x 75      | 12V 3.75W |
| 245-528   | 50 X 100     | 12V X 5W  |
| 245-556   | 50 X 150     | 12V 7.5W  |
| 245-534   | 75 X 100     | 12V 7.5W  |
| 245-562   | 75 X 200     | 12V 15W   |
| 245-540   | 100 X 100    | 12V 10W   |
| 731-350   | 100 X 150    | 12V 15W   |
| 731-366   | 150 X 200    | 12V 30W   |
| 721-372   | 200 X 300    | 12V 60W   |
| 245-578   | 200 X 400    | 12V 80W   |
| 245-584   | 50 Diameter  | 12V 2W    |
| 245-590   | 75 Diameter  | 12V 4W    |
| 245-607   | 100 Diameter | 12V 8W    |
| 245-613   | 100 x 150    | 240V 50W  |
| 245-629   | 100 X 150    | 240V 100W |
| 245-635   | 150 X 200    | 240V 100W |
| 245-641   | 150 X 200    | 240V 200W |
| 245-657   | 200 X 300    | 240V 200W |
| 245-663   | 200 X 300    | 240V 400W |
| 245-679   | 200 X 400    | 240V 267W |
| 245-685   | 200 X 400    | 240V 533W |
| 731-388   | Set Of 5     | 30V 150W  |

### Imperial Range

| Stock No. | Size (Inches) | Rating    |
|-----------|---------------|-----------|
| 181-2061  | 2 x 6         | 12V60W    |
| 181-2058  | 2 x 6         | 115V 60W  |
| 181-2063  | 2 x 8         | 12V 80W   |
| 181-2055  | 2 x 10        | 120V 100W |
| 181-2065  | 4 x 8         | 230V 160W |
| 181-2069  | 4 x 40        | 230V 800W |
| 181-2064  | 5 x 10        | 230V 250W |
| 181-2068  | 5 x 20        | 230V 500W |
| 181-2060  | 6 x 12        | 120V 90W  |
| 181-2057  | 6 x 12        | 120V 180W |
| 181-2053  | 6 x 14        | 120V 360W |
| 181-2067  | 8 x 8         | 230V 320W |
| 181-2066  | 10 x 10       | 230V 500W |
| 181-2059  | 12 x 12       | 115V 720W |
| 181-2054  | 12 x 14       | 120V 720W |