

FEATURES

- Material : UL approved Nylon 66, 94V-2.
- Color: Natural, available in other colors.
- Saddle design provide maximum stability to wire bundles.
- To apply, simply fix mount with a screw and secure wire bundles with Nylon cable ties.

RS PRO Saddle Type Tie Mount

RS Stock No.: 2138525, 2138522



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description


- Material: UL approved Nylon 66, 94V-2
- Color: Natural, available in other colors.
- Saddle design provide maximum stability to wire bundles.
- To apply, simply fix mount with a screw and secure wire bundles with Nylon cable ties.

General Specifications

Series	Saddle Type tie mount		
Туре			
Colour	Natural		
Material	Nylon66		
UV Resistant	No		
Minimum Operating Temperature	-40°C		
Maximum Operating Temperature	85°C		
Fire Behaviour			
Quantity	500		

Mechanical Specifications

RS Article	Н	L	W	Max. tie width T	В	Packing
2138522	7	15	10	5.1	3.5	500 pag
2138525	9.8	23	16	9	6.3	500 pcs





Approvals

Declarations	
Standards Met	RoHS, HF

Similar Products

Stock No.	Brand	Product Name	Colour	Material
666-717	RS PRO	Cable Tie Mount	Natural	Nylon66
666-739	RS PRO	Cable Tie Mount	Natural	Nylon66



