

## FEATURES

- Self-tapping steel screws
- Manufactured to UTS No. 4 dimensions
- 3/8 inch (imperial) or 9.5 mm (metric) in length
- Clear passivated bright zinc plating for superior corrosion and abrasion resistance
- Cross recessed pan-head and pozidriv-type drive for reducing screw and screwdriver damage during drilling

## RS PRO Bright Zinc Plated Steel Pan Head Self Tapping Screw, N°4 x 3/8in Long 9.5mm Long

RS Stock No.: 546-5610



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

These zinc-plated self-tapping screws are designed to be used in applications where you need to join materials together, but can only access one of the surfaces. They're frequently used in the automotive world, as they meet industry demands for higher torque.

## General Specifications

<b>Head Shape</b>	Pan
<b>Drive Type</b>	Pozidrive
<b>Finish</b>	Bright Zinc Plated
<b>Material</b>	Steel
<b>Thread Size (UTS)</b>	4
<b>Application</b>	Frequently used in the automotive world

## Mechanical Specifications

<b>Length Imperial</b>	3/8in
<b>Length Metric</b>	9.5mm

## Approvals

<b>Compliance/Certifications</b>	EN61340
----------------------------------	---------

