


## FEATURES

- Made of polyamide, in green
- Dimensions of 24.5 mm (L) x 6.2 mm (D)
- Pitch of 2.54 mm
- 10 contacts
- Single row
- Through-hole mounting
- Female
- Straight body orientation
- Screw type termination method
- Current rating of 6 A
- Voltage rating of 125 V

## RS PRO 2.54mm Pitch, 10 Way PCB Terminal Strip

RS Stock No.: 790-1124



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

### Product Description

Quickly and efficiently connect wires across printed circuit boards with this 10-way PCB terminal strip. This insulated, modular device can be quickly and simply mounted directly onto the board.

### General Specifications

<b>Number Of Contact</b>	10
<b>Number Of Rows</b>	1
<b>Mounting Type</b>	Through Hole
<b>Gender</b>	Female
<b>Termination Method</b>	Screw
<b>Type</b>	PCB Terminal Block
<b>Body Orientation</b>	Straight
<b>Colour</b>	Green
<b>Material</b>	Polyamide
<b>Flammability Rating</b>	UL 94 V-0
<b>Applications</b>	PCB

### Electrical Specifications

<b>Current Rating</b>	6A
<b>Voltage Rating</b>	125V

## Mechanical Specifications

Pitch	2.54mm
Depth	6.2mm
Width	5.54mm
Length	25.4mm

## Operation Environment Specifications

Operating Temperature Range	-40°C to 105°C
-----------------------------	----------------

## Approvals

Compliance/Certifications	EN61340
---------------------------	---------

