Eaton LPJ-7SP

Catalog Number: LPJ-7SP

Eaton Bussmann series LPJ fuse, 7 A, Dual, Class J, Non-indicating, Ferrule end x ferrule end, Time delay|Current-limiting, 10 sec at 500%, 100 kAIC Vdc|300 kAIC at 600 V, Standard

General specifications



Eaton Bussmann series LPJ fuse

UPC

051712523462

Product Height

0.81 in

Product Weight

0.19 lb

Compliances
CE Marked

RoHS Compliant

Catalog Number

LPJ-7SP

Product Length/Depth

2.25 in

Product Width

0.81 in

Warranty

Not Applicable



Product specifications

Fuse indicator

Non-indicating

Special features

Non-indicating, High in-rush current motor protection

Interrupt rating

300 kAIC at 600 Vac

100 kAIC Vdc

Number of elements

Dual

Connection

Ferrule end x ferrule end

Response time

10 sec at 500%

Amperage Rating

7 A

Fuse type

Time delay

Current-limiting

Туре

Low-peak fuse

Class

Class J

Voltage rating

600 Vac, 300 Vdc

Application

Specialized circuits and industrial control

Packaging type

Standard

Resources

Catalogs

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Bussmann series complete full line catalog no. 1007

LPJ-7SP~LOW-PEAK CLASS J T/D

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LPJ-7SP

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia