

# **FEATURES**

- All fluids usable in aggressive environment
- Mechanical resistance
- Silicon free

# RS PRO Pneumatic Quick Connect Couplings

**RS Stock No.: 2312684** 



RS PROfessionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



### **Product Description**

The RS PRO male socket inox short 1/4 works in 0 to 16 bar pressure range. It mainly used in compressed air & tools, pneumatic & fluid technology, food & beverages applications. It provides high performance for multiple fluids in a wide range of temperature and pressure. Operating temperature range is from - 15 °C to + 200 °C. RoHS and REACH compliant.

#### **General Specifications**

Material	Steel	
Applications	Lubrication System, Cooling System, Pneumatic	
	Machinery Equipment	


#### **Mechanical Specifications**

Connection Type	Tube
Tube Connection Size	7
Coupling Gender	Male
Threaded Connection	1/4 in Male
Thread Size	1/4in
Hose Barb Connection	4mm
Wrench Size	21
Length	50mm



## Similar Products

Parameters	2312685	2312687	
Brand	RS PRO	RS PRO	
Wrench Size	21	21	
Length	50.5mm	52mm	
Thread Size	3/8	1/2	



А	В	С	D	СН	Pack.
1/4	7	50	24	21	2