



RBE 12-180
Electronic Pipe Belt Sander



SE 12-115
Burnishing Machine




BFE 9-90
Electronic Band File



WE 14-125
Electronic Angle Grinder



KNSE 12-150
Electronic Fillet Weld Grinder



Angle Grinder



720W Lightweight Grinder

Model	W 72100 / W 72125
Order Number	618101000 / 618102000
Grinding wheel Ø	100mm / 125mm
No load speed	11000/min
Rated input power	720W
Output power	450W
Speed at rated load	6800/min
Spindle thread	M10 / M14
Weight	1.5kg / 1.6kg



780W Grinder with clw Dead-Man Switch

Model	WP 780
Order Number	606712000
Grinding wheel Ø	125mm
Torque	1.8Nm
No load speed	10000/min
Rated input power	780W
Output power	460W
Speed at rated load	7000/min
Spindle thread	M14
Weight	1.7kg



850W Lightweight Grinder

Model	W 8-125 Quick
Order Number	600266000
Grinding wheel Ø	125mm
Torque	2.2Nm
No load speed	10000/min
Rated input power	850W
Output power	520W
Speed at rated load	7000/min
Spindle thread	M14
Weight	1.8kg



1450W Variable Speed Grinder / Grinder with Autobalancer

Model	WE 14-150 Plus / WEA 14-150 Plus
Order Number	600286000 / 601106000
Grinding wheel Ø	150mm
Torque	3.5Nm
No load speed	6000-9000/min
Rated input power	1450W
Output power	830W
Speed at rated load	9000/min
Spindle thread	M14
Weight	1.9kg / 2kg



1700W Angle Grinder



2400W Angle Grinder



2600W High Torque Grinder



18V Cordless Angle Grinder

Model	W 17-150 / W 17-180
Order Number	600169000 / 600177000
Grinding wheel Ø	150mm / 180mm
Torque	5Nm / 6Nm
No load speed	10000/min / 8500/min
Rated input power	1700W
Output power	980W
Speed at rated load	7300/min / 5700/min
Spindle thread	M14
Weight	3.8kg / 3.9kg

Model	W 24-180 / W 24-230
Order Number	606445000 / 606448000
Grinding wheel Ø	180mm / 230mm
Torque	14Nm / 17Nm
No load speed	8500/min / 6600/min
Rated input power	2400W
Output power	1600W
Speed at rated load	5800/min / 4600/min
Spindle thread	M14
Weight	5.7kg / 5.8kg

Model	W 26-180
Order Number	606452000
Grinding wheel Ø	180mm
Torque	17Nm
No load speed	8500/min
Rated input power	2600W
Output power	1800W
Speed at rated load	6000/min
Spindle thread	M14
Weight	6.2kg

Model	W 18LTX125
Order Number	602174000
Grinding wheel	125mm
No load speed	8000/min
Spindle thread	M14
Weight (including battery pack)	2.4kg
Battery pack	18V/3.0Ah, ASC 30

Inox | Polisher

Stainless Steel Polishing Tool Set



1200W Electronic Pipe Belt Sander Set



900W Electronic Band File Set



1200W Electronic Fillet Weld Grinder



1200W Burnishing Machine Set

Model	RBE 12-180 Set
Order Number	602132500
	602132510(Machine only)
Max. pipe diameter	180mm
No load speed	900-2800/min
Wrap angle	270°
Noload belt speed	2.7-8.5m/s
Sanding belt dimensions	40x760mm
Rated input power	1200W
Output power	720W
Weight (without mains cable)	3.7kg

Model	BFE 9-90 Set
Order Number	602134500
	602134510(Machine only)
Useful length of grinding belt arm	90mm
Grinding belt width	6-19mm
Grinding belt length	457mm
Noload belt speed	3.8-9m/s
Rated input power	900W
Output power	510W
Weight (without mains cable)	2.3kg

Model	KNSE 12-150 Set
Order Number	602133500
	602133510(Machine only)
Disc diameter	150mm
No load speed	1300-4000/min
Rated input power	1200W
Output power	720W
Speed at rated load	4000/min
Spindle thread	M14
Weight (without mains cable)	3.3kg

Model	SE 12-115 Set
Order Number	602115500
	602115510(Machine only)
Rated input power	1200W
Output power	720W
No load speed	900-2800/min
Spindle thread	M14
Abrasive wheel diameter	100-115mm
Abrasive wheel width	50-100mm
Weight (without mains cable)	3kg

Inox | Polisher



1450W Electronic Angle Grinder

Model	WE 14-125 Inox Plus
Order Number	602131000
ø of grinding disc	125mm
Torque	4.2Nm
No load speed	2000-7000/min
Rated input power	1450W
Output power	830W
Speed at rated load	7000/min
Spindle thread	M14
Weight (without mains cable)	1.9kg



1200W Angle Polisher

Model	PE 12-175
Order Number	602175000
For backing pad up to max.	175mm
No load speed	700-2200/min
Rated input power	1200W
Output power	680W
Speed at rated load	2200/min
Torque	14Nm
Weight (without mains cable)	2.4kg

Metal Chop Saw



2300W Metal Chop Saw

Model	CS 23-355
Order Number	602335000
Disc diameter	355mm
Torque	18Nm
Bit retainer diameter	25.4mm
No load speed	4000/min
Rated input power	2300W
Max. cutting dimension	
- Steel bars ; - Pipes	65mm ; 125mm
- Steel sections	115x130mm
Transport height	400mm
Weight	16.9kg

Die Grinder



500W Die Grinder

Model	G 500
Order Number	606301000
No load speed	27000/min
Rated input power	500W
Output power	300W
Speed at rated load	16000/min
Collet bore of collet chuck	6mm
Weight (without mains cable)	1.4kg

Die Grinder



710W Electronic Die Grinder

Model	GE 700 / GE 700basic
Order Number	606303000/ 606304000 (Without "Quick" chuck)
No load speed	7000-27000/min
Rated input power	710W
Output power	430W
Speed at rated load	20000/min
Collet bore of collet chuck	6mm
Weight (without mains cable)	1.8kg

Hammer | Chipping Hammer



2x Mode, 810W Rotary Hammer

Model	BHE 2643
Order Number	618108000
Drill diameter in	
- Concrete	26mm
- Steel	13mm
- Softwood	30mm
No load speed	0-1150/min
Rated input power	810W
Output power	410W
Max. impact rate	5400/min
Max. single blow energy	2.8J
Weight (without mains cable)	2.5kg



3x Mode, 1010W Combination Hammer

Model	KHE 2850
Order Number	600656000
Drill diameter in	
- Concrete with hammer bits	28mm
- Masonry with core bits	68mm
No-load speed	0-945/min
Rated input power	1010W
Output power	550W
Speed at rated load	860/min
Max. impact rate	4400/min
Max. single blow energy	2.8J
Impact power	207J/s
Weight (without mains cable)	3.2kg



800W Combination Hammer

Model	KHE 3250
Order Number	600637000
Drill diameter in	
- Concrete / - Steel	32mm / 13mm
-Wood	35mm
Drilling diameter with core bits	82mm
No-load speed	1150/min
Rated input power	800W
Output power	440W
Max. impact number	4470/min
Max. impact energy	3.1J
Vibration	13.0m/s ²
Weight (without mains cable)	3.3kg

Impact Drill | Drill



560W Lightweight Impact Drill

Model	SB 561 / SBE 561
Order Number	601159000 / 601160000
Torque	5Nm
Drill diameter in	
- Concrete	12mm
- Steel ; - Softwood	10mm ; 20mm
No load speed	2800min / 0-2800min
Rated input power	560W
Output power	320W
Speed at rated load	1700/min
Max. impact rate	50000/min
Collar diameter	43mm
Chuck capacity	1.5-13mm
Weight (without mains cable)	1.7kg

Magnetic Drill



Cordless Magnetic Core Drill

Model	MAG 28 LTX 32
Order Number	600334000
Drill diameter with	
- Core drill	32mm
- Spiral drill	13mm
Max. drilling depth	50mm
Electromagnetic drill stand	
- Max. stroke	160mm
- Dimensions magnetic base (L x W)	79x190mm
No load Speed	380/680/min
Core drill chuck	19mm Weldon shaft ; MK2
Height (including motor) at	
- Carriage lowest position	455mm
- Carriage topmost position	615mm
Weight	14.5kg

Sander



350W Sander

Model	SRE 4350 Turbo Tec SRE 4351 Turbo Tec
Order Number	611350000 / 611351000
Base plate	90 x 190mm / 112 x 236mm
Orbital frequency at no load	8400-22000/min
Rated input power	350W
No load speed	4200-11000/min / 6000-11000/min
Oscillating circuit	2.2mm
Weight	2.5kg / 2.7kg



350W Electronic Disc Sander

Model	SXE 450 Turbo Tec
Order Number	600129000
Diameter of backing pad	150mm
Orbital frequency at no load	4200/min-11000/min
Rated input power	350W
Output power	180W
Speed at rated load	8500/min
Swing diameter	2.8/6.2mm
Weight (without mains cable)	2.2kg

Cordless(NiCd)



12V Cordless Drill / Screwdriver

Model	BS 12 NiCd
Order Number	602172500(1battery) 602172510(2battery)
Max. torque, soft / hard	16Nm / 32Nm
Adjustable torque	0.8-5Nm
Drill diameter in: - Steel; - Wood	10mm; 20mm
No load speeds	0-350/0-1200/min
Drill spindle thread	1/2"-20UNF
Chuck capacity	1-10mm
Weight(including battery pack)	1.7kg
Battery pack	NiCd, 12V/1.7Ah
Standard equipment	1 charger SC 60, quick-action keyless chuck, carry case

Cordless(Li)



10.8V Cordless Drill / Screwdriver

Model	PowerMaxx 12 Li
Order Number	600090000
Max. Torque, soft	14Nm
Max. Torque, hard	28Nm
Drill diameter in - steel; - wood	10mm; 22mm
No load speed	0-350/0-1300/min
Chuck capacity	1-10mm
Weight (with battery pack)	0.9kg
Battery pack	10.8V/1.5Ah, LC 40
Standard equipment	1 battery pack Li-Power max 12, 1 charger, chuck, bit holder, 50mm bit PZ 2, soft bag



Basic Pro

Model	PowerMaxx 12 Basic
Order Number	600091000
Standard equipment	2 battery packs Li-Power max 12, 1 charger, chuck, bit holder, 50mm bit PZ 2, plastic carry case

Model	PowerMaxx 12 Pro
Order Number	600092000
Standard equipment	2 battery packs Li-Power max 12, 1 charger, chuck, angle attachment, 20 pcs. bit set, bit holder, 50mm bit PZ 2, plastic carry case



10.8V Cordless Screwdriver

Model	PowerImpact 12
Order Number	600093000
Max. Torque, hard	105Nm
No load speed	0-2300/min
Impact speed	3000/min
Weight (with battery pack)	1kg
Battery pack	10.8V/1.5Ah, LC 40
Standard equipment	2 battery packs Li-Power max 12 (10.8V / 1.5Ah), charger LC 40, plastic carry case

Cordless(Li)



10.8V Cordless Sabre Saw

Model	PowerMaxx Ase
Order Number	602264500
Battery pack	1.5Ah
Strokes at no load	0-3100/min
Saw blade stroke	13mm
Weight	1.2kg



14.4V Cordless Drill / Screwdriver

Model	BS 14.4 Li
Order Number	602135000
Max. torque, soft	20Nm
Max. torque, hard	40Nm
Adjustable torque	0.8-5Nm
Drill diameter in - Steel; - Wood	10mm; 20mm
No load speed	0-450/0-1600/min
Drill spindle thread	1/2"-20UNF
Chuck capacity	1-10mm
Weight (including battery pack)	1.35kg
Battery pack	14.4V/1.3Ah, ASC 30



14.4V Cordless Drill / Screwdriver

Model	BS 14.4 LTX Impuls Li
Order Number	602143000
Max. torque, soft	38Nm
Max. torque, hard	88Nm
Adjustable torque	1.5-13Nm
Drill diameter in - Steel - Wood	13mm 45mm
No load speed	0-400/0-1400/min
Chuck capacity	1.5-13mm
Weight (including battery pack)	1.9kg
Battery pack	14.4V/3.0Ah, ASC 30



18V Cordless Impact Drill

Model	SB 18 LTX Impuls Li
Order Number	602148000
Max. torque, soft / hard	44Nm / 100Nm
Impuls torque	48Nm
Adjustable torque	1.5-13Nm
Drill diameter in - Concrete- Steel- Wood	16mm; 13mm; 50mm
No load speed	0-400/0-1400/min
Max. impact rate	28000/min
Drill spindle thread	1/2"-20UNF
Chuck capacity	1.5-13mm
Weight(including battery pack)	2.1kg
Battery pack	18V/3.0Ah, ASC 30

Circular Saw



1400W Circular Saw

Model	KS 66
Order Number	600542000
Torque	9Nm
Adjustable cutting depth	0-66mm
Max. cutting depth at 90°	66mm
Max. cutting depth at 45°	47mm
Saw blade diameter	190mm
No load speed	4200/min
Rated input power	1400W
Output power	800W
Speed at rated load	3200/min
Orbital frequency at rated load	32m/s
Weight(without mains cable)	5.5kg

Bench Grinder



330W Bench Grinder

Model	DS 150
Order Number	619150000
Grinding discs (ø x thickness x bore)	150x20x20mm
Max. speed	2980/min
Rated input power	350W
Output power	200W
Tilting movement	1.1Nm
Weight	9.5kg
Battery voltage	220V



600W Bench Grinder

Model	DS 200
Order Number	619200000
Grinding discs (ø x thickness x bore)	200x25x32mm
Max. speed	2980/min
Rated input power	600W
Output power	370W
Tilting movement	2.6Nm
Extraction nozzle inner ø	35mm
Weight	16.3kg
Battery voltage	220V



900W Bench Grinder

Model	DSD 250
Order Number	619250000
Grinding discs (ø x thickness x bore)	250x40x51mm
Max. speed	1490/min
Rated input power	900W
Output power	540W
Tilting movement	10Nm
Extraction nozzle inner ø	35mm
Weight	33.3kg
Battery voltage	380V

Hot Air Gun



Model	H 16-500
Order Number	601650000
Volume of air	240/450l/min
Air temperature	300/500°C
Rated input power	1600W
Weight (without mains cable)	0.7kg



Model	HE 20-600
Order Number	602060000
Volume of air	150/300/500l/min
Air temperature	50/50-600°C
Rated input power	2000W
Weight (without mains cable)	0.85kg

Jig Saw



590W Jig Saw with Quick Blade Release

Model	STEB 80 Quick
Order Number	601041000
Torque	6Nm
Max. thickness of material in	
- Wood	80mm
- Non-ferrous metal	25mm
- Sheet steel	8mm
Orbital motion levels	4
Strokes at no load	900-3300/min
Rated input power	590W
Output power	350W
Weight (without power cable)	2kg

Cordless(Li)



18V Cordless Jigsaw

Model	STA 18 LTX
Order Number	602298000
Max. thickness of material in	
- Wood	135mm
- Non-ferrous metal	35mm
- Sheet steel	10mm
Orbital motion levels	4
Strokes at no load	0-2700/min
Swivel range from/to:	-45°/+45°
Battery pack	18V/3.0Ah
Weight (with battery pack)	2.8kg

Multi-Purpose Vacuum Cleaner



Model	AS 1200
Order Number	601200000
Air output (at fan)	60L/s
Vacuum	171hPa (mbar)
Filter surface	2950cm ²
Rated input power	1200W
Container volume	20L
Suction hose:	
- Diameter	35mm
- Length	1.75m
Weight	5kg

Crosscut and Mitre Saw



Model	KGS 254 I Plus
Order Number	80102540200
Dimensions L x W x H	930x690x590mm
Bearing surface	1000/505x365mm
Cutting width:90°/45°	305mm/214mm
Cutting depth:90°/45°	90mm/54mm
Maximum cross-section of the workpiece	
- Straight cut 90°/90°	305x90mm
- Double mitre 45°/45°	214x54mm
No load speed	4650/min
Speed at rated load	4650/min
Cutting speed	62m/s
Saw blade	Ø254x30mm
Turntable left/right(max.)	47°/60°
Saw head left/right(max.)	46°/22.5°
Rated input power	1.8kw
Weight	32.5kg

12" Cross Saw



Model	KS 305 Plus
Order Number	80103050100
Dimensions L x W x H	725x758x637mm
Bearing surface	225x1080mm
Cutting width:90°/45°	200mm/140mm
Cutting depth:90°/45°	100mm/45mm
Maximum cross-section of the workpiece	
- Straight cut 90°/90°	200x77mm
- Double mitre 45°/45°	140x35mm
No load speed	4100/min
Speed at rated load	3015/min
Cutting speed	48m/s
Saw blade	Ø305x30mm
Turntable left/right(max.)	47°/58°
Saw head left/right(max.)	47°/47°
Rated input power	2kw
Weight	19kg

Band Saw



Model	BAS 260 Swift
Order Number	80090025100
Dimensions L x W x H	525x425x840mm
Bearing surface	340x335mm
Working height without base	374mm
Saw table pivot range	0-45°
Cutting height	100mm
Band width	245mm
Cutting speed	690m/min
Bandsaw blade length	1712mm
Bandsaw blade width	6.4-12.7mm
Rated input power	0.35kw
Output power	0.26kw
Weight	32.5kg

Band Saw



Model	BAS 317 Precision WNB
Order Number	80090317000
Dimensions L x W x H	665x795x1600mm
Support surface	548x400mm
Working height without base	510mm
Working height with base	985mm
Saw table pivot range	-2-45°
Cutting height	165mm
Band width	305mm
Cutting speed	370/800m/min
Bandsaw blade length	2240mm
Bandsaw blade width	6-20mm
Rated input power	0.9kw
Output power	0.57kw
Weight	70.5kg



Model	BAS 505 G WNB/ BAS 505 G DNB
Order Number	80090505000 / 80090505100
Dimensions L x W x H	834x639x1860mm
Bearing surface	536x640mm
Working height without base	925mm
Saw table pivot range	0-20°
Cutting height	280mm
Band width	440mm
Cutting speed	68/176/375/967m/min
Bandsaw blade length	3380mm
Bandsaw blade width	6-25mm
Rated input power	1.5kw / 1.9kw
Output power	1.1kw / 1.5kw
Weight	146kg

Chip & Dust Extraction Unit



Model	SPA 1200
Order Number	601205000
Dimensions L x W x H	830x450x1600mm
Max. Vacuum	1600Pa
Max. Flow	900m ³ /h
Filter area	1m ²
Dustsack volume	65l
Mains voltage	230V
Rated input power	0.55kw
Weight	22kg



Model	SPA 1702 W
Order Number	80130170100
Dimensions L x W x H	882x562x1671mm
Max. Vacuum	1730Pa
Max. Flow	1010m ³ /h
Filter area	1.1m ²
Dustsack volume	90l
Mains voltage	230V
Rated input power	0.75kw
Weight	24kg