



Data sheet

RS PRO Electric Soldering Iron, 130W for use with RS Art No.1760007 Soldering Station



Features:

- Specially designed handle that allows users to rest their fingers on the handle comfortably, significantly reducing fatigue.
- High quality alloy heater element with excellent thermal stability.
- Silicon handle is soft and overheat protected.
- Rapid heating-up, about 10 seconds to reach 350°C.
- Energy saving with auto sleep function.
- Easy to replace pluggable heater/soldering tip, reducing consumable replacement cost.

• The heater using low voltage AC source to ensure the anti-static and no leakage, no interference.

Specifications:

Model	RS 179-0021				
Wattage	130W				
Power Type	Electronic				
Туре	Soldering Iron				
Output voltage	24VAC				
Temperature stability	±2°C(still air, no load)				
Heater	Integrated heater				
Tip-to-ground impedance	<2Ω				
Tip-to-ground potential	<2mV				

Accessories:

Optional Soldering Tips:

Article No.	Description	Туре	Size	Tip Dimensions (mm)
NA	Soldering tip, Straight hoof, 0.04ln/1mm	Straight hoof	0.04" (1mm)	8.5
1796034	Soldering tip, Straight hoof, 0.047ln/1.2mm	Straight hoof	0.047" (1.2mm)	1.2
1796035	Soldering tip, Straight hoof, 0.09ln/2.4mm	Straight hoof	0.09" (2.4mm)	2.4
1796036	Soldering tip, Straight hoof, 0.126ln/3.2mm	Straight hoof	0.126" (3.2mm)	O 3.2
1796037	Soldering tip, Straight hoof, 0.18ln/4.6mm	Straight hoof	0.18" (4.6mm)	O 4,6

1796038	Soldering tip, Straight chisel, 0.063In/1.6mm	Straight chisel	0.063" (1.6mm)	0.8
1796039	Soldering tip, Straight chisel, 0.09ln/2.4mm	Straight chisel	0.09" (2.4mm)	0.8
1796040	Soldering tip, Straight chisel, 0.126ln/3.2mm	Straight chisel	0.126" (3.2mm)	0.8
1796041	Soldering tip, Straight chisel, 0.18ln/4.6mm	Straight chisel	0.18" (4.6mm)	0.8
1796042	Soldering tip, Straight conical, 0.02In/0.5mm	Straight conical	0.02" (0.5mm)	10
1796043	Soldering tip, Straight conical, 0.04ln/1.0mm	Straight conical	0.04" (1.0mm)	10
NA	Soldering tip, straight knife, 0.079ln/2mm	Straight knife	0.079" (2mm)	2 12
NA	Soldering tip, straight conical, 0.02ln/0.5mm	Straight conical	0.02" (0.5mm)	15
NA	Soldering tip, bent conical, 0.016ln/0.4mm	Bent conical	0.016" (0.4mm)	\$ 00.A
NA	Soldering tip, straight knife, 0.047ln/1.2mm	Straight knife	0.047" (1.2mm)	1.2

rspro.com