



## **IB 7/40 Adv**

The Ice Blaster IB 7/40 Advanced has a jet gun with integrated remote control and also guarantees the best results with dry ice cleaning at low air pressures.

### 1 Clear display

■ Easy to read off the values set; ease of operation thanks to large buttons and electronic control system.

#### 3 Outstanding mobility

- Optimum balancing of the device for convenient manoeuvring on uneven terrain.
- Bars at the front and rear of the device make it easy to negotiate stairs.

### 2 Automatic residual ice discharge

■ The ability to empty the residual ice tank at the touch of a button prevents the device from icing up once work is complete.

### 4 GFRP dry ice container

- Optimum insulation of the dry ice.
- No condensation.

# **TECHNICAL DATA AND EQUIPMENT**





## IB 7/40 Adv

- Operation by the trigger gun
- Oil and water separator
- For in-house compressed air networks

Technical data		
Order no.		1.574-002.0
EAN code		4039784294035
Connection load	kW	0.6
Compressed air connection		Claw coupling (DIN 3238)
Casing/frame		Stainless steel (1.4301)
Air pressure	bar / MPa	2-10 / 0.2-1
Air quality		dry & oil free
Air flow	m³/min	0.5-3.5
Sound pressure level	dB(A)	99
Dry ice capacity	kg	15
Dry ice pellets (diameter)	mm	3
Dry ice consumption	kg/h	15-50
Weight without accessories	kg	70
Dimensions (L × W × H)	mm	768 × 510 × 1100

Equipment			
Grease for nozzle threads		Tool bag	
Flat jet nozzle			
Open-end wrench (for changing noz- zles)	piece(s) 2		
Spray hose with electrical control cable and quick coupling	•		
Jet gun (ergonomic and safe)			
Ice quantity set directly on the jet gun			
Air pressure set directly on the jet gun			
"Air only" or "Air and ice" switch on the blasting trigger gun	•		
Electronic control system			
Includes ground strap coil			
Oil and water separator			
Individual in the same of sumply			

## **ACCESSORIES FOR IB 7/40 ADV** 1.574-002.0































		Order no.	Quantity			Price	Description	
Blasting gun								+
Jet gun, XS, Adv	1	4.775-785.0					Ergonomic & lightweight blasting gun with safety device against accidental use. Because of its compact design the blasting gun is very lightweight and handy. The advanced blasting gun has an integrated remote control to adjust the blasting pressure and the dry ice output directly on the blasting gun. Furthermore there is a button to choose between "air & ice" or "only air".	•
Jet gun, XS, classic	2	4.775-794.0					Ergonomic & lightweight blasting gun with safety device against accidental use. Because of its compact design the blasting gun is very lightweight and handy.	
Low pressure - blasting nozzles		l		 	I.		Stating got to very ingritive grit and manay.	
Flat jet nozzle, XS, long	3	4.574-038.0					Highest efficiency and a low noise level are the result of ou optimized nozzle design. Great cleaning results and high area performance.	ır ■
Flat jet nozzle, XS, short	4	4.574-040.0					Highest efficiency and a low noise level are the result of ou optimized nozzle design. Very short nozzle to blast in narrow areas.	ır 🗆
Round spray nozzle, XS, short	5	4.574-039.0					Optimised nozzle geometry for maximum efficiency and minimum noise. Short, compact nozzle. Especially suited for use in small spaces.	
Round spray nozzle, XS, long	6	4.574-037.0					Optimised nozzle geometry for maximum efficiency and minimum noise. High pressure for use against stubborn dirt	
Angled nozzle, XS, flat	7	4.574-042.0					Angled nozzle to direct the jet through 90°. Perfect for	
Angled nozzle, XS, round	8	4.574-041.0					cleaning injection moulds.	
Mini angled nozzle, 60°, XS	9	4.574-044.0					Mini angled nozzle for use in small spaces. Directs the jet through 60° laterally. Protrudes 57 mm laterally, length: 26 mm. The set consists of four parts: 1 x union nut 1 x extension piece, 100 mm (5.321-971.0) 1 x elbow attachment, 60° (5.321-972.0) 1 x nozzle tip (5.321-977.0) Supports as many extension pieces as needed. The elbow attachment and nozzle piece can be ordered separately.	
Mini angled nozzle, 90°, XS	10	4.574-043.0					Mini angled nozzle for use in small spaces. Directs the jet through 90° laterally. Protrudes 63 mm laterally, length: 24 mm. The set consists of four parts: 1 x union nut 1 x extension piece, 100 mm (5.321-971.0) 1 x elbow attachment, 90° (5.321-973.0) 1 x nozzle tip (5.321-977.0) Supports as many extension pieces as needed. The elbow attachment and nozzle piece can be ordered separately.	
Cavity nozzle, XS	11	4.574-045.0					Diameter: 22 mm. Any number of extension pieces can be attached.	
Extension, 100 mm	12	5.321-971.0					100 mm Extension for Mini angled nozzles (60°, 90°, 135°)	
Angle, 135°	13	5.321-974.0					135° angle for all Mini angled nozzles.	
Angle, 90°		5.321-973.0					90° angle for all Mini angled nozzles.	
Angle, 60°		5.321-972.0					60° angle for all Mini angled nozzles.	
Replacement nozzle	16	5.321-977.0					Nozzle piece for all Mini angled nozzles.	
Straight adapter for angled nozzle	17	5.321-992.0					Can be attached to all miniature angled nozzles. Converts a miniature angled nozzle to a straight nozzle.	
Nozzle accessories								
Open-end wrench (size 27 mm)	18						Open-end wrench for mounting nozzles (2 pcs required)	
Grease for nozzle thread, sili- cone-free	19	6.288-088.0					The threads of the blasting nozzles must be regularly treated with this silicone-free grease.	

<sup>■</sup> Included in the scope of supply. 

□ Available accessories.

# ACCESSORIES FOR IB 7/40 ADV 1.574-002.0































		Order no.	Quantity		Price	Description	
Scrambler	20	4.574-026.0				The innovative scrambler, patented by Kärcher, is attached between the spray gun and spray nozzle and breaks the 3 mm dry ice pellets into a fine spray of tiny particles. This makes cleaning delicate surfaces possible. The intensity of the scrambler's effect on the pellets can be set to three different levels.	(
Double scrambler	21	4.574-052.0				Additional scrambler for producing even finer jet particles alongside the normal scrambler attachment. The double scrambler can be attached to the normal scrambler, saving space.	[
Nozzle extension, XXL, 170 mm	22	4.574-027.0				170 mm nozzle extension	[
Nozzle extension, XXL, 500 mm	23	4.574-025.0				500 mm nozzle extension.	[
Nozzle extension, XS, 300 mm	24	4.574-046.0				300 mm nozzle extension	[
Handle, IB 7/40	25	4.321-248.0				Handle to mount on the nozzle extension. For easy two handed working.	
Nozzle light, IB 7/40	26	2.815-011.0				Illuminator can be screwed onto the jet gun to light up the work area.	[
Blasting hose, compressed air hose							
Spray hose, 1/2"	27	4.013-042.0				5 m spray hose with electric control cable and quick-action couplings, non-marking outer layer, silicone-free (1/2" diam eter).	
Hose trolley	28	4.574-057.0				Hose reel including all adaptors. Handy device assists you in dry ice spraying, and is suitable for 80 m compressed air hoses with a 1" diameter.	n
Compressed air hose, 1", 5 m	29	6.574-279.0				Lightweight, stable compressed air hose (1", 5 m) for use with the Ice Blaster. Ideal for connecting the hose reel to th compressor.	е
Compressed air hose, 1", 20 m	30	6.574-280.0				Lightweight, stable compressed air hose (1", 20 m) for use with the Ice Blaster. The hose can be neatly wound back onto the Kärcher hose reel after use.	
Compressed air hose, 1", 60 m	31	6.574-281.0				Lightweight, stable compressed air hose (1", 60 m) for use with the Ice Blaster. The hose can be neatly wound back onto the Kärcher hose reel after use.	
Compressed air hose, 10 m	32	6.390-284.0				Folding compressed air hose with inner diameter 3/4" and 10 m length.	
Compressed air hose, 20 m	33	6.390-285.0				20 m long, folding compressed air hose with inner diameter $3/4$ ".	•
Protective foil for IB spray hose, 100 m	34	6.667-214.0				100m-role of tube foil. To protect the blasting hose against dirt as well as against damage.	
Mounting kits and other accessorie	es						Ļ
Earth wire rewinder	35	2.641-741.0				Automatic electrostatic discharge wire with approximately m wire and powerful clamp. The earth wire effectively prevents electrostatic charge of the cleaning object during ice blasting and with that sparks between object and nozzle The earthing of the cleaning object is done over the ground ing conductor of the Ice Blaster.	2.
Shovel	36	4.321-198.0				Used for filling the machine with dry ice pellets	[
Y adapter, air supply	37	2.641-880.0				Y-adapter for connecting the air hose to two 1/4" quick coupling connections.	ı
Protective equipment		,		 			Į
Safety glasses	38	6.321-208.0				Safety goggles.	

# ACCESSORIES FOR IB 7/40 ADV 1.574-002.0







		Order no.	Quantity		Price	Description	
Protective gloves	39	6.321-210.0				Cold protection glove, size 10 with slip-resistant profile (Category 3 according to EN 511, Level 12X EN 388, Level 2121).	
Hearing protection	40	6.321-207.0				Effective hearing protection with an average insulation rating of 35 dB(A) according to SNR (Single Number Rating).	

<sup>■</sup> Included in the scope of supply. 

Available accessories.

# ACCESSORIES FOR IB 7/40 ADV 1.574-002.0





		Order no.	Quantity	ID	Length / width	Price	Description
Miscellaneous							
Power cable storage compartment	1	5.037-240.0	1 piece(s)				The power cord is stored on a hook attached to the tubular frame. The practical cord hook is suitable for a pipe diameter of 30 to 32 mm.

 $<sup>\</sup>blacksquare$  Included in the scope of supply.  $\qed$  Available accessories.