

Check Valves

Features

- Black colour
- Length 11 m2
- Width of 1000 mm
- Thickness of 13 mm
- Nitrile Rubber material
- Flexible sheet
- Thermal conductivity of 0.034 W/mK, 0.036 W/mK, 0.038 W/mK, 0.04 W/mK

RS PRO Nitrile Thermal Insulating Sheet, 11 m2 x 1000mm x 13mm

RS Stock No: 485-971



RS PRO Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Check Valves

Product Description

This rubber insulation roll from RS PRO lets you insulate objects that could be damaged by fluctuations in temperature. It maintains a steady temperature to reduce heat loss and prevent freezing, preserving the contents of your containers. It can also help to absorb sound and reduce the noise of the flow in your home or workplace.

For excellent insulation properties, the roll has a low thermal conductive capacity. Its high-water vapour permeability minimises the risk of water damage and mould growth by preventing condensation. As the nitrile rubber material is chemical-resistant, it's suitable for insulating containers holding oils, fuels and other harsh substances. The insulation comes in a convenient 11 m² length, making it easy to cut down to insulate a range of objects. It's a good choice for insulating larger objects, including storage tanks, ducting and grounded pipework.

General Specifications

Material	Nitrile
Length	11 m ²
Width	1000 mm
Thickness	13 mm
Thermal Conductivity	0.034 W/mK, 0.036 W/mK, 0.038 W/mK, 0.04W/mK
Temperature range	-40 C to 116 C
Colour	Black

Standards

BS476 Part 7:	1997 Class 1
BS476 Part 6:	1989
BS4370 Part 2:	1973
DIN 53495	
DIN 4109	



Check Valves
