


#### **FEATURES**

- 1.9kg Pull Button Magnet Thermocouple
- Junction grounded at tip for fast response
- The International Electrotechnical Commission (IEC) is an international standards organisation that prepares and publishes international standards.

# IEC Type K 1.9kg Pull Button Magnet Thermocouple, PFA insulated with stainless steel over-braid Insulated with Standard Plug – 1m

RS Stock No.: 2522463



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Thermocouples



#### **Product Description**

Rapid, reliable temperature sensing on ferrous surfaces

### **General Specifications**

Thermocouple Type	Type K	
Temperature Measurement Range	-50°C to 250°C	
Construction	Magnet Thermocouple	
Magnet	19.1mm Diameter / 12.7mm height	
Max Pull	1.9kg	

#### **Mechanical Specifications**

Termination Type	Standard Plug	
Cable Length	1m	
Cable Insulation	Glassfibre insulated lead with stainless steel overbraid 7/0.2mm	

### **Approvals**

Compliance/Certifications	RoHS Compliant
Standards Met	IEC

#### **Similar Products Range**

Type	Termination	1m	2m
K	Miniature Plug	2522461	2522462
K	Standard Plug	2522463	2522464



RS Components is a leading provider for Automation and Control Gear, below is a selection of best selling products:





RS Components is a leading provider for Automation and Control Gear, below is a selection of best selling products:

