

Datasheet

RS PRO DIN PLUG TWIST LOCK



Stock No: 2513627, 2513630



Technical Specifications:

Connector type:	Plug
Mounting type:	Cable
IP Rating:	IP40
Contact Gender:	Male

Dimensions & connections



No.	Description	Material	Treat	Q'ty
1	Bayonet Cover	Zn Alloy	Nickel Ptd.	1
2	Bayonet Cap	Zn Alloy	Nickel Ptd.	1
3	R/A Cover A	Zn Alloy	Nickel Ptd.	1
4	R/A Cover B	Zn Alloy	Nickel Ptd.	1
5	T Holder	Steel	Nickel Ptd.	1
6	T Screw	Steel	Nickel Ptd.	1
7	Strain Boot	PVC		1
8	Screw	Steel	Nickel Ptd.	1
9	Housing	PA66		1
10	Terminals	Brass	Silver Ptd.	AS TABLE

Specifications
 rating : 100V AC 4A MAX
 contact resistance : pins-30mΩ MAX; shell-50mΩ MAX
 insulation resistance : MIN 100 MEGΩ @500V DC
 voltage withstand : 250V AC R.M.S. for 1 minute

YE-1393R	YE-1394R	YE-1395AR	YE-1395BR	YE-1396R	YE-1397R	YE-1398AR

Quality Standards

CERTIFICATION OF RoHS3 COMPLIANCE

Signing this document confirms that **YEU TSANG CO., LTD.** understands and are compliant with European Union Directive (EU) 2015/863 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS3). Specifically, products supplied do not contain as below:

• Lead	0.1%	(1000ppm)
• Mercury	0.1%	(1000ppm)
• Cadmium	0.01%	(100ppm)
• Hexavalent Chromium	0.1%	(1000ppm)
• PBBs	0.1%	(1000ppm)
• PBDEs	0.1%	(1000ppm)
• DEHP	0.1%	(1000ppm)
• DBP	0.1%	(1000ppm)
• BBP	0.1%	(1000ppm)
• DIBP	0.1%	(1000ppm)

List of RoHS3 Products (attach a list if necessary):

__YE-1393R_____
__YE-1395AR_____

Company: YEU TSANG CO., LTD

Signature: *Sky Shih*

Printed Name: Sky Shih

Title: SALES MANAGER

Date: 2022/4/26

