


FEATURES

- UL approved Nylon 66, 94V-2
- Color: Red, other special colors are available upon request.
- Feature: Low Smoke and Halogen Free cable tie suitable for various industry, also household DIY and gardening.
- Finger catch design to release cable tie locking. Ideal for temporary fastening purpose.
- Easy to thread.

RS PRO Releasable Cable Tie

RS Stock No.: 2243193



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description ATTRIBUTE 1

- · Material: UL approved Nylon 66, 94V-2.
- · Color: Red, other special colors are available upon request.
- Feature: Low Smoke and Halogen Free cable tie suitable for various industry, also household DIY and gardening.
- Finger catch design to release cable tie locking. Ideal for temporary fastening purpose.

General Specifications

| Series | Releasable Cable tie |
|-------------------------------|----------------------|
| | |
| Type | Releasable |
| Colour | Red |
| Material | UL approved Nylon 66 |
| Finish | |
| Application | |
| Resistant To | |
| UV Resistant | No |
| Minimum Operating Temperature | -40°C |
| Maximum Operating Temperature | 85°C |
| Fire Behaviour | Self-Extinguishing |
| Quantity | 100 |

Mechanical Specifications

| Length | 200mm(8") |
|------------------|-------------|
| Width | 4.6mm |
| Tensile Strength | 50lbs/22kgs |
| Max. Bundle Dia. | 55mm |
| Thickness | 1.5±0.25mm |



Protection Category

IP Rating

Classification

| eCI@ss (10.0.1) | |
|-----------------|--|
| UNSPSC (6.01) | |

Approvals

| Declarations | |
|---------------|---------------------|
| Standards Met | RoHS, SVHC, HF, ABS |

Similar Products

| Stock No. | Brand | Product Name | Colour | Material | Tensile strength |
|-----------|-------|--------------|--------|----------|---------------------|
| | | | | | |
| | | | | | |

