


### **FEATURES**

- Connector size is M8
- Space efficient
- IP67

# RS PRO M08 EURO FEMALE FRONT PANEL MOUNT CONNECTOR 6 PIN WITH 500 mm PVC LITZ WIRE

RS Stock No.: 2305701



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to

#### RS PRO M08 PANEL MOUNT CONNECTOR



the leading brands without paying a premium price.

# Product Description ATTRIBUTE 1

#### **M08 Panel Mount**

This panel mount receptacle is available in M8 or M12 and features a threaded connector for secure mating attenuation with corresponding M8 or M12 plugs. When mated, this connection is sealed to IP67, providing excellent protection against dust and water and resulting in a connector that is well suited for industrial purposes.

Panel mount connector is available in contact configurations of 3, 4 & 6 pole and in male and female variants.

#### **Features and Benefits:**

- Connector size is M8
- Insulation Resistance >= 100 M $\Omega$
- IP67

#### **General Specifications**

| Rated Operational Voltage | 30 V             |
|---------------------------|------------------|
| Current Rating            | 1.5A             |
| Insulation Resistance     | >= 100 MΩ        |
| Temperature Range         | -25°C +75°C      |
| Coding                    | A-Coded          |
| Coupling                  | Thread Locking   |
| Shield                    | No               |
| Mounting                  | Front (M8 x 0.5) |

#### **Material Specifications**

| Housing Material | Brass Ni Plated |
|------------------|-----------------|
| Contact          | Cu-Zn           |
| Contact Plating  | Gold Flash      |
| Contact Carrier  | Nylon 66        |
| O-Ring           | Neoprene        |
| No. of Pole      | 6               |
| Clamp Nut        | M8 x 0.5        |

#### **Cable Specifications**

| Cross Section of Wire | 0.14 sq.mm         |
|-----------------------|--------------------|
| Termination           | Partially Stripped |

## RS PRO M08 PANEL MOUNT CONNECTOR



Wire length 500 mm

### **Protection Category**

Degree of Protection IP67

#### **Additional Information**

Custom Tariff Number 85369090


#### **Approvals**

Standards Met IEC 61076-2-104

#### **Similar Products**

| Stock No. | Brand  | Product Name   | Attribute 1                                      | Attribute 2              |
|-----------|--------|--|--|--------------------------|
| 2080572   | RS PRO | RS Pro M08 Female 4 Pin Euro<br>Type Front Panel Connector | Industrial<br>Automatio<br>n Cable<br>Assemblies | Actuator/Sensor<br>Cable |

# Connection Diagrams / Assembly Diagrams / Illustrations / Accessories



#### All Dimensions are in mm.

