

DURALAC JOINTING COMPOUND

Page: 1
Compilation date: 01/07/2015

Revision No: 12

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: DURALAC JOINTING COMPOUND

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name:	Llewellyn Ryland Ltd
	Haden Street
	Birmingham
	B12 9DB
	United Kingdom
Tel:	+44 (0)121 440 2284
Fax:	+44 (0)121 440 0281
Email:	technical@llewellyn-ryland.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0)121 440 2284

(office hours only)

Section 2: Hazards identification

2.1. Classification	of the sub	stance or	mixture
---------------------	------------	-----------	---------

Classification under CLP:	Skin Sens. 1A: H317; Acute Tox. 4: H302+332; Aquatic Chronic 3: H412; Flam. Liq. 3:
	H226; -: EUH208
Most important adverse effects:	Contains 2-butanone oxime, cobalt bis(2-ethylhexanoate. May produce an allergic
	reaction. Flammable liquid and vapour. Harmful if swallowed or if inhaled. May cause an
	allergic skin reaction. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements:	EUH208: Contains 2-butanone oxime, cobalt bis(2-ethylhexanoate. May produce an
	allergic reaction.
	H226: Flammable liquid and vapour.
	H302+332: Harmful if swallowed or if inhaled.
	H317: May cause an allergic skin reaction.
	H412: Harmful to aquatic life with long lasting effects.
Signal words:	Warning
Hazard pictograms:	GHS02: Flame
	GHS07: Exclamation mark

DURALAC JOINTING COMPOUND

Page: 2



 Precautionary statements:
 P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

 P233: Keep container tightly closed.
 P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

 P280: Wear protective gloves/protective clothing/eye protection/face protection.

2.3. Other hazards

Other hazards: In use, may form flammable / explosive vapour-air mixture.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

BARIUM CHROMATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
233-660-5	10294-40-3	-	Acute Tox. 4: H302; Acute Tox. 4: H332	10-30%

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLICS, AROMATICS (2-25%) - REACH registered number(s): 01-2119458049-33

919-446-0	-	-	STOT SE 3: H336; Aquatic Chronic 2:	10-30%
			H411; Asp. Tox. 1: H304; Flam. Liq. 3:	
			H226; -: EUH066	

2-BUTANONE OXIME

202-496-6	96-29-7	-	Carc. 2: H351; Acute Tox. 4: H312; Eye	<1%
			Dam. 1: H318; Skin Sens. 1: H317	

COBALT BIS(2-ETHYLHEXANOATE - REACH registered number(s): 01-2119524678-29

20	05-250-6	000136-52-7	-	Skin Sens. 1: H317; Repr. 2: H361f;	<1%
				Aquatic Chronic 1: H410; Skin Sens.	
				1B: H317; Skin Sens. 1A: H317	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Drench the affected skin with running water for 10 minutes or longer if substance is still on skin.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

DURALAC JOINTING COMPOUND

Page: 3

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Inhalation: No data available.

Delayed / immediate effects: No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Alcohol or polymer foam. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

DURALAC JOINTING COMPOUND

	Page: 4	
7.1. Precautions for safe han	dling	
Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the are		
	Do not handle in a confined space. Avoid the formation or spread of mists in the air.	
	Smoking is forbidden. Use non-sparking tools.	
7.2. Conditions for safe stora	ge, including any incompatibilities	
Storage conditions:	Store in a cool, well ventilated area. Keep container tightly closed. Keep away from	
-	sources of ignition. Prevent the build up of electrostatic charge in the immediate area.	
	Ensure lighting and electrical equipment are not a source of ignition.	
7.3. Specific end use(s)		
Specific end use(s):	No data available	
Section 8: Exposure controls		
8.1. Control parameters		
Workplace exposure limits:	No data available.	
DNEL/PNEC Values		
DNFL / PNFC	No data available.	
8.2. Exposure controls		
Engineering measures:	Ensure there is sufficient ventilation of the area. Ensure lighting and electrical	
lland materian.	equipment are not a source of ignition.	
Hand protection:		
	Safety glasses. Ensure eye bath is to hand.	
	Protective clothing.	
Section 9: Physical and cher	nical properties	
9.1. Information on basic phy	rsical and chemical properties	
State:	Liquid	
Colour:		
Odour:	Characteristic odour	
Viscosity:		
Boiling point/range°C:		
9.2. Other information		
Other information:	No data available	
Section 10: Stability and read		
Section To. Stability and read	Suvicy	
10.1. Reactivity		

Reactivity: Stable under recommended transport or storage conditions.

DURALAC JOINTING COMPOUND

10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

2-BUTANONE OXIME

ORL	MUS	LD50	1	gm/kg
ORL	RAT	LD50	930	mg/kg
SCU	RAT	LD50	2702	mg/kg

Relevant hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	INH ING	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Inhalation: No data available.

Delayed / immediate effects: No data available.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

DURALAC JOINTING COMPOUND

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Marine pollutant: Yes

Section 14: Transport information

14.1. UN number

UN number: UN1263

14.2. UN proper shipping name

Shipping name: PAINT RELATED MATERIAL

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

DURALAC JOINTING COMPOUND

15.2. Chemical Safety Assessment

Section 16: Other informatio	n
Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
Phrases used in s.2 and s.3:	EUH066: Repeated exposure may cause skin dryness or cracking.
	EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name>
	H226: Flammable liquid and vapour.
	H302: Harmful if swallowed.
	H302+332: Harmful if swallowed or if inhaled.
	H304: May be fatal if swallowed and enters airways.
	H312: Harmful in contact with skin.
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H332: Harmful if inhaled.
	H336: May cause drowsiness or dizziness.
	H351: Suspected of causing cancer <state conclusively="" exposure="" if="" is="" it="" of="" proven<="" route="" th=""></state>
	that no other routes of exposure cause the hazard>.
	H361f: Suspected of damaging fertility.
	H410: Very toxic to aquatic life with long lasting effects.
	H411: Toxic to aquatic life with long lasting effects.
	H412: Harmful to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
-	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.