



SUPERTIG 200 AC/DC



Overview

SUPERTIG 200 AC/DC

cod. 832160

TIG (high frequency HF striking) and MMA welding machine in direct and alternating current (AC/DC).

Use with a wide range of materials such as steel, stainless steel, aluminium, titanium, copper, nickel, magnesium and their alloys.

Features:

- continuous current regulation by magnetic shunt
- post-gas regulation
- 2/4 strokes TIG and MMA operation
- MMA electrodes: rutile, basic, stainlesssteel and cast iron
- thermostatic protection.

Complete with TIG welding accessories.



CE MARKING



EAC CERTIFICATION

Technical data

CODE	CODE 832160	MAX CURRENT DC (EN 60974-1) 140 @ 25 % A	ABSORBED POWER AT 60% 1,7 kW
V_{2PH}	DOUBLE PHASE MAINS VOLTAGE 400 V	AC CURRENT 75 A	POWER FACTOR (cosphi) 0,4
F	MAINS FREQUENCY 50 / 60 Hz	DC CURRENT 80 A	PROTECTION DEGREE IP22
A_{MIN} / A_{MAX} AC	CURRENT RANGE 30 - 180 A	MAX NO LOAD VOLTAGE 79 V	DIMENSIONS 80 x 45 x 57 cm
A_{MIN} / A_{MAX} DC	CURRENT RANGE 25 - 150 A	MAX NO LOAD VOLTAGE 110 V	WEIGHT 69 kg
A_{MAX} 40°C AC	MAX CURRENT (EN 60974-1) 170 @ 15 % A	MAX ABSORBED POWER 6 kW	

Included Accessories



SUPERTIG 200 AC/DC

CABLE 16 MMQ 3 M - PLUG ATLAS 25 - 123437



ARGON GAS BOTTLE IT ADAPTOR - 432036



TOLEDO 250 WORK CLAMP 250A - 712030



GAS REGULATOR 2 MANOMETERS 12 L\min - 722119

ST17 3P TIG TORCH AX25 4M - 742423