

FEATURES

- Excellent UV resistance
- Flame retardant: UL 94V-2 Flammability Standard
- Suitable for a multitude of uses
- Easy to thread and install
- Ideal for use outdoors

RS PRO Black Nylon Cable Tie, 300mm x 7.6 mm

RS Stock No.: 811-1511



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description

These ties are a one-piece, self-locking fastener and function like straps to keep cables tidy. They are available in a range of sizes. The design of a cable tie includes a head which provides the slot for the tape to be pulled through, to make a loop. The cable can be pulled through the slot until the preferred loop is achieved and then the excess cable can be cut off.

General Specifications


Туре	Non-Releasable				
Colour	Black				
Material	Nylon 66				
Application	Cable management Home/DIY Garden				
Minimum Operating Temperature	-40°C				
Maximum Operating Temperature	85°C				
Fire Behaviour	Flame Retardant				
Quantity	100				

Mechanical Specifications

Length	300mm
Width	7.6mm
Tensile Strength	539N
Maximum Bundle Strength	80mm



Approvals



Unit: mm

					•			
Item No.	Length L		Width W	Max. Bundle Dia.	Min Loop Tensile Strength		packing	
	mm	inch			lbs	kgs		
8111482	100	4"	2.5	22	18	8		
8111486	142	5 1/2"	3.2	34	40	18		
8111495	190	7 1/2"	4.8	49	50	22		
8111498	203	8"	4.6	52	50	22		
8111518	240	9 7/16"	7.6	61	120	55		
8111505	300	11 7/8"	4.8	83	50	22		
8111511	300	11 7/8"	7.6	80	120	55	100PC/BG	
8111509	380	15"	7.6	105	120	55		
8111492	385	15 3/16"	4.8	110	50	22		
8111502	450	17 3/4"	4.8	131	50	22		
8111515	450	17 3/4"	8	128	120	55		
8111524	610	24"	9	177	175	80		
8111527	750	29 1/2"	7.5	223	120	55		