

FEATURES

- All fluids usable in aggressive environment
- Mechanical resistance
- Silicon free

RS PRO FEMALE SOCKET INOX FKM.1/2

RS Stock No.: 2312690



RS PROfessionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Pneumatic Quick Connect Couplings



Product Description

The RS PRO female socket inox FKM.1/2 works in 0 to 16 bar pressure range. It mainly used in compressed air & tools, pneumatic & fluid technology, food & beverages applications. It provides high performance for multiple fluids in a wide range of temperature and pressure. Operating temperature range is from - 15 °C to + 200 °C. RoHS and REACH compliant.

General Specifications

Material	Steel	
Applications	Lubrication System, Cooling System, Pneumatic	
Applications	Machinery Equipment	


Mechanical Specifications

Connection Type	Threaded, Tube
Tube Connection Size	15mm
Coupling Gender	Female
Threaded Connection	1/2 in Female
Thread Size	1/2in
Hose Barb Connection	21mm
Wrench Size	24
Length	56.5mm



Similar Products

Parameters	2312689	2312690	
Brand	RS PRO RS PRO		
Connection Type	Threaded, Tube Threaded, Tube		
Tube Connection Size	11.5mm	15mm	
Coupling Gender	Female	Female	
Threaded Connection	3/8 in Female	1/2 in Female	
Thread Size	3/8in 1/2in		
Hose Barb Connection	24mm	21mm	
Wrench	21Hex 21Hex		
Length	52mm	56.5mm	



Α	В	С	D	СН	Pack.
1/2	15	56.5	24	24	2