


FEATURES

- Coil spring design for strength and elasticity
- Stainless steel material - good corrosion and rust resistance
- Ends are squared and unground
- Appearance: brown/bronze
- Made with a right hand helix

RS PRO Stainless Steel Compression Spring, 15.7mm x 2.75mm, 0.18N/mm

RS Stock No.: 821-245



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Compression Springs



Product Description

A range of compression springs from our RS PRO offer which come in various sizes and lengths and with closed and ground and closed not ground end types. Compression springs are very popular as they can store a large amount of energy in a small space making them ideal for a great range of uses.

General Specifications

Materials	Stainless Steel
Ends	Closed (Square)/Unground
Applications	Ball point pens, Vehicles, Mobile phones, Valves, Electrical switches

Mechanical Specifications

Outside Diameter	2.75mm
Wire Diameter	0.25mm
Free Length	15.7mm
Minimum Working Length	5mm
Load at Minimum Working Length	1.92N
Spring Rate	0.18N/mm

Approvals

Compliance/Certifications	DIN 2095 (grade 2), DIN 17224 No.1, 4310 or BS2056
	EN58A



