

### **FEATURES**

- Housing material: transparent blue polycarbonate
- Maximum operating temperature: 85°C
- Captive screws: galvanized steel
- Protection degree: IP 20
- Self-extinguishing

# RS PRO Commoning Block, 3 Way, 750 V

RS Stock No.: 868-0806



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



#### **Product Description**

From RS PRO, this compact commoning block is ideal for use in derivation and junction boxes. Not only does its compact design allow for excellent space management, it also has a robust construction with high mechanical resistance. For reliable high-density connections with excellent electrical characteristics, this polycarbonate terminal connector is ideal.

#### **General Specifications**

Clamps	Brass
Self-extinguishing	UL 94 - V0; IEC 695-2-1 to 850°C; IEC 695-2-2
Termination Method	Screw
Number of Ways	3
Housing	Transparent blue polycarbonate
Screws	Galvanised steel
Applications	Junction box, Derivation box, Panel boards, Demarcation points, Equipotential earthing

#### **Electrical Specifications**

Voltage Rating	750V

#### **Mechanical Specifications**

Cable CSA	35mm <sup>2</sup>
Length	18mm

Operation Environment Specifications	
Maximum Operating Temperature	85°C

## Standard Terminal Blocks



Protection Category	
IP Rating	IP20
Approvals	
Standards Met	UL 94 - V0; IEC 695-2-1 to 850 °C; IEC 695-2-2 CEI EN 60998-1 CEI 23-21; II Ed. (EN 60998-2-1) + V1



