

FEATURES

- External open-ended circlips
- For use with 25mm shafts
- Fits to 23.9mm groove diameter
- Ring thickness of 1.2mm
- Outside ring diameter of 34.2mm
- Tough and durable stainless steel construction

Stainless Steel External Circlip, 25mm Shaft Diameter, 23.9mm Groove Diameter

RS Stock No.: 209-6716



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

These compact external circlips from the RS PRO range are used as substitute parts for threaded sleeves, rivets and cotter pins to set collars and nuts.

Two circlip kits are available

Kit 1 (RS 278-360) contains small sized clips and Kit 2 (RS 278-376) contains large sized clips in both cases.

General Specifications

Circlip	External
Material	Stainless Steel
Applications	Electric Motors Turbines, Pistons, Vehicle construction, Brake adjustment, Optical devices, Sprocket chains, Electronics, Roller/Wheel bearings, Gearing/Transmission, Clutches

Mechanical Specifications

For Shaft Diameter	25mm
Fits Groove Diameter	23.9mm
Ring Thickness	1.2mm
Ring Outside Diameter	34.2mm

Approvals

Compliance/Certifications	Stainless Steel 420 type
----------------------------------	--------------------------

