

Features

- Mono jack socket
- 3.5mm
- PCB mounting

RS PRO 3.5mm Mono Jack Socket

RS Stock No.: 913-1027



RS PRO Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

A 3.5mm jack socket for a reliable and high-quality audio connection with Nickel plated contacts for excellent wear resistance. Ideal for the connection of auxiliary devices to equipment, PCs and sound systems.

Designed for PCB mounting with a plate mounting bush with earth contact for a reliable connection, the auxiliary socket is compact and easy to install with a simple solder termination.

The jack socket is a standard 3.5mm female connection and is perfect for the connection of devices including headphones, instruments and amplifiers.

General Specifications

Gender	Female
Size	3.5mm
Mounting Type	PCB Mount
Body Orientation	Straight
Termination method	Solder
Colour	Black
No of Poles / Ways	2

Mechanical Specifications

Housing Material	PBT UL94-V0
Contact Material	Brass Nickel / Silver plated

Electrical Specifications

Contact Resistance	30mΩ max.
Insulation Resistance	100MΩ min at DC500V
Dielectric Withstanding Voltage	AC 500V for 1 minute

Approvals

Standards Met	RoHS
---------------	------

