MACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 645022	ExTh MN 645, 33x94 mm	Page: 1/6
Printing date: 06.01.2021	Date of issue: 18.05.2017	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier		
	REF	645022	
	Product name	ExTh MN 645, 33x94	4 mm
	REACH Registration number(s): A registration number for the sub the substance or its use is exclud		2 or use the annual tonnage does not require registration or
		25 x Extraction thim	bles made from pure cellulose MN 645
1.2	Relevant identified uses of th	e substance or m	ixture and uses advised against
	Relevant identified uses		-
	Product for analytical use. Exposure Scenario Classifi The exposure scenario is in Uses advised against not described		h, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 1-16.
1.3	Details of the supplier of the	safetv data sheet	
-	Manufactured by:	•	
	MACHEREY-NAGEL GmbH & Co Neumann-Neander-Str. 6-8, 5235		
	Tel.: +49 2421 969 0		E-mail: sds@mn-net.com (msds@mn-net.com)
1.4	Emergency telephone numbe	er	
	Information not necessary.		
	You find our current versions of SDS (22 la	nguages) in Internet:	http://www.mn-net.com/SDS
SECT	ION 2: Hazard identification	on	
2.1	Classification of the substan	ce or mixture	
	Extraction thimbles made from	oure cellulose MN 645	
		Do not need labelling	g as hazardous
	Signal word	-	
	No hazard class		
2.2	Label elements		
	Extraction thimbles made fro	m pure cellulose	MN 645
	Do not need labelling as Signal word: -	hazardous	
2.3	Other hazards		
2.3			

Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. Less hazardous potential from dust. Cellulose is exempt from registration (REACh Art. 2 (7)a and Annex IV). This product is an article, which do not emit any hazards. According to REACh no Safety data sheet is necessary. ---

Information pertaining to particular risks to human and possible symptoms



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

www.mn-net.com

+1 484 821 0984 +1 484 821 1272 E-mail: sales-us@mn-net.com



CAS No.: 9004-34-6

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 645022	ExTh MN 645, 33x94 mm	Page: 2/6
Printing date: 06.01.2021	Date of issue: 18.05.2017	

Information pertaining to particular risks to the environment

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

Extraction thimbles made from pure cellulose MN 645

Chemical: cellulose Classification: No criteria for classification or naming of chemical not required. Formula: (C₆ H₁₀ O₅)_n **TSCA** Inventory: listed REACH Reg. No.: exempt, Annex IV EC No .: 232-674-9 RTECS: FJ5691460 KE No.: KE-05339 Concentration: 90 - <100 % acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

- - -

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

- 4.1.1 After SKIN Contact Remove dust with wetted tissue.
- 4.1.2 After EYE Contact Rub dust with teardrops from eyes 4.1.3 After INHALATION of vapours
- After inhalation of dust fresh air should be inhaled. ---
- 4.1.4 After ORAL Intake

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture None.

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

MACHEREY-NAGE (MN> ISO 9001 CERTIFIEI

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com www.mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

MACHEREY-NAGEI




Safety Data Sheet

	645022	ExTh MN 645, 33x94 mm	Page: 3/
	g date: 06.01.2021	Date of issue: 18.05.2017	
-	TION 6: Accidental rel		
6.1	Personal precautions,	protective equipment and emergency procedures	
6.2	Environmental precaut	ions	
6.3	Methods and material f	or containment and cleaning up Flush used water into drains.	
6.4	Reference to other sections		
SEC	TION 7: Handling and	storage	
7.1	Precautions for safe ha	ndling	
7.2		rage, including any incompatibilities f MACHEREY-NAGEL allows a safe storage. 11 nwg	
7.2.1	Requirements for stock Keep original product pac	rooms and containers kages tightly closed during handling and storage.	
7.3	Specific end use(s) Product for analytical use.		
SEC	TION 8: Exposure con	trols/personal protection	
8.1	Control parameters		
	Extraction thimbles mad Chemical: <i>cellulose</i>	e from pure cellulose MN 645 CAS No.: 9004-34	4-6
	TRGS 900 (DE): SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted a OSHA:	Staub 1.25 A / 4 E mg/m ³ A/a aveoles passing, E/e respirable, G total 3 a ppm TWA 10 (total) / 5 (resp) mg/m ³ verage to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute perior TWA 15 (total) / 5 (resp) mg/m ³	od
8.2	Exposure controls Not necessary.		
8.2.1	Respiratory protection Not necessary.		
8.2.2	Hand protection Not necessary.		
8.2.3	Eye protection Not necessary.		
8.2.4	Skin protection Not necessary.		
8.2.5	Personal hygiene Information not necessary		
SEC	TION 9: Physical and	chemical properties	

9.1 Information on basic physical and chemical properties

Extraction thimbles made from pure cellulose MN 645 Appearance: solid Colour: white

Odor: odorless



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany MACHEREY-NAGE DE/international: Tel.: +49 24 21 969-0 ISO 9001 CERTIFIED Fax:

Tel.: +49 24 21 969-199 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com

CH: +41 62 388 55 00 +41 62 388 55 05 E-mail: sales-ch@mn-net.com FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

MACHEREY-NAGEL

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 645022	ExTh MN 645, 33x94 mm	Page: 4/6
Printing date: 06.01.2021	Date of issue: 18.05.2017	

9.2 Other information

Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1	Reactivity None
10.2	Chemical stability No known instability.
10.3	Possibility of hazardous reactions None.
10.4	Conditions to avoid Not known. None
10.5	Incompatible materials Not known. Avoid contact with concentrated acids and oxidizing agents.
10.6	Hazardous decomposition products In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances.

Extraction thimbles made from pure cellulose MN 645

Chemical: c	cellulose		CAS No.: 9004-34-6
TSCA Inventory:	listed	California Proposition 65 List: not list	ed
Exposure Routes:	inhalation, skin and/o	or eye contact	
Target Organs:	Eyes, skin, respirator	ry system	
Symptoms:	irritation eyes, skin, r	nucous membrane	
Australia NICNAS:	not listed	Canada CEPA 1999: DSL ye	S
Japan CSCL/PRTR:	not listed, Japan PDS	SCL: not listed	
Japan ISHL:	not listed		
South Korea TCCA:	not listed		
Korea Exist.Chem.Inve	entory: KE-05339		
LD50 _{orl rat} :	>5000 mg/kg		
LC50ihl rat :	>5800 _{4h} mg/m³		
LD50 _{drm rbt} :	>2000 mg/kg		

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

Extraction thimbles made from pure cellulose MN 645 Chemical.

cellulose Water hazard class (DE): nwg Storage class (VCI):

11

12.2 Persistence and degradability

not necessary

12.3 **Bioaccumulative potential**

not necessary

CAS No.: 9004-34-6

MACHEREY-NAGE $\langle MN \rangle$ ISO 9001 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: +41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: Tel.: +33 388 68 22 68 +49 24 21 969-199 Fax: Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

www.mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 645022	ExTh MN 645, 33x94 mm	Page: 5/6
Printing date: 06.01.2021	Date of issue: 18.05.2017	
12.4 Mobility in soil		

12.4 MODILITY IN SC not necessary

- Results of PBT and vPvB assessment 12.5 no data available
- 12.6 Other adverse effects no additional data available

SECTION 13: Disposal considerations

Not necessary.

13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains.

SECTION 14: Transport information

14.1 - 14.4 Not necessary

- 14.5 **Environmental hazards** none
- 14.6 Special precautions for user not necessary
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC Look for your country-specific regulations.

15.2 Chemical safety assessment

SECTION 16: Other information

- 16.1 List of H and P phrases
- 16.1.1 List of relevant H phrases
- 16.1.2 List of relevant P phrases

16.2 Training advice

Regular safety training

16.3 **Recommended restriction on use**

None 16.4 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its

appropriateness for a particular purpose. MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019

ACHEREY-NAGE <mn>

www.mn-net.com



MACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 645022 ExTh MN 645, 33x94 mm Page: 6/6 Printing date: 06.01.2021 Date of issue: 18.05.2017

SUVA .CH, Limits in air at work 2009, revised on 01.2009

Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances) KÜHN, BIRETT

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

MACHEREY-NAGE $\langle MN \rangle$ ISO 9001 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: +41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: Tel.: +33 388 68 22 68 +49 24 21 969-199 Fax: Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com www.mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com