

### **FEATURES**

- Screwdriver set with a range of head types and sizes
- Supplied in a handy hard case
- Ergonomic handles for increased control
- Chrome vanadium steel for corrosion resistance and long tool life

# RS PRO Engineers Slotted Flared; Pozidriv; Slotted Stubby; Pozidriv Stubby Screwdriver Set 15 Piece

**RS Stock No.: 228-4143** 



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



**Product Description** 

From RS PRO this versatile screwdriver set contains enough common head types and sizes to address a variety of applications. As such it is ideal for general maintenance purposes where power tools are impractical or unnecessary.

#### **General Specifications**

Screwdriver Type	Engineers
Number of Pieces	15
Тір Туре	Slotted Flared; Pozidriv; Slotted Stubby; Pozidriv Stubby
Set Contents	<ul> <li>2 piece flare tip (6*100mm 8*150mm)</li> <li>3 piece parallel tip (3*75mm 5*75mm 5*150mm)</li> <li>3 piece pozidriv screwdriver with red color acetate handle</li> <li>Size: no.0 x 75mm, no.1 x 75mm and no.2 x 100mm</li> <li>5 piece - torx screwdrivers with red color acetate handle</li> <li>Size: t-10 x 100mm, t-15 x 100mm, t-20 x 100mm, t-25 x 100mm &amp; t-30 x 100mm</li> <li>2 piece - Stubby screwdrivers with red color acetate handle;</li> <li>Slotted: 6 x 40mm - Pozidriv: no.2 x 40mm</li> </ul>
Applications	Electronics, Mechanical and industrial production, Woodworking/carpentry, Fastening wood to metal



### Mechanical Specifications

Tip Size	Pozidriv Stubby: PZ2, Pozidriv: PZ0; PZ1; PZ2, Slotted Flared: 6mm; 8mm, Slotted Stubby: 6mm
Blade Material	Chrome molybdenum vanadium steel
Handle Material	Cellulose acetate
Blade Finish	Satin chrome + black tip
Hardness	Heat treated to hrc: 52~60 for screwdriver blades

Approvals	
Compliance/Certifications	DIN standard, ISO 2380-1 and 2380-2

## Screwdriver Sets



