

PRODUCT NUMBER: 2342552

Vertigo Check & Go Black Nit

3

For work requiring good dexterity in a dry, oily or greasy environment. For light handling, parts assembly.

Honeywell

Overview

Reference Number

2342552

Product Type

Gloves

Range

Cut and Puncture Protection

Line

Cut resistant

Brand

Honeywell

Industry

- Automotive and Part Manufacturer
 Aviation
 Building and Construction
 Catering
- Energy or Electricity Glass Industries Logistics Maintenance Metal steel Paper Industries
- Services Telecoms Transportation Utilities

Product Use

For work requiring good dexterity in a dry, oily or greasy environment. For light handling, parts assembly.

Features & Benefits

Feature

Black Spectra® knitted glove

Black nitrile foam coating on palm and fingers tips

Benefit

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.

The cool Spectra® touch gives an added sensation of comfort.

The ventilated back and foamy shape optimise the glove's breathability.

RESISTANCE

The Spectra®/Lycra® thread provides outstanding properties against cuts.

The nitrile foam coating at the palm and fingertips provides outstanding abrasion resistance as well as good resistance against oils.

Caution! Do not expose this glove to the heat.

SAFETY

Marking of the cut resistance level on top of the glove for a better identification of the protection by safety manager and worker.

HYGIENE

Its black colour and black coating make this glove more soilproof, thus ensuring a longer last.

Technical Description

Description

CE CATEGORY: II Intermediary risks In accordance with standards: EN 420-2003 EEC Basic standard EN 388-2003 Mechanical risks

CHARACTERISTICS:

Black Spectra® knitted glove

Black nitrile foam coating on palm and fingers tips

Product Technology

Knitted Coated

Fiber

Spectra®

Gauge

13

Glove/liner color

Black

Coating Type

Nitrile foam

Coating Color

Black

Length

25 cm

Harmlessness

In conformity with the Europeen standards

Dexterity

Class 5

Sizes

6 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	3
Tear resistance	4
Puncture resistance	3

Packaging Label

Tagging

CE HONEYWELL 2342552 XX EN 420 EN 388 : 4343

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

EC Certificate Number

0075/797/162/12/10/0513 EXT 05/10/2015

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/12/10/0513 EXT 05/10/2015

Additional Information

User Manual

UI 102

User Information Sheet

102

Maintenance

Storage Information

Minimum packaging of 10 pairs.

Cartons of 100 pairs.

Care Instructions

This article can be cleaned industrially. Please contact Honeywell Safety Products.

© Honeywell International Inc.

Locally available from



ANSAC TECHNOLOGY (S) PTE LTD

35, Marsiling Industrial Estate Road 3, #02-01 Singapore 739257

T: (65) 6368 0225 F: (65) 6368 8023

E: sales@ansac-tech.com.sg I www.ansac-tech.com.sg