

FEATURES

- Quick connection and disconnection
- Large range to comply food norms
- Silicon free
- Operating temperature range is from - 15 °C to + 190 °C

RS PRO TEE CONNECTOR - FOOD GRADE

RS Stock No.: 2312773



RS PROfessionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Pneumatic Quick Connect Couplings



Product Description

The RS PRO tee connector works in - 0.99 bar to 20 bar pressure range. It is mainly used in dairy, coffee machine, vending, food & beverage, medical, vacuum applications. It is available in brass with Food Grade coating. In combination with FEP tubes, it is the most demanded solution for the Food & Beverage market. Beacause of the special coating it can be used also in agressive environment.

RoHS and REACH compliant.

General Specifications

Material	Nickel Plated Brass		
Applications	Lubrication System, Cooling System, Pneumatic		
Applications	Machinery Equipment		

Mechanical Specifications

Connection Type	Tube
Tube Connection Size	4mm
Hose Barb Connection	4mm
Mounting Hole Diameter	10mm
Wrench Size1	9
Length	34mm


Operation Environment Specifications

Minimum Operating Temperature	-15°C
Maximum Operating Temperature	190°C



Similar Products

Parameters	2312774	2312775	
Brand	RS PRO	RS PRO	
Wrench Size1	11	13	
Length L1	42mm	45mm	
Length L2	21mm	22.5mm	



Tube	L1	L2	СН	D	Bag
4	34	17	9	10	10