



BRS 43/500 C

Provides exceptional cleaning results and leaves carpets dry enough to re-entry in only 20 minutes. Using encapsulation technology the machine cleans carpets thoroughly with the minimum of effort and downtime.

1 2 contra-rotating rollers


- High cleaning performance due to high contact pressure.
- Simultaneously cleans deep into the pile from two sides and aligns in one direction.

2 2 in 1

- Cleaning fibres and sweeping in a single operation.
- Includes waste container.

TECHNICAL DATA AND EQUIPMENT





BRS 43/500 C

- On-board iCapsol tank
- Counter-rotating rollers ensure machine does not wander
- With sweeping mechanism

Technical data		
Order no.		1.006-671.0
EAN code		4039784497979
Area performance (deep cleaning/ iCapsol intermediate cleaning)	m²/h	300
Spray pressure, intermediate cleaning	bar	3.4
Spray rate, intermediate cleaning	I/min	0.38
Brush working width	mm	430
Fresh/dirty water tank	1	7.5
Brush motor power	W	370
Weight	kg	25
Dimensions (L × W × H)	mm	400 × 460 × 1160

Equipment

Working direction		Forward or backwards
iCapsol mode		
On-board iCapsol tank		
Number of rollers	piece(s)	2

■ Included in the scope of supply.

ACCESSORIES FOR BRS 43/500 C 1.006-671.0







		Order no.	Hardness / Brush type	Length	Colour	Quanti- ty	Price	Description	
Roller brushes									
ASSY, BRUSH & HUB	1	8.621-485.0				1 piece(s)		Standard, 2 required.	•
Roller brush	2	8.640-259.0		430 mm		1 piece(s)			•
	3	8.629-774.0		430 mm		1 piece(s)		For wool.	

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.