

## FEATURES

### Features

- Compound-lever action multiplies hand force by 14 for less cutting effort.
- Precision-ground cutting-jaw edges.
- Jaws induction hardened to HRC 64 for durability.
- Long-lasting return spring.
- Zinc-plated handles with soft plastic grips for added comfort.

# RS PRO END CUTTING PLIER FOR HARD WIRE COMFORT GRIPS 150 MM

RS Stock No: 254-5765



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

### END CUTTING PLIER FOR HARD WIRE COMFORT GRIPS 150 MM

PERFECT FOR REPETITIVE CUTTING OF HARD WIRE. RS PRO'S SOLUTION IS A HIGH-LEVERAGE TOOL IN A SMALLER FORM.

A high-leverage cutting nipper for repetitive hard-wire cutting. Designed with a compound-lever action that multiplies hand force by 14 to reduce effort when cutting. Now with soft plastic grips for greater comfort.

#### Benefits

- High-leverage design cuts hard wire with minimal effort.
- Unrivalled cutting performance.
- Perfect for repetitive hard wire cutting.
- Easily cut wires close to objects.
- Ability to cut through a range of hard materials, including springs, nails, rivets and bolts.
- Comfortable to use over long periods.
- Built to last, with a robust construction and rust-proof finish.

#### Applications

Designed for professional use in manufacturing. Ideal for:

- Repetitive 'top cutting' of springs in mattress and bed production, and wire spring making.
- Cutting hard wire in various metal-fabrication operations.
- Skilled tradespeople with demanding standards.
- Serious DIY-ers.

## General Specifications

Type	End Cutter Plier
------	------------------

## Electrical Specifications

Non Sparking	No
ESD Safe	No
VDE/1000V Approved	No

## Mechanical Specifications

<b>Overall Length</b>	150mm
<b>Material</b>	Steel
<b>Cutting Capacity Hard Wire</b>	2.0 mm diameter.
<b>Cutting Capacity Piano Wire</b>	1.6 mm diameter
<b>Hardness</b>	Heat Treated to HRC 64
<b>Length</b>	150mm
<b>Width</b>	150mm open
<b>Weight</b>	230g
<b>Handle Material</b>	PVC

## Approvals

<b>Compliance/Certifications</b>	BS 3087-7:1996, ISO 5747:1995.
----------------------------------	--------------------------------