## SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - Europe

## Rev 7: 23/07/2023

## SECTION 1: Identification of the Substance and Company/Undertaking

1.1	Product Identifier		
	Product name: Cat. No.	egSEQ egSEQ UDI Primer N (10 μM each EG1006	1)
	Specification	16rxn	
	Component Cat. No.	EG100601S	egSEQ Insert UMI Adapter (15 μM, for Illumina)
		EG10060(2-17)S	egSEQ UDI Primer N (10 $\mu$ M each, for Illumina)
1.2	Relevant identified uses of the su	bstance and uses advised against	
	Identified Uses:	Analytical reagent	
	Restricted Uses:	For research use only. Not available for	diagnostic procedures.
1.3	Details of the supplier of the Safe	ety data Sheet	
		Edinburgh Genetics Limited	
	Address:	Pentlands Science Park,	
		Penicuik, United Kingdom	
		EH26 OPZ	
	Telephone Number:	+44 1312616686	
	Email Address:	info@eggenetics.com	
1.4	Emergency Telephone:	+44 1312616686	
SECTION 2:	Hazards Identification		
2.1	Classification of the mixture		
2.1.1	Emergency Overview	egSEQ Insert UMI Adapter (15 μM)	Colourless, Liquid. No known significant
		egSEQ UDI Primer N (10 μM each)	effects or critical hazards.
2.1.2	Classification according to Regulation (EC) No 1272/2008 (including amendments):	egSEQ Insert UMI Adapter (15 μM)	Not Classified
		egSEQ UDI Primer N (10 μM each)	-
			· · · · · · · · · · · · · · · · · · ·
2.1.3	GHS Hazard Category	egSEQ Insert UMI Adapter (15 μM)	
			Not Classified
		egSEQ UDI Primer N (10 $\mu$ M each)	
2.2	Label elements:		
	Hazard Pictograms	egSEQ Insert UMI Adapter (15 μM)	1 1
	hazaru rictograms	egSEQ UDI Primer N (10 μM each)	No pictogram
		-0	
	Signal word:	egSEQ Insert UMI Adapter (15 $\mu$ M)	No signal word

Hazard statements:

egSEQ UDI Primer N (10 μM each)
egSEQ Insert UMI Adapter (15 μM)
No known significant effects or critical hazards.

egSEQ UDI Primer N (10 μM each)

	Precautionary statements:	egSEQ Insert UMI Adapter (15 μM)	None
		egSEQ UDI Primer N (10 μM each)	
		<b></b>	
	Prevention:	egSEQ Insert UMI Adapter (15 μM)	N/A
		egSEQ UDI Primer N (10 μM each)	
	Diseasel	acce lacert UNAL Adeptor (15 NA)	
	Disposal:	egSEQ Insert UMI Adapter (15 μM) egSEQ UDI Primer N (10 μM each)	N/A
	Storage:	egSEQ Insert UMI Adapter (15 μM)	N/A
		egSEQ UDI Primer N (10 μM each)	-
			- <b>L</b>
2.3	Other Hazards:	N/A	
2.4	Additional Information:	The product is not classified as hazardo Regulations.	us according to EC and National
3.1	Composition / Information on In Substances	i <b>greaients</b> egSEQ Insert UMI Adapter (15 μM)	Mixture
3.1	Substances	egSEQ UDI Primer N (10 μM each)	Mixture
3.2	Composition	egSEQ Insert UMI Adapter (15 μM)	No ingredients harmful to health or environme
		egSEQ UDI Primer N (10 μM each)	No ingredients harmful to health or environme
ECTION 4: F	irst-Aid Measures		
4.1	Description of First Aid Measures		
4.1	Description of this Alu measures		
	Ingestion:		duce vomiting unless directed to do so by g by mouth to an unconscious person. Get cts persist or are severe.
	Skin contact:	Flush contaminated skin with plenty of shoes. Get medical attention if adverse	water. Remove contaminated clothing and health effects persist or are severe.
	Eye contact:		vater, occasionally lifting the upper and vy contact lenses. Get medical attention if
	Inhalation:	Move exposed person to fresh air. Get persist or are severe.	medical attention if adverse health effects
	First Aider Protection:	None specific	
4.2	Most important symptoms and effe	ects, both acute and delayed	
4.2			
4.2	Potential acute health effects:	No los como stantificante effectes en estatual	hazards.
4.2	egSEQ Insert UMI Adapter (15 μM)	No known significant effects or critical	
4.2	egSEQ Insert UMI Adapter (15 μM) egSEQ UDI Primer N (10 μM each)	No known significant effects or critical	hazards.
4.2	egSEQ Insert UMI Adapter (15 μM) egSEQ UDI Primer N (10 μM each) <b>Over-exposure signs/symptoms:</b>	No known significant effects or critical	hazards.
÷.2	egSEQ Insert UMI Adapter (15 μM) egSEQ UDI Primer N (10 μM each)	No known significant effects or critical	hazards.
÷.2	egSEQ Insert UMI Adapter (15 μM) egSEQ UDI Primer N (10 μM each) <b>Over-exposure signs/symptoms:</b> egSEQ Insert UMI Adapter (15 μM)	No known significant effects or critical No specific data.	hazards.
4.2	egSEQ Insert UMI Adapter (15 μM) egSEQ UDI Primer N (10 μM each) <b>Over-exposure signs/symptoms:</b> egSEQ Insert UMI Adapter (15 μM)	No known significant effects or critical No specific data.	hazards.
4.2	egSEQ Insert UMI Adapter (15 μM) egSEQ UDI Primer N (10 μM each) <b>Over-exposure signs/symptoms:</b> egSEQ Insert UMI Adapter (15 μM) egSEQ UDI Primer N (10 μM each)	No known significant effects or critical No specific data.	hazards.

## 4.3 Indication of immediate medical attention and special treatment needed

## Specific Treatments

opeenie incatinento	
egSEQ Insert UMI Adapter (15 $\mu$ M)	None Specific
egSEQ UDI Primer N (10 μM each)	None Specific

## Notes to Physician

Notes to Physician	
egSEQ Insert UMI Adapter (15 μM)	Treat symptomatically. Contact poison treatment specialist immediately if large
egsed insert own Adapter (15 µwi)	quantities have been ingested or inhaled.
egSEQ UDI Primer N (10 μM each)	Treat symptomatically. Contact poison treatment specialist immediately if large
	quantities have been ingested or inhaled.

No action shall be taken involving any personal risk or without suitable training.

## **SECTION 5: Fire-Fighting Measures**

5.1	Extinguishing media (small and large fires)		
	Small Fire:	Use an extinguishing agent suitable for the surrounding fire.	
	Large Fire:	Use an extinguishing agent suitable for the surrounding fire.	
5.2.1	Specific Hazards:	In a fire or if heated, a pressure increase will occur and the container may burst	
5.2.2	Protective equipment and advice for fire fighters:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	

## **SECTION 6: Accidental Release Measures**

6.1	Personal precautions, protective equipment and emergency measures		
6.1.1	For non-emergency personnel:		
	egSEQ Insert UMI Adapter (15 $\mu M)$	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or	
	egSEQ UDI Primer N (10 μM each)	mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).	
6.1.2	For emergency responders:		
	egSEQ Insert UMI Adapter (15 μM)	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering.	
	egSEQ UDI Primer N (10 μM each)	Do not touch or walk through spilt material. Put on appropriate personal protective equipment (see Section 8).	
6.2	Environmental Precautions:		
	egSEQ Insert UMI Adapter (15 $\mu$ M)	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused	
	egSEQ UDI Primer N (10 $\mu$ M each)	environmental pollution (sewers, waterways, soil or air).	
6.3	Methods and materials for contain	nent and cleaning up:	
	egSEQ Insert UMI Adapter (15 $\mu$ M)	Stop leak if without risk. Move containers from spill area. Dilute with water and	
	egSEQ UDI Primer N (10 μM each)	mop up. Dispose of via a licensed waste disposal contractor.	
SECTION 7: H	andling and Storage		
7.1	Precautions for safe handling		
	Protective measures:	Put on appropriate personal protective equipment (see Section 8).	
7.2	Conditions for safe storage, including any incompatibilities:		
	egSEQ Insert UMI Adapter (15 μM)	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly	
	egSEQ UDI Primer N (10 μM each)	closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.	

7.3 Specific end use(s) recommendations: egSEQ Insert UMI Adapter (15 μM) egSEQ UDI Primer N (10  $\mu M$  each)

Industrial applications, Professional applications.

7.5

7.5

## SECTION 8: Exposure Controls/Personal Protection

**Control Parameters** 8.1

> Occupational exposure limits: N/A

#### 8.2 Exposure controls

Appropriate engineering controls:	If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Respiratory protection:	Wear medical protective mask.
Hand protection:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products.
Eye protection:	If contact is possible, the following protection should be worn: chemical splash goggles and/or face shield.
Skin protection:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.Generally, it is recommended to wear a white coat, disposable head cover and disposable shoe cover for protection.
Environmental exposure controls:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### **SECTION 9: Physical and Chemical Properties**

#### 9.1 Information on basic physical and chemical properties

#### Physical State:

egSEQ Insert UMI Adapter (15 μM) Liquid egSEQ UDI Primer N (10 μM each) Liquid

#### 9.2 Colour: egSEQ Insert UMI Adapter (15 µM) Coulourless egSEQ UDI Primer N (10 μM each) Coulourless

#### 9.3 Odour:

9.8

egSEQ Insert UMI Adapter (15 μM)	Odourless
egSEQ UDI Primer N (10 μM each)	Odourless

#### 9.4 Odour threshold:

egSEQ Insert UMI Adapter (15 μM) N/A egSEQ UDI Primer N (10 µM each) N/A

#### 9.5 pH: egSEQ Insert UMI Adapter (15 μM)

egSEQ UDI Primer N (10 μM each)

#### Melting/Freezing point: 9.6

egSEQ Insert UMI Adapter (15  $\mu$ M) 0° egSEQ UDI Primer N (10  $\mu$ M each) 0°

#### Initial boiling point and boiling 9.7 range:

egSEQ Insert UMI Adapter (15 μM) 100° egSEQ UDI Primer N (10 μM each) 100°

### Flash point: egSEQ Insert UMI Adapter (15 $\mu M)$ $\,$ N/A $\,$ egSEQ UDI Primer N (10 μM each)

N/A

#### 9.9 Evaporation rate: egSEQ Insert UMI Adapter (15 μM) N/A

egSEQ UDI Primer N (10 μM each) N/A	egSEQ UDI	Primer	N (10 µM ea	ach) N/A
-------------------------------------	-----------	--------	-------------	----------

### 9.1 Flammability:

egSEQ Insert UMI Adapter (15 μM)	N/A
egSEQ UDI Primer N (10 μM each)	N/A

## 9.11 Upper/lower flammability or

 $\label{explosive limits:} \begin{array}{l} \mbox{explosive limits:} \\ \mbox{egSEQ Insert UMI Adapter (15 $\mu$M)} & \mbox{N/A} \\ \mbox{egSEQ UDI Primer N (10 $\mu$M each)} & \mbox{N/A} \end{array}$ 

## 9.12 Vapour pressure:

egSEQ Insert UMI Adapter (15 μM)

The main component of the reagent is

water. At 20 °C, the steam pressure of water is 3.2kPa. At 50 °C, the vapor

pressure of water is 12.3 kPa.

egSEQ UDI Primer N (10 μM each)

## 9.13 Vapour density

egSEQ Insert UMI Adapter (15 μM) N/A egSEQ UDI Primer N (10 μM each) N/A

## 9.14 Relative vapour density (air=1):

egSEQ Insert UMI Adapter (15 μM) N/A egSEQ UDI Primer N (10 μM each) N/A

9.15	Solubility:	
	egSEQ Insert UMI Adapter (15 $\mu$ M)	Soluble in water
	egSEQ UDI Primer N (10 μM each)	Soluble in water

#### 9.16 Partition coefficient (noctanol/water):

egSEQ Insert UMI Adapter (15 μM) N/A egSEQ UDI Primer N (10 μM each) N/A

### 9.17 Auto-ignition temperature: egSEQ Insert UMI Adapter (15 µM) egSEQ UDI Primer N (10 µM each)

9.18 Decomposition temperature: egSEQ Insert UMI Adapter (15 μM) N/A

egSEQ UDI Primer N (10 μM each)	N/A

### 9.19 Viscosity: egSEQ Insert UMI Adapter (15 μM) N/A egSEQ UDI Primer N (10 μM each) N/A

### **SECTION 10: Stability and Reactivity**

# 10.1 Reactivity: egSEQ Insert UMI Adapter (15 μM) Stable egSEQ UDI Primer N (10 μM each) Stable 10.2 Chemical stability:

egSEQ Insert UMI Adapter (15 μM) Stable egSEQ UDI Primer N (10 μM each) Stable

### 10.3 **Possibility of hazardous reactions:**

egSEQ Insert UMI Adapter (15 $\mu$ M)	Under normal conditions of storage and
egSEQ UDI Primer N (10 μM each)	use, hazardous lreactions will not occur.

N/A

N/A

## 10.4 Conditions to Avoid:

egSEQ Insert UMI Adapter (15 μM) No specific data egSEQ UDI Primer N (10 μM each) No specific data

## 10.5 Incompatible materials:

egSEQ Insert UMI Adapter (15 µM) No specific data egSEQ UDI Primer N (10 µM each) No specific data

## 10.6 Hazardous decomposition

products:

egSEQ Insert UMI Adapter (15 $\mu$ M)	Under normal conditions of storage and use, hazardous decomposition products
egSEQ UDI Primer N (10 $\mu$ M each)	should not be produced.

## SECTION 11: Toxicological Information

11.1	Acute toxicity:	No ingredients harmful to health or environment.
11.2	Irritation/Corrosion	N/A
11.3	Senitiser	N/A
11.4	Mutagenicity:	N/A
11.5	Carcinogenicity:	N/A
11.6	Reproductive toxicity:	N/A
11.7	Specific target organ toxicity (single exposure):	N/A
11.8	Specific target organ toxicity (repeated exposure):	N/A
11.9	Aspiration hazard:	N/A

## SECTION 12: Ecological Information

TION	12: Ecological Information	
12.1	Toxicity	No ingredients harmful to health or environment.
12.2	Persistence and degradability:	N/A
12.3	Bioaccumulative potential:	N/A
12.4	Mobility in soil:	N/A
12.5	Results of PBT and vPvB assessment:	N/A
12.6	Other adverse effects:	N/A

## **SECTION 13: Disposal Considerations**

13.1 Waste treatment methods:

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport Information**

 14.1
 Precautions for transportation :
 Always transport in closed containers that are upright and secure. Ensure that

 14.1
 Precautions for transportation :
 persons transporting the product know what to do in the event of an accident or spillage.

Nation	Regulation	Information
International	Chemical Weapon Convention List Schedules I, II & III Chemicals	Not listed.
International	Montreal Protocol (Annexes A, B, C, E)	Not listed.
International	Stockholm Convention on Persistent Organic Pollutants	Not listed.
International	Rotterdam Convention on Prior Inform Consent (PIC)	Not listed.
International	UNECE Aarhus Protocol on POPs and Heavy Metals	Not listed.
Europe	Regulation (EC) No 1907/2006 of the European Parliament and of the Council (REACH)	All components are not listed in the list.
United States	Toxic Substances Control Act (TSCA)	Not listed.
United States	TSCA Chemical Substance Inventory	All components are not listed in the list.

### **SECTION 15: Regulatory Information**

	Act on the Evaluation of Chemical	All components
Japan	Substances and	are not listed in
	Regulation of Their Manufacture, etc.	the list.
Turkey	Regulation on the Export and Import	All components
Turkey	of Certain	are not listed in
	Hazardous Chemicals	the list.
	Regulation of Registration,	All components
Turkey	Evaluation, Authorization, and	are not listed in
	Restriction of Chemicals (KKDIK)	the list.
	Inventory of the Existing Chemical	All components
China	Substances in China	are listed or
	(IECSC) Provisions on Environmental	exempted.
China	Administration of New	
	Chemical Substances	Not listed.
	Regulations on Safe Management of	
China	Hazardous	
	Chemicals in China	Not listed.
		All components
China		are not listed in
	Catalog of Hazardous Chemicals	the list.
	0	
		All components
China	Catalog of Goods Prohibited from	are not listed in
	•	the list.
	Import	the list.
China		All components
	Catalog of Goods Prohibited from	are not listed in
	Export	the list.
China		All components
Cillia	China Inventory of Severely	are not listed in
	Restricted Toxic Chemicals	the list.
	Restricted Toxic chemicals	the list.

## **SECTION 16: Other Information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.Edinburgh Genetics Limited and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. ©2023 Edinburgh Genetics Ltd. All rights reserved.