

Prepared in accordance with Regulation (EC) No 1907/2006 (REACH), Annex II, as amended by Regulation (EU) 2020/878.

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

|                                 |                                                                          |
|---------------------------------|--------------------------------------------------------------------------|
| Trade name                      | Basil & Herb Fragrance Oil                                               |
| Product type                    | Mixture — concentrated fragrance oil for industrial and professional use |
| Unique Formula Identifier (UFI) | <b>3DA0-701A-200A-VNQJ</b>                                               |
| REACH registration number       | Not applicable (mixture)                                                 |

### 1.2 Relevant identified uses of the mixture and uses advised against

**Identified uses:** fragrance raw material for the manufacture of scented candles, wax melts, reed diffusers, room sprays, soaps and cosmetic products, within the concentration limits set out in the IFRA certificate for this fragrance. Intended for professional and industrial users only.

**Uses advised against:** not intended for human or animal consumption, for undiluted application to the skin, for use in foodstuffs, in electronic cigarettes, or in any application not covered by the IFRA certificate.

### 1.3 Details of the supplier of the safety data sheet

|                            |                                                                                 |
|----------------------------|---------------------------------------------------------------------------------|
| Supplier                   | <b>ERFELLO STORE S.R.L.</b>                                                     |
| Registered office          | Calea Plevnei 145B, bl. 3, fl. 8, ap. 3085, sector 6, 010243 Bucharest, Romania |
| Company reg. / VAT No.     | J2019001809408 · RO40630552                                                     |
| Telephone                  | +40 737 750 112                                                                 |
| E-mail of competent person | office@erfello.com                                                              |
| Website                    | www.erfellostore.ro                                                             |

### 1.4 Emergency telephone number

|                           |                                                                                                                                     |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| ERFELLO STORE S.R.L.      | <b>+40 737 750 112</b>                                                                                                              |
| Poison information        | National Institute of Public Health, Romania — Toxicological Information Office: <b>+40 21 318 36 06</b> (Mon–Fri, 08:00–15:00 EET) |
| European emergency number | <b>112</b> (24 h)                                                                                                                   |

The mixture is notified to the appointed body under Annex VIII to Regulation (EC) No 1272/2008; the UFI given under 1.1 is shown on the product label.

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

| Hazard class and category                                                             | Code | Hazard statement                                 |
|---------------------------------------------------------------------------------------|------|--------------------------------------------------|
| Aspiration hazard, Category 1 (Asp. Tox. 1)                                           | H304 | May be fatal if swallowed and enters airways.    |
| Skin irritation, Category 2 (Skin Irrit. 2)                                           | H315 | Causes skin irritation.                          |
| Serious eye damage, Category 1 (Eye Dam. 1)                                           | H318 | Causes serious eye damage.                       |
| Skin sensitisation, Category 1 (Skin Sens. 1)                                         | H317 | May cause an allergic skin reaction.             |
| Hazardous to the aquatic environment — chronic hazard, Category 2 (Aquatic Chronic 2) | H411 | Toxic to aquatic life with long lasting effects. |

## 2.2 Label elements



Signal word: **Danger**

### Hazard statements

- **H304** – May be fatal if swallowed and enters airways.
- **H315** – Causes skin irritation.
- **H317** – May cause an allergic skin reaction.
- **H318** – Causes serious eye damage.
- **H411** – Toxic to aquatic life with long lasting effects.

### Precautionary statements

- **P264** – Wash hands thoroughly after handling.
- **P272** – Contaminated work clothing should not be allowed out of the workplace.
- **P273** – Avoid release to the environment.
- **P280** – Wear protective gloves, protective clothing, eye protection and face protection.
- **P301+P310** – IF SWALLOWED: Immediately call a POISON CENTER or doctor.
- **P302+P352** – IF ON SKIN: Wash with plenty of soap and water.
- **P305+P351+P338** – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- **P310** – Immediately call a POISON CENTER or doctor.
- **P321** – Specific treatment (see instructions on this label).
- **P331** – Do NOT induce vomiting.
- **P332+P313** – If skin irritation occurs: Get medical advice/attention.
- **P333+P313** – If skin irritation or rash occurs: Get medical advice/attention.
- **P362** – Take off contaminated clothing.
- **P363** – Wash contaminated clothing before reuse.
- **P391** – Collect spillage.
- **P405** – Store locked up.
- **P501** – Dispose of contents and container at an authorised hazardous waste collection point, in accordance with national regulations.

## 2.3 Other hazards

The mixture does not meet the PBT or vPvB criteria of Annex XIII to Regulation (EC) No 1907/2006.

The classification in this safety data sheet refers to the concentrated fragrance oil supplied as a raw material. In the finished product (candle, wax melt, diffuser) the oil is used diluted, within the limits of the IFRA certificate, and the finished product has its own classification, usually much milder.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Mixture of fragrance substances. The components contributing to the classification of the mixture are listed:

| Component name                                                  | Identifiers                                             | Concentration  | Classification according to Regulation (EC) No 1272/2008                                                                                 |
|-----------------------------------------------------------------|---------------------------------------------------------|----------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Eugenol                                                         | CAS 97-53-0<br>EC 202-589-1<br>REACH 01-2119971802-33   | 13.5 – 23.5 %  | Eye Irrit. 2; H319<br>Skin Sens. 1; H317                                                                                                 |
| Linalyl acetate                                                 | CAS 115-95-7<br>EC 204-116-4<br>REACH 01-2119454789-19  | 13 – 18 %      | Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br>Skin Sens. 1; H317                                                                          |
| d-Limonene                                                      | CAS 5989-27-5<br>EC 227-813-5<br>REACH 01-2119529223-47 | 7.45 – 12.45 % | Flam. Liq. 3; H226<br>Asp. Tox. 1; H304<br>Skin Irrit. 2; H315<br>Skin Sens. 1; H317<br>Aquatic Acute 1; H400<br>Aquatic Chronic 1; H410 |
| alpha-Terpineol acetate                                         | CAS 80-26-2<br>EC 201-265-7<br>REACH 01-2119980733-29   | 8 – 10 %       | not classified                                                                                                                           |
| Estragole (Methyl chavicol)                                     | CAS 140-67-0<br>EC 205-427-8                            | 8 – 10 %       | Acute Tox. 4; H302<br>Skin Sens. 1; H317                                                                                                 |
| Hivertal (Cyclal C, 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde) | CAS 68039-49-6<br>EC 268-264-1                          | 4.5 – 6.5 %    | Skin Irrit. 2; H315<br>Skin Sens. 1; H317<br>Aquatic Chronic 2; H411                                                                     |
| Linalool                                                        | CAS 78-70-6<br>EC 201-134-4<br>REACH 01-2119474016-42   | 4 – 5 %        | Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br>Skin Sens. 1; H317                                                                          |
| Decanal                                                         | CAS 112-31-2<br>EC 203-957-4                            | 3 – 4 %        | Eye Irrit. 2; H319<br>Aquatic Chronic 3; H412                                                                                            |
| Gravenone (3-Methyl-5-propyl-2-cyclohexen-1-one)                | CAS 3720-16-9<br>EC 223-069-0                           | 1.5 – 2.5 %    | Skin Irrit. 2; H315<br>Eye Irrit. 2; H319                                                                                                |
| Thymol                                                          | CAS 89-83-8<br>EC 201-944-8                             | 0.5 – 1.5 %    | Acute Tox. 4; H302<br>Skin Corr. 1B; H314<br>Eye Dam. 1; H318<br>Aquatic Chronic 2; H411                                                 |
| Geranyl acetate                                                 | CAS 105-87-3<br>EC 203-341-5                            | 0.5 – 1.5 %    | Skin Irrit. 2; H315<br>Skin Sens. 1; H317<br>Aquatic Chronic 3; H412                                                                     |
| beta-Caryophyllene                                              | CAS 87-44-5<br>EC 201-746-1                             | 0.8 – 1 %      | Asp. Tox. 1; H304<br>Skin Sens. 1; H317                                                                                                  |
| Cinnamon leaf oil                                               | CAS 8015-91-6<br>EC 283-479-0                           | 0.8 – 1 %      | Asp. Tox. 1; H304<br>Eye Irrit. 2; H319<br>Skin Sens. 1; H317<br>Aquatic Chronic 2; H411                                                 |
| Clove leaf oil                                                  | CAS 8000-34-8                                           | 0.8 – 1 %      | Asp. Tox. 1; H304<br>Eye Irrit. 2; H319<br>Skin Sens. 1; H317                                                                            |
| Cypress oil                                                     | CAS 8013-86-3<br>EC 283-626-9                           | 0.1 – 0.2 %    | Flam. Liq. 3; H226<br>Asp. Tox. 1; H304<br>Skin Irrit. 2; H315<br>Skin Sens. 1; H317<br>Aquatic Chronic 1; H410                          |

Names, identification numbers, concentration ranges (% by weight) and classification of the components are given as they appear in Section 3 of the manufacturer's safety data sheet; M-factors are shown where the manufacturer states them. The full text of the hazard statements is given in Section 16. The full composition of the mixture has been submitted to the appointed body under Annex VIII to the CLP Regulation.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

**Inhalation:** move the affected person to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, seek medical advice.

**Skin contact:** remove contaminated clothing immediately. Wash the affected area with plenty of soap and water. If skin irritation or rash occurs, get medical advice.

**Eye contact:** rinse immediately and cautiously with water for at least 15 minutes, including under the eyelids. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

**Ingestion:** rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Seek medical advice and show this safety data sheet. If the person vomits spontaneously, keep the head lower than the trunk to prevent the product from entering the airways.

### 4.2 Most important symptoms and effects, both acute and delayed

Repeated skin contact may cause sensitisation, showing as redness, itching or rash on later exposure; skin contact may cause redness and irritation; eye contact may cause strong irritation, with pain and redness; if swallowed, the product may enter the airways; prolonged inhalation of vapours in unventilated areas may cause headache and nausea.

### 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment. No specific antidote is known. Show the attending physician this safety data sheet and the UFI given under 1.1. In case of ingestion, consider the risk of the product entering the airways.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

**Suitable:** alcohol-resistant foam, carbon dioxide, dry chemical powder, water mist.

**Unsuitable:** direct water jet — may spread the fire.

### 5.2 Special hazards arising from the substance or mixture

Combustible liquid. Incomplete combustion may release carbon monoxide, carbon dioxide and other irritating decomposition products.

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus and full protective equipment. Cool containers exposed to fire with water. Do not allow firefighting water to enter drains or watercourses.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Remove ignition sources. Ensure adequate ventilation. Avoid breathing vapours and contact with skin and eyes. Wear the protective equipment given in Section 8. Caution: surfaces become slippery.

### 6.2 Environmental precautions

Do not allow the product to enter drains, soil or surface water. In the event of a significant release to the environment, notify the competent authority.

### 6.3 Methods and material for containment and cleaning up

Absorb with inert material (sand, vermiculite, diatomaceous earth) and collect in closed, labelled containers for disposal. Clean the surface with detergent and water.

### 6.4 Reference to other sections

See Sections 8 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid naked flames and other ignition sources, including unprotected electrical equipment. Do not subject the product to unnecessarily high temperatures during processing. Maintain adequate ventilation in working areas. Do not eat, drink or smoke while using the product. Follow good personal hygiene; wash hands after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in closed, preferably full containers, in a cool, dry, well-ventilated place, away from direct sunlight and heat sources. Keep away from strong acids, bases and oxidising agents. Do not re-use the empty container. Recommended shelf life: 24 months from delivery, in the original unopened packaging.

### 7.3 Specific end use(s)

Fragrance raw material. Use according to good manufacturing practice, within the concentration limits of the IFRA certificate for this fragrance.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

No national occupational exposure limit values are established for the mixture as such. For individual components, where applicable, the values of Romanian Government Decision No 1218/2006 on the protection of workers from risks related to chemical agents apply.

### 8.2 Exposure controls

**Engineering controls:** local exhaust ventilation at dosing and blending points. Do not process at unnecessarily high temperatures.

**Respiratory protection:** normally not required where ventilation is adequate. Where ventilation is insufficient or aerosols are formed, use a respirator with an organic vapour filter (type A, brown colour code) to EN 14387.

**Hand protection:** nitrile gloves to EN ISO 374-1; observe the breakthrough time stated by the glove manufacturer. Change gloves at the first sign of contamination.

**Eye protection:** safety goggles with side shields to EN 166.

**Skin protection:** long-sleeved work clothing. Contaminated work clothing should not be allowed out of the workplace.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

| Property                                                 | Value                          |
|----------------------------------------------------------|--------------------------------|
| Appearance                                               | Yellow,oily liquid             |
| Odour                                                    | Characteristic                 |
| Odour threshold                                          | No data available              |
| Melting point/freezing point                             | No data available              |
| Boiling point or initial boiling point and boiling range | No data available              |
| Flammability                                             | No data available              |
| Lower explosion limit                                    | No data available              |
| Upper explosion limit                                    | No data available              |
| Flash point                                              | between 70.0 °C and 100.0 °C   |
| Auto-ignition temperature                                | No data available              |
| Decomposition temperature                                | No data available              |
| pH                                                       | No data available              |
| Kinematic viscosity                                      | No data available              |
| Solubility in water                                      | Insoluble (10%)                |
| Solubility in other solvents                             | Soluble (10%) in ethyl alcohol |
| Partition coefficient n-octanol/water (log value)        | No data available              |
| Vapour pressure                                          | No data available              |
| Density                                                  | No data available              |
| Vapour density                                           | No data available              |
| Particle characteristics                                 | Not applicable (liquid)        |

### 9.2 Other information

Other safety characteristics and information with regard to physical hazard classes, according to the manufacturer's safety data sheet:

| Property                | Value         |
|-------------------------|---------------|
| Refractive Index (25°C) | 1.481 – 1.491 |

The data in Section 9 are taken from the safety data sheet of the fragrance manufacturer (BASIL & HERB - STYLE RANGE, dated 19/08/2019). Values followed by a CAS number are given by the manufacturer for that component, not for the mixture.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards are known. Does not react with water.

### 10.2 Chemical stability

Stable under the handling and storage conditions given in Section 7.

### 10.3 Possibility of hazardous reactions

Not expected under the conditions specified.

### 10.4 Conditions to avoid

Temperatures near or above the flash point, ignition sources, sparks, flames. Do not heat closed containers. Direct sunlight.

### 10.5 Incompatible materials

Strong acids, strong bases, strong oxidising agents.

### 10.6 Hazardous decomposition products

Not expected under the conditions specified. On combustion: carbon monoxide, carbon dioxide and organic decomposition products.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

The manufacturer's safety data sheet gives no acute toxicity estimates for the mixture.

Acute toxicity values available for the components:

| Component name | CAS No.   | Parameter     | Value      | Source                                                    |
|----------------|-----------|---------------|------------|-----------------------------------------------------------|
| Eugenol        | 97-53-0   | LD50 (oral)   | 1930 mg/kg | same manufacturer's safety data sheet for another mixture |
| d-Limonene     | 5989-27-5 | LD50 (oral)   | 4400 mg/kg | same manufacturer's safety data sheet for another mixture |
| Linalool       | 78-70-6   | LD50 (oral)   | 2790 mg/kg | same manufacturer's safety data sheet for another mixture |
| Linalool       | 78-70-6   | LD50 (dermal) | 5610 mg/kg | same manufacturer's safety data sheet for another mixture |
| Decanal        | 112-31-2  | LD50 (oral)   | 3730 mg/kg | same manufacturer's safety data sheet for another mixture |
| Decanal        | 112-31-2  | LD50 (dermal) | 5040 mg/kg | same manufacturer's safety data sheet for another mixture |

Health hazard classes assigned to the mixture:

- Aspiration hazard, Category 1: **H304** – May be fatal if swallowed and enters airways.
- Skin irritation, Category 2: **H315** – Causes skin irritation.
- Serious eye damage, Category 1: **H318** – Causes serious eye damage.
- Skin sensitisation, Category 1: **H317** – May cause an allergic skin reaction.

For hazard classes not listed, the mixture does not meet the classification criteria on the basis of the available data.

### 11.2 Information on other hazards — endocrine disrupting properties

The manufacturer's safety data sheet identifies no components with endocrine disrupting properties.

## SECTION 12: Ecological information

### 12.1 Toxicity

The mixture is classified as hazardous to the aquatic environment:

- Hazardous to the aquatic environment — chronic hazard, Category 2: **H411** – Toxic to aquatic life with long lasting effects.

The classification results from the summation method applied to the components, in accordance with Annex I Part 4 to the CLP Regulation. No ecotoxicological testing has been carried out on the mixture as such.

### 12.2 Persistence and degradability

Not determined for the mixture.

### 12.3 Bioaccumulative potential

Not determined for the mixture.

### 12.4 Mobility in soil

The product is insoluble in water. Mobility in soil has not been determined.

### 12.5 Results of PBT and vPvB assessment

The mixture does not meet the PBT or vPvB criteria of Annex XIII to Regulation (EC) No 1907/2006.

### 12.6 Endocrine disrupting properties

The manufacturer's safety data sheet identifies no components with endocrine disrupting properties relevant to the environment.

### 12.7 Other adverse effects

No other adverse effects are known.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Do not dispose of the product into drains or the environment. Hand over product waste and contaminated packaging to an authorised waste collection and treatment operator, in accordance with Directive 2008/98/EC and the applicable national legislation (in Romania: Government Emergency Ordinance No 92/2021 on the waste regime).

Proposed waste code (Decision 2014/955/EU), to be confirmed by the waste producer according to its origin: **16 03 05\*** — organic wastes containing hazardous substances (unused product). Contaminated packaging: **15 01 10\*** — packaging containing residues of or contaminated by hazardous substances.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR/RID, IMDG, ICAO-TI/IATA-DGR: UN 3082

### 14.2 UN proper shipping name

ADR/RID, IMDG, ICAO-TI/IATA-DGR: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene)

### 14.3 Transport hazard class(es)

ADR/RID, IMDG, ICAO-TI/IATA-DGR: 9 (label 9)

### 14.4 Packing group

ADR/RID, IMDG, ICAO-TI/IATA-DGR: III

### 14.5 Environmental hazards

Yes — environmentally hazardous substance (ADR/RID, ICAO-TI/IATA-DGR); marine pollutant (IMDG).

### 14.6 Special precautions for user

Hazard identification number (Kemler): 90 · Tunnel restriction code: (-) · Transport category: 3 · EmS (IMDG): F-A, S-F · Limited quantity (LQ): 5 l

ADR/RID special provision 375 (IMDG 2.10.2.7, IATA A197): single or inner packagings containing 5 l of liquid or less are not subject to the other provisions for environmentally hazardous substances, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

Carry in tightly closed packaging, upright and secured against tipping.

### 14.7 Maritime transport in bulk

Not applicable — the product is not transported in bulk.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 (REACH), as amended
- Regulation (EC) No 1272/2008 (CLP), as amended, including Annex VIII
- Regulation (EU) 2020/878 amending Annex II to REACH
- IFRA Standards, 51st Amendment — an IFRA conformity certificate is supplied with the product
- Directive 98/24/EC on the protection of workers from risks related to chemical agents at work
- Directive 2008/98/EC on waste; Romanian Government Emergency Ordinance No 92/2021 on the waste regime

### 15.2 Chemical safety assessment

No chemical safety assessment has been carried out for this mixture.

## SECTION 16: Other information

**Indication of changes:** version 2.0 of 14.09.2026 supersedes version 1.0 of 10.09.2026. All sections have been revised on the basis of the manufacturer's current safety data sheet: the composition (Section 3) now gives the concentration ranges, identification numbers, full classification and M-factors of the components; the classification and label elements (Section 2), first aid measures (4), physical and chemical properties (9), toxicological (11) and ecological information (12), disposal (13) and transport (14) have been updated accordingly.

## 16.1 Full text of the hazard statements referred to in Sections 2 and 3

- **H226** – Flammable liquid and vapour.
- **H302** – Harmful if swallowed.
- **H304** – May be fatal if swallowed and enters airways.
- **H314** – Causes severe skin burns and eye damage.
- **H315** – Causes skin irritation.
- **H317** – May cause an allergic skin reaction.
- **H318** – Causes serious eye damage.
- **H319** – Causes serious eye irritation.
- **H400** – Very toxic to aquatic life.
- **H410** – Very toxic to aquatic life with long lasting effects.
- **H411** – Toxic to aquatic life with long lasting effects.
- **H412** – Harmful to aquatic life with long lasting effects.

## 16.2 Abbreviations and acronyms

ADR — European Agreement concerning the International Carriage of Dangerous Goods by Road · ATE — acute toxicity estimate · CAS — Chemical Abstracts Service · CLP — Regulation (EC) No 1272/2008 · CMR — carcinogenic, mutagenic or toxic for reproduction · EC — European Community number · IATA-DGR — IATA Dangerous Goods Regulations · ICAO-TI — ICAO Technical Instructions · IMDG — International Maritime Dangerous Goods Code · IFRA — International Fragrance Association · LC50 — lethal concentration for 50 % of the test population · LD50 — lethal dose for 50 % of the test population · PBT — persistent, bioaccumulative and toxic · REACH — Regulation (EC) No 1907/2006 · RID — Regulations concerning the International Carriage of Dangerous Goods by Rail · SVHC — substance of very high concern · UFI — Unique Formula Identifier · vPvB — very persistent and very bioaccumulative

Hazard class abbreviations used in Sections 2 and 3: Acute Tox. 4 – Acute toxicity (oral), Category 4 · Aquatic Acute 1 – Hazardous to the aquatic environment — acute hazard, Category 1 · Aquatic Chronic 1 – Hazardous to the aquatic environment — chronic hazard, Category 1 · Aquatic Chronic 2 – Hazardous to the aquatic environment — chronic hazard, Category 2 · Aquatic Chronic 3 – Hazardous to the aquatic environment — chronic hazard, Category 3 · Asp. Tox. 1 – Aspiration hazard, Category 1 · Eye Dam. 1 – Serious eye damage, Category 1 · Eye Irrit. 2 – Eye irritation, Category 2 · Flam. Liq. 3 – Flammable liquids, Category 3 · Skin Corr. 1B – Skin corrosion, Category 1B · Skin Irrit. 2 – Skin irritation, Category 2 · Skin Sens. 1 – Skin sensitisation, Category 1

## 16.3 Data sources

The classification, composition and physical and chemical data are taken from the safety data sheet of the fragrance manufacturer (BASIL & HERB - STYLE RANGE, dated 19/08/2019). For components without values in that safety data sheet, the acute toxicity values in Section 11 are taken from the same manufacturer's safety data sheets for other mixtures containing the same components, identified by CAS number, and are marked as such in the Source column.

## 16.4 Disclaimer

The information in this safety data sheet is based on the knowledge available at the revision date and describes the product solely from the point of view of safety requirements. It does not constitute a warranty of the properties of the product. It is the user's responsibility to assess the suitability of the product for their own application and to comply with the applicable legislation, including their own classification and labelling obligations for the finished product they place on the market.