

## BIBLIOGRAPHY (RMDS EC)

- ABC (2011) [‘Blackwater’ blamed for fish kill](#), *ABC News*, 8 February. Accessed: 23 April 2013.
- ABC (2022) [Native fish suffocating as parts of Murray-Darling Basin turn toxic from unprecedented floodwaters](#), *ABC News*, 21 November. Accessed: 9 July 2024.
- ABC (2024) [Why are fish still dying in the Darling River at Menindee — and what can we do to prevent it? - ABC News](#), 320 April 2024. Accessed: 19 August 2024.
- Advertiser (1936) Dangers from Exotic Fish. Plea for Propagation of Native Variety. Tuesday 18 August 1936, page 10. <http://nla.gov.au/nla.news-article48170723>
- Aldridge K, Deegan B, Nicol J, Burch M, & Brookes J (2006) *Ecological response to watering trials on Chowilla floodplain, 2005-2006*. A report for the Department of Water, Land and Biodiversity Conservation, the Government of South Australia, Adelaide.
- Aldridge KT, Lorenz A, Oliver R & Brookes J (2012) *Changes in water quality and phytoplankton communities in the Lower River Murray in response to a low flow – high flow sequence*. Goyder Institute for Water Research, University of South Australia, Adelaide.
- Aldridge K, Mosley L & Oliver R (2018) Chapter 2.10 Water quality of the Coorong, Lower Lakes and Murray Mouth, in L Mosely, Q Ye, SA Shepard, S Hemming and R Fitzpatrick (eds), *Natural History of the Coorong, Lower Lakes and Murray Mouth region (Yarluwar-Ruwe)*. Royal Society of South Australia, Adelaide. pp. 371–399.
- Aldridge KT, Wedderburn S, Barnes T & Wallace TA (2012) *A rapid assessment of the condition of selected wetlands. A summary report for SA Department for Water, Adelaide*. The University of Adelaide, Adelaide.
- Alexandra J (2020) The science and politics of climate risk assessment in Australia’s Murray Darling Basin. *Environmental Science & Policy* 112, 17–27. <https://doi.org/10.1016/j.envsci.2020.05.022>
- Alexandra J (2023) Climate adaptation options for the 2026 Basin Plan: opportunities for managing climate risk. *Australasian Journal of Water Resources* 27(2), 257–270. <https://doi.org/10.1080/13241583.2022.2133643>
- Alison GB, Cook PG, Barnett SR, Walker GR, Jolly ID & Hughes MW (1990) Land clearance and river salinisation in the western Murray Basin. *Journal of Hydrology* 199(1–4), 1–20. [https://doi.org/10.1016/0022-1694\(90\)90030-2](https://doi.org/10.1016/0022-1694(90)90030-2)
- Amy J & Robertson AI (2001) Relationships between livestock management and the ecological condition of riparian habitats along an Australian floodplain river. *Journal of Applied Ecology* 38, 63–75. <https://doi.org/10.1046/j.1365-2664.2001.00557.x>
- Anstis M (2007) *Tadpoles of South-eastern Australia: A guide with keys*. World Wide Fund for Nature. New Holland Publishers (Australia), Chatswood, New South Wales.
- Armstrong KN, Clarke S, Linke A, Scanlon A, Roetman P, Wilson J, Hitch AT & Donnellan SC (2020) Citizen science implements the first intensive acoustics-based survey of insectivorous bat species across the Murray–Darling Basin of South Australia. *Australian Journal of Zoology* 68(6), 364–381. <https://doi.org/10.1071/ZO20051>

- Armstrong K, Clarke S, Matthews D, Linke A, Roetman P, Scanlan A & Donnellan S (2019) *The MEGA Murray-Darling Microbat Project: Results of a citizen science project 2017–2019*, Natural Resources SA Murray-Darling Basin, Department for Environment and Water, Berri.
- Armstrong KN, Reardon TB & Jackson SM (2020b) *A current taxonomic list of Australian Chiroptera*. Australasian Bat Society. Version 2020-06-09. <https://www.ausbats.org.au/species-list.html>
- Asanopoulos C & Waycott M (2020) *The growth of aquatic macrophytes (Ruppia tuberosa spp. and Althenia cylindrocarpa) and the filamentous algal community in the southern Coorong*. Goyder Institute for Water Research Technical Report Series No. 20/13.
- AAS (Australian Academy of Science) (2019) *Investigation of the Causes of Mass Fish Kills in the Menindee Region NSW Over the Summer of 2018–2019*. Australian Academy of Science, Canberra.
- Attard CRM, Möller LM, Sasaki M, Hammer MP, Bice C, Brauer C, Carvalho D, Harris JO & Beheregaray LB (2016) A novel holistic framework for genetic-based captive breeding and reintroduction programs. *Conservation Biology* 30, 1060–1069. <https://doi.org/10.1111/cobi.12699>
- Australian Water Environments (2015) *Black Box Health and Management Options*. Prepared for the Department of the Environment - Commonwealth Environmental Water Office. AWE Ref. 15071. [Black Box Health and Management Options \(dcceew.gov.au\)](https://www.dcceew.gov.au/black-box/health-and-management-options)
- Baldwin DS (2021) Water quality in the Murray–Darling Basin: The potential impacts of climate change, in BT Hart, NR Bond, N Byron, CA Pollino, MJ Stewardson (eds), *Murray-Darling Basin: Its Future Management*. Elsevier, Amsterdam, The Netherlands pp. 137-159.
- Baldwin DS & Whitworth KL (2014) *Monitoring the effects of environmental flows on hypoxic blackwater in the Murray and Murrumbidgee Rivers*, Commonwealth of Australia. Report prepared for Commonwealth Environmental Water Office by The Murray-Darling Freshwater Research Centre, MDFRC.
- Ballinger A, Lake PS & Mac Nally R (2007) Do terrestrial invertebrates experience floodplains as landscape mosaics? Immediate and longer-term effects of flooding on ant assemblages in a floodplain forest. *Oecologia* 152, 227–238. <https://doi.org/10.1007/s00442-006-0648-0>
- Barnett E (1995) Distinguishing Natural and Anthropogenic Influences: A Case Study of Lake Alexandrina. *South Australian Geographical Journal* 94, 36–49.
- Barnett S (2015) *Assessment of the groundwater resources in the non-prescribed areas of the South Australian Murray-Darling Basin*, DEWNR Technical Report 2015/09. Government of South Australia, Department of Environment, Water and Natural Resources, Adelaide.
- Barrett J, Bamford H & Jackson P (2014) Management of alien fishes in the Murray-Darling Basin. *Ecological Management & Restoration* 15(S1), 51-56. doi: 10.1111/emr.12095.
- Barrett J & Mallen-Cooper M (2006) The Murray River's 'Sea to Hume Dam' fish passage program: progress to date and lessons learned. *Ecological Management & Restoration* 7(3), 173–183. <https://doi.org/10.1111/j.1442-8903.2006.00307.x>
- Baumgartner LJ (2007) Diet and feeding habits of predatory fishes upstream and downstream of a low-level weir. *Journal of Fish Biology* 70, 879 –894. <https://doi.org/10.1111/j.1095-8649.2007.01352.x>

- Baumgartner LJ, Reynoldson N, Cameron J & Stanger J (2007) *The effects of selected irrigation practices on fish of the Murray-Darling Basin*. Fisheries Final Report Series No. 92. NSW Department of Primary Industries, Orange, NSW.
- Baumgartner LJ, Reynoldson N, Cameron L & Stanger JG (2009) Effects of irrigation pumps on riverine fish. *Fisheries Management and Ecology* 16, 429–437. <https://doi.org/10.1111/j.1365-2400.2009.00693.x>
- Baumgartner LJ, Zampatti B, Jones M, Stuart I & Mallen-Cooper M (2014) Fish passage in the Murray-Darling Basin, Australia: Not just an upstream battle. *Ecological Management & Restoration* 15, 28–39. <https://doi.org/10.1111/emr.12093>
- Bayley PB (1995) Understanding large river-floodplain ecosystems. *BioScience* 45(3), 153–158. <https://doi.org/10.2307/1312554>
- Beaumont LJ, Hartenthaler T, Keatley MR & Chambers LE (2015) Shifting time: recent changes to the phenology of Australian species. *Climate Research* 63, 203–214. <https://doi.org/10.3354/cr01294>
- Becher J, Englisch C, Griebler C & Bayer P (2022) Groundwater fauna downtown – Drivers, impacts and implications for subsurface ecosystems in urban areas. *Journal of Contaminant Hydrology* 248, 104021 <https://doi.org/10.1016/j.jconhyd.2022.104021>
- Becker JA, Tweedie A, Gilligan D, Asmus M & Whittington RJ (2013) Experimental Infection of Australian Freshwater Fish with Epizootic Haematopoietic Necrosis Virus (EHNV). *Journal of Aquatic Animal Health* 25, 66–76. <http://dx.doi.org/10.1080/08997659.2012.747451>
- Beheregaray L, Attard C, Brauer C, Whiterod N, Wedderburn S & Hammer M (2021) Conservation breeding and reintroduction of pygmy perches in the lower Murray-Darling Basin, Australia: two similar species, two contrasting outcomes, in PS Soorae (ed), *Global conservation translocation perspectives: 2021. Case studies from around the globe*. Gland, Switzerland. IUCN SSC Conservation Translocation Specialist Group. pp. 26–31. <https://portals.iucn.org/library/fr/node/49298>
- Bennison GL & Suter P (1990) Chapter 19: Macroinvertebrates, in N Mackay & D Eastburn (eds), *The Murray*. Murray Darling Basin Commission, Australia.
- Bennison GL, Hillman TJ & Suter PJ (1989) *Macroinvertebrates of the River Murray - survey and monitoring 1980 to 1985*. Murray-Darling Basin Commission, Canberra.
- Benson JS, Allen CB, Togher C & Lemmon J (2006) New South Wales vegetation classification and assessment: Part 1 Plant communities of the NSW western plains. *Cunninghamia* 9(3), 383–450.
- Benson JS, Richards PG, Waller S & Allen CB (2010) New South Wales vegetation classification and assessment: Part 3 Plant communities of the NSW Brigalow Belt South, Nandewar and west New England bioregions and update of NSW western plains and south-western slopes plant communities. Version 3 of the NSWVCA database. *Cunninghamia* 11(4), 457–579.
- Beranek CT, Clulow J & Mahony M (2020) Wetland restoration for the threatened green and golden bell frog (*Litoria aurea*): Development of a breeding habitat designed to passively manage chytrid-induced amphibian disease and exotic fish. *Natural Areas Journal* 40(4), 362–374. <https://doi.org/10.3375/043.040.0409>
- Berens V, White MG, Souter NJ, Holland KL, Jolly ID, Hatch MA, Fitzpatrick AD, Munday TJ & McEwan KL (2013) Chapter 20. Surface water, groundwater and ecological interactions along the River

- Murray. A pilot study of management initiatives at the Bookpurnong Floodplain, South Australia, in L Ribeiro, TY Stigter, A Chambel, MT Condesso de Melo, JP Monteiro & A Medeiros (eds), *Groundwater and Ecosystems*. CRC Press, Balkema.
- Bertozzi T, Adams M & Walker KF (2000) Species boundaries in carp gudgeons (*Eleotridae: Hypseleotris*) from the River Murray, South Australia: evidence for multiple species and extensive hybridization. *Marine and Freshwater Research* 51(8), 805–815.  
<https://doi.org/10.1071/MF00039>
- Bice CM (2010) *Literature review on the ecology of fishes of the Lower Murray, Lower Lakes and Coorong*. Report to the South Australian Department for Environment and Heritage. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Bice CM (2023) *Fish movement and passage in a fragmented and freshwater-deprived estuary: implications for the management of estuarine-associated fishes*. PhD Thesis, University of Adelaide.
- Bice CM, Hammer MP, Wedderburn SD, Ye Q & Zampatti BP (2018a) Chapter 3.6 Fishes of the Lower Lakes and Coorong: an Inventory and Summary of Life History, Population Dynamics and Management, in L Mosely, Q Ye, SA Shepard, S Hemming & R Fitzpatrick *Natural History of the Coorong, Lower Lakes and Murray Mouth region (Yarluwar-Ruwe)*. Royal Society of South Australia, Adelaide, 371–399.
- Bice CM, Hammer M, Wilson P & Zampatti B (2011) *Fish monitoring for the 'Drought Action Plan for South Australian Murray - Darling Basin threatened freshwater fish populations': Summary for 2010/11*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Bice CM, Jennings PR & Zampatti BP (2007) *Fish movement and recruitment in the Coorong and Lower Lakes 2006-2007*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Bice CM, Schmarr DW, Zampatti BP & Fredberg J (2021) *Fish assemblage structure, movement and recruitment in the Coorong and Lower Lakes in 2021/22*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide, SARDI Publication No. F2011/000186-11, SARDI Research Report Series No. 1117.
- Bice CM & Zampatti BP (2015) *Fish assemblage structure, movement and recruitment in the Coorong and Lower Lakes in 2014/15*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide. SARDI Publication No. F2011/000186-5. SARDI Report Series No. 862.
- Bice CM, Zampatti BP, Jennings PR & Wilson P (2012) *Fish assemblage structure, movement and recruitment in the Coorong and Lower Lakes in 2011/12*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide. SARDI Publication No. F2011/000186-3. SARDI Research Report Series No. 680.
- Bice CM, Zampatti BP & Fredberg J (2017b) *Fish assemblage structure, movement and recruitment in the Coorong and Lower Lakes in 2016/17*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide. SARDI publication No. F2011/000186-7. Research Report Series No. 942.
- Bice CM, Zampatti BP & Fredberg J (2023) *Fish assemblage structure, movement and recruitment in the Coorong and Lower Lakes in 2021–22*. Report to the Department for Environment and Water. South Australian Research and Development Institute (Aquatic and Livestock Sciences), Adelaide. SARDI Publication No. F2011/000186-12. SARDI Research Report Series No. 1169.

- Bice CM, Zampatti BP & Mallen-Cooper M (2017a) Paired hydraulically distinct vertical-slot fishways provide complementary fish passage at an estuarine barrier. *Ecological Engineering* 98, 246–256. <https://doi.org/10.1016/j.ecoleng.2016.11.001>
- Bice CM, Zampatti BP & Morrongiello JR (2018b) Connectivity, migration and recruitment in a catadromous fish. *Marine and Freshwater Research* 69, 1733–1745. <https://doi.org/10.1071/MF17388>
- Bird P & Armstrong G (1990) Reptiles and amphibians, in C O'Malley & F Sheldon (eds), *Chowilla Floodplain Biological Study*. Nature Conservation Society of South Australia Inc.
- Blakey R, Law B, Straka T, Kingsford R & Milne D (2018) Importance of wetlands to bats on a dry continent: a review and meta-analysis. *Hystrix, the Italian Journal of Mammalogy*, 29(1), 41–52. <https://doi.org/10.4404/hystrix-00037-2017>
- Blanch SJ (1997) *Influence of water regime on growth and resource allocation in aquatic macrophytes of the Lower River Murray, Australia*. PhD thesis. University of Adelaide.
- Blanch SJ & Walker KE (1998) Littoral plant life history strategies and water regime gradients in the River Murray, South Australia. *Internationale Vereinigung für Theoretische und Angewandte Limnologie: Verhandlungen* 26, 1814–1820. <https://doi.org/10.1080/03680770.1995.11901052>
- Blanch SJ, Ganf GG & Walker KF (1999) Tolerance of riverine plants to flooding and exposure indicated by water regime. *Regulated Rivers: Research and Management* 15, 43–62. [https://doi.org/10.1002/\(SICI\)1099-1646\(199901/06\)15:1/3<43::AID-RRR535>3.0.CO;2-Q](https://doi.org/10.1002/(SICI)1099-1646(199901/06)15:1/3<43::AID-RRR535>3.0.CO;2-Q)
- Blanch SJ, Walker KF & Ganf GG (2000) Water regime preferences of plants in four weir pools of the River Murray, Australia. *Regulated Rivers: Research and Management* 16, 445–456. [10.1002/1099-1646\(200009/10\)16:5<445::AID-RRR596>3.0.CO;2-L](https://doi.org/10.1002/1099-1646(200009/10)16:5<445::AID-RRR596>3.0.CO;2-L)
- Böhm M, Dewhurst-Richman N, Seddon M, et al. (2021) The conservation status of the world's freshwater molluscs. *Hydrobiologia* 848, 3231–3254. <https://doi.org/10.1007/s10750-020-04385-w>
- BOM (Bureau of Meteorology) (2019) *Annual Climate Statement 2018*. Commonwealth of Australia, Canberra. [Annual climate statement 2018 \(bom.gov.au\)](https://www.bom.gov.au/annual-climate-statement/2018/)
- BOM (Bureau of Meteorology) (2020) *Trends and historical conditions in the Murray-Darling Basin: A report prepared for the Murray-Darling Basin Authority by the Bureau of Meteorology*. Bureau of Meteorology, Melbourne, Victoria.
- BOM (Bureau of Meteorology) & CSIRO (Commonwealth Scientific and Industrial Research Organisation) (2022) *State of the Climate 2022*. Bureau of Meteorology, Canberra. <http://www.bom.gov.au/state-of-the-climate/2022/documents/2022-state-of-the-climate-web.pdf>
- Bond NR, Lake PS & Arthington AH (2008) The impacts of drought on freshwater ecosystems: an Australian perspective. *Hydrobiologia* 600, 3–16. <https://doi.org/10.1007/s10750-008-9326-z>
- Bone Y (2009) Chapter 1: Geology and Geomorphology, in JT Jennings (ed), *Natural History of the Riverland and Murraylands*. Occasional Publications of the Royal Society of South Australia Inc, Adelaide.



- Bonifacio R, Whiterod N & Bachmann M (2011) *Habitat management plan for the CCLMM region Volume 1: Prioritisation assessment for weed and pest management*. Department of Environment and Natural Heritage, Adelaide.
- Bonifacio RS, Hobbs TJ, Rogers D, Jellinek S, Willoughby N & Thompson D (2016) *An assessment of ecosystems within the Coorong, Lower Lakes and Murray Mouth (CLMM) region*. DEWNR Technical Note 2016/32, Government of South Australia, Department of Environment, Water and Natural Resources, Adelaide.
- Boulton AJ (2003) Parallels and contrasts in the effects of drought on stream macroinvertebrate assemblages. *Freshwater Biology* 48, 1173–1185. <https://doi.org/10.1046/j.1365-2427.2003.01084.x>
- Boulton AJ & Brock MA (1999) *Australian freshwater ecology: Processes and management*. Co-operative Research Centre for Freshwater Ecology, Canberra.
- Boulton AJ & Lloyd LN (1991) Macroinvertebrate assemblages in floodplain habitats of the lower River Murray, South Australia. *Regulated Rivers: Research and Management* 6, 183–201. <https://doi.org/10.1002/rrr.3450060304>
- Boulton AJ & Lloyd LN (1992) Flooding frequency and invertebrate emergence from dry floodplain sediments of the River Murray, Australia. *Regulated Rivers: Research and Management* 7, 137–51. <https://doi.org/10.1002/rrr.3450070203>
- Bourman RP & Barnett E (1995) Impacts of River Regulation on the Terminal Lakes and Mouth of the River Murray, South Australia. *Australian Geographical Studies* 33(1), 101–115. <https://doi.org/10.1111/j.1467-8470.1995.tb00688.x>
- Bourman B & Harvey N (1983) The Murray Mouth flood tidal delta. *Australian Geographer* 15, 403–406.
- Bourman RP, Harvey N, James KF, Murray-Wallace CV, Belperio AP & Ryan DD (2018) Chapter 2.3 The mouth of the river Murray, South Australia, in L Mosely, Q Ye, SA Shepard, S Hemming & R Fitzpatrick *Natural History of the Coorong, Lower Lakes and Murray Mouth region (Yarlularu-Ruwe)*. Royal Society of South Australia, Adelaide, 103–121.
- Bower DS, Death CE & Georges A (2012) Ecological and physiological impacts of salinisation on freshwater turtles of the lower Murray River. *Wildlife Research* 39, 705–710. <https://doi.org/10.1071/WR11214>
- Boyd L (2001) *Wetland Buffer Zones and Beyond: Wildlife use of wetland buffer zones and their protection under the Massachusetts Wetland Protection Act*. Wetland Conservation Professional Program, Department of Natural Resources Conservation, University of Massachusetts.
- Boys CA, Rayner TS, Baumgartner LJ & Doyle KE (2021) Native fish losses due to water extraction in Australian rivers: Evidence, impacts and a solution in modern fish- and farm-friendly screens. *Ecological Management & Restoration* 22(2), 134–144. <https://doi.org/10.1111/emr.12483>
- Boys CA, Rowland SJ, Gabor M, Gabor L, Marsh IB, Hum S & Callinan RB (2012) Emergence of Epizootic Ulcerative Syndrome in Native Fish of the Murray-Darling River System, Australia: Hosts, Distribution and Possible Vectors. *PLoS ONE* 7, e5568. <https://doi.org/10.1371/journal.pone.0035568>

- Brandle R (2002) *A Biological Survey of the Murray Mouth Reserves, South Australia March 2002*. Biodiversity Survey and Monitoring, National Parks and Wildlife, South Australia, Department for Environment and Heritage, Adelaide.
- Brauer CJ, Hammer MP & Beheregaray LB (2016) Riverscape genomics of a threatened fish across a hydroclimatically heterogeneous river basin. *Molecular Ecology* 25, 5093–5113. <https://doi.org/10.1111/mec.13830>
- Brauer CJ, Unmack J, Hammer MP, Adams M & Beheregaray LB (2013) Catchment-scale conservation units identified for the threatened Yarra pygmy perch (*Nannoperca obscura*) in highly modified river systems. *PLoS ONE* 8(12), e82953. <https://doi.org/10.1371/journal.pone.0082953>
- Bren L (1990) Chapter 14: River Red Gum Forests, in N Mackay and D Eastburn (eds), *The Murray*. Murray Darling Basin Commission, Australia.
- Briggs S (1990) Chapter 23: Waterbirds, in N Mackay and D Eastburn (eds), *The Murray*. Murray Darling Basin Commission, Australia.
- Brock MA (1994) Aquatic vegetation of inland wetlands, in RH Groves (ed), *Australian Vegetation*. Second edition. Cambridge University Press, Cambridge.
- Brock MA (1998) Are temporary wetlands resilient? Evidence from seed banks of Australian and South African wetlands, in AJ McComb & JA Davis (eds), *Wetlands for the future: Contributions from INTECO's 5<sup>th</sup> International Wetlands Conference*. Gleneagles Publishing, Adelaide.
- Brock MA & Casanova MT (1997) Chapter 15: Plant life at the edge of wetlands: ecological responses to wetting and drying patterns, in N Klomp & I Lunt (eds), *Frontiers in Ecology: Building the Links*. Elsevier Science, Oxford.
- Brock MA, Nielsen DI, Shiel RJ, Green JD & Langley JD (2003) Drought and aquatic community resilience: the role of eggs and seeds in sediments of temporary wetlands. *Freshwater Biology* 48(7), 1207–1218. <https://doi.org/10.1046/j.1365-2427.2003.01083.x>
- Brookes J, Dalby P, Dittmann S, O'Connor J, Paton D, Quin R, Rogers D, Waycott M and Ye Q (2018) *Recommended actions for restoring the ecological character of the South Lagoon of the Coorong*. Goyder Institute for Water Research Technical Report Series No. 18/04, Adelaide, South Australia. ISSN: 1839–2725.
- Brookes JD, Huang P, Zhai SY, Gibbs MS, Ye Q, Aldridge KT, Busch B & Hipsey MR (2022) Environmental flows to estuaries and coastal lagoon shape the salinity gradient and generate suitable fish habitat: Predictions from the Coorong, Australia. *Frontiers in Environmental Science*, 10. <https://doi.org/10.3389/fenvs.2022.796623>
- Brouwer S, Humphries P, Holland A & McCasker N (2023) Effect of suspended sediment concentration on the clearance and biodeposition rates of an Australian freshwater mussel (Hyriidae: *Alathyria jacksoni*). *Freshwater Biology* 68(8), 1413–1427. <https://doi.org/10.1111/fwb.14137>
- Brown MT, Schaefer JM & Brandt KH (1990) *Buffer Zones for Water, Wetlands, and Wildlife in East Central Florida*. Report for the East Central Florida Regional Planning, University of Florida Agricultural Experiment Station, Florida.

- Brown P, Colloff MJ, Slattery M, Johnson W & Guarino F (2022) An unsustainable level of take: on-farm storages and floodplain water harvesting in the northern Murray–Darling Basin, Australia. *Australasian Journal of Water Resources* 26(1), 43–58.  
<https://doi.org/10.1080/13241583.2022.2042061>
- Buckley SJ, Brauer CJ, Unmack PJ, Hammer MP & Beheregaray LB (2022) Variation in intraspecific demography drives localised concordance but species-wide discordance in response to past climatic change. *BMC Ecology and Evolution* 22:35. <https://doi.org/10.1186/s12862-022-01990-2>
- Buckley SJ, Brauer C, Lamin C, Rose P, Vornicu D-E & Beheregaray LB (2023) A community-driven captive-breeding and reintroduction program maintains genetic diversity in a threatened freshwater fish. *Conservation Science and Practice* 6(1), e13054.  
<https://doi.org/10.1111/csp2.13054>
- Bunn S & Arthington A. (2002) Basic Principles and Ecological Consequences of Altered Flow Regimes for Aquatic Biodiversity. *Environmental Management* 30, 492–507.  
<https://doi.org/10.1007/s00267-002-2737-0>
- Burdred KR, Cockayne BJ & Lou DC (2017) Early development of eel-tailed catfish, *Tandanus tandanus* (Mitchell) (Teleostei: Plotosidae), with validation of daily otolith increment formation. *Australian Journal of Zoology* 65, 12–20. <https://doi.org/10.1071/ZO16069>
- Burns A & Walker KF (2000) Effects of water level regulation on algal biofilms in the River Murray, South Australia. *Regulated Rivers: Research & Management* 16, 433–444.  
[https://doi.org/10.1002/1099-1646\(200009/10\)16:5<433::AID-RRR595>3.0.CO;2-V](https://doi.org/10.1002/1099-1646(200009/10)16:5<433::AID-RRR595>3.0.CO;2-V)
- Butcher R, Hale J, Muller K & Kobryn H (2009) *Ecological character description for the Banrock Station Wetland Complex*. Prepared for Department for the Environment, Water, Heritage and the Arts, Canberra.
- Cadwallader PL (1977) *J. O. Langtry's 1949–50 Murray River Investigations*. Fisheries and Wildlife Paper, Victoria 13.
- Cadwallader P & Lawrence B (1990) Chapter 22: Fish, in N Mackay & D Eastburn (eds), *The Murray*. Murray Darling Basin Commission, Australia.
- Cai W & Cowan T (2008) Evidence of impacts from rising temperature on inflows to the Murray–Darling Basin. *Geophysical Research Letters* 35. <https://doi.org/10.1029/2008GL033390>
- Cai W, Purich A, Cowan T, van Rensch P & Weller E (2014) Did climate change-induced rainfall trends contribute to the Australian Millennium Drought? *Journal of Climate* 27, 3145–3168.  
<https://doi.org/10.1175/JCLI-D-13-00322.1>
- Campbell CJ, Freestone FL, Duncan RP, Higginson W & Healy SJ (2021) The more the merrier: using environmental flows to improve floodplain vegetation condition. *Marine and Freshwater Research* 72(8), 1185–1195. <https://doi.org/10.1071/MF20303>
- Campbell S (2009) So long as it's near water: variable roosting behaviour of the large footed myotis (*Myotis macropus*). *Australian Journal of Zoology* 57(2), 89–98.  
<https://doi.org/10.1071/ZO09006>
- Canadell JG, Meyer CP, Cook GD, Dowdy A, Briggs PR, Knauer J, Pepler A & Haverd V (2021) Multi-decadal increase of forest burned area in Australia is linked to climate change. *Nature Communications* 12, 6921. <https://doi.org/10.1038/s41467-021-27225-4>



- Cann JH, Bourman RP & Barnett EJ (2000) Holocene Foraminifera as indicators of relative estuarine-lagoonal and oceanic influences in estuarine sediments of the River Murray, South Australia. *Quaternary Research* 53, 378–391. <https://doi.org/10.1006/qres.2000.2129>
- Capon SJ (2005) Flood variability and spatial variation in plant community composition and structure on a large arid floodplain. *Journal of Arid Environments* 60, 283–302. <https://doi.org/10.1016/j.jaridenv.2004.04.004>
- Capon T, Parsons M & Thoms M (2009) *Floodplain ecosystems: resilience, value of ecosystem services and principle for diverting water from floodplains*. Waterlines report 22. National Water Commission, Canberra.
- Carnicer J, Sardans J, Stefanescu C, Ubach A, Bartrons M, Asensio D & Peñuelas J (2015) Global biodiversity, stoichiometry and ecosystem function responses to human-induced C-N-P imbalances. *Journal of Plant Physiology* 172, 82–91. <https://doi.org/10.1016/j.jplph.2014.07.022>
- Carthew SM & Reardon T (2009) Chapter 15: Mammals, in JT Jennings (ed), *Natural History of the Riverland and Murraylands*. Occasional Publications of the Royal Society of South Australia Inc, University of Adelaide, Adelaide.
- Carpenter G (1990) Avifauna, in C O'Malley & F Sheldon. *Chowilla Floodplain Biological Study*. Nature Conservation Society of South Australia, Adelaide, South Australia.
- Cartwright (2010) — To be confirmed.
- Casajus N, Pérlé C, Logan T, Lambert M, de Biois S & Berteaux D (2016) An objective approach to select climate scenarios when projecting species distribution under climate change. *PLoS ONE* 11(3), e0152495. <https://doi.org/10.1371/journal.pone.0152495>
- Casanova MT (2013) *Lamprothamnium* in Australia (Characeae, Charophyceae). *Australian Systematic Botany* 26, 268–290. <http://dx.doi.org/10.1071/SB13026>
- Cashen M (2011) *Drivers of climate change variability in the Murray Darling Basin*. NSW Department of Primary Industries, New South Wales.
- Castelle AJ, Conolly C, Emeers M, Metz ED, Heyer S, Witter M, Mauermann S, Erickson T & Cooke SS (1992) *Wetland Buffers: Use and Effectiveness*. Washington State Department of Ecology, Olympia, Washington.
- Chambers LE (2006) Associations between climate change and natural systems in Australia. *Bulletin of the American Meteorological Society* 87(2), 201–206. <https://doi.org/10.1175/BAMS-87-2-201>
- Chambers LE, Altwegg R, Barbraud C, et al. (2013) Phenological Changes in the Southern Hemisphere. *PLoS ONE* 8(10), e75514, 1–12. <https://doi.org/10.1371/journal.pone.0075514>
- Chellappa NT, Costa MA & Marinho IR (2000) Harmful cyanobacterial blooms from semiarid freshwater ecosystems of northeast Brazil. *Australian Society for Limnology* 38(2), 45–49.
- Chen Y, Colloff MJ, Lukasiewicz A & Pittock J (2021) A trickle, not a flood: environmental watering in the Murray-Darling Basin, Australia. *Marine and Freshwater Research* 72(5), 601–619. <https://doi.org/10.1071/MF20172>

- Chen T, Liu T, Wu Z, Wang B, Chen Q, Zhang M, Liang E and Ni J (2023) Virus-pathogen interactions improve water quality along the middle route of the south-to-north water diversion canal. *The ISME Journal* 17, 1719–1732. <https://doi.org/10.1038/s41396-023-01481-2>
- Cheshire KJM, Ye Q, Wilson P, Bucater L (2012) *From drought to flood: annual variation in larval fish assemblages in larval fish assemblages in a heavily regulated lowland temperate river*. Goyder Institute for Water Research Technical Report Series No.12/6.
- Chiew F, Hale J, Joehnk K, Reid M & Webster I (2020) Independent review of lower lakes science informing water management. Canberra: Independent review. csiro:EP202680. <http://hdl.handle.net/102.100.100/348404?index=1>
- Chong C & Walker KF (2005) Does lignum rely on a soil seed bank? Germination and reproductive phenology of *Muehlenbeckia florulenta* (Polygonaceae). *Australian Journal of Botany* 53, 407–415. <https://doi.org/10.1071/BT04130>
- Close A (1990a) Chapter 4: The Impact of Man on the Natural Flow Regime, in N Mackay & D Eastburn (eds), *The Murray*. Murray-Darling Basin Commission, Australia.
- Close A (1990b) Chapter 8: River Salinity, in N Mackay & D Eastburn (eds), *The Murray*. Murray-Darling Basin Commission, Australia.
- Clunie P & Koehn JD (2001) *Freshwater Catfish: A resource document*. Final report for Natural Resource Management strategy project R&D2 to the Murray Darling Basin Commission. Accessed: 14 July 2024. [\(PDF\) Freshwater catfish: A Resource Document. \(researchgate.net\)](#)
- Cohen JM, Lajeunesse MJ & Rohr JR (2018) A global synthesis of animal phenological responses to climate change. *Nature Clim Change* 8, 224–228. <https://doi.org/10.1038/s41558-018-0067-3>
- Colberg F, McInnes KL, O’Grady J, & Hoeke R (2019) Atmospheric circulation changes and their impact on extreme sea levels around Australia. *Natural Hazards and Earth System Sciences* 19, 1067–1086. <https://doi.org/10.5194/nhess-19-1067-2019>
- Cole TL, Hammer MP, Unmack PJ, Teske PR, Brauer CJ, Adams M & Beheregaray LB (2016) Range-wide fragmentation in a threatened fish associated with post-European settlement modification in the Murray–Darling Basin, Australia. *Conservation Genetics* 17, 1377–1391. <https://doi.org/10.1007/s10592-016-0868-8>
- Coleman F (2024, in press) *South Lagoon, Coorong SA: Identifying long-term ecological change*. PhD thesis. Federation University Australia. Mt Helen, Victoria, Australia.
- Coleman P, Coleman F & Fotheringham D (2017) *Thornbills, samphires and saltmarsh tipping points: A assessment of potential threats to Samphire Thornbill habitat in the northern Adelaide & Mt Lofty Ranges Natural Resources Management region*, prepared for Natural Resources Adelaide & Mount Lofty Ranges, Delta Environmental Consulting, St Kilda South Australia.
- Coleman & Coleman (2024) — To be confirmed.
- Collier C, van Dijk K, Erftemeijer P, Foster N, Hipsey M, O’Laughlin E, Ticli K & Waycott M (2017) *Optimising Coorong Ruppia habitat. Strategies to improve habitat conditions for Ruppia tuberosa in the Coorong (South Australia) based on literature review, manipulative experiments and predictive modelling*. University of Adelaide, Department of Environment Water and Natural Resources, University of Western Australia and DAMCO Consulting.

- Colloff MJ & Baldwin DS (2010) Resilience of floodplain ecosystems in a semi-arid environment. *The Rangeland Journal* 32, 302–314. <https://doi.org/10.1071/RJ10015>
- Colloff MJ & Pittock J (2019) Why we disagree about the Murray–Darling Basin Plan: water reform, environmental knowledge and the science-policy decision context. *Australasian Journal of Water Resources* 23, 88–98. <https://doi.org/10.1080/13241583.2019.1664878>
- Conallin A & Hammer M (2003) *Fish surveys of selected streams in the Eastern Mount Lofty Ranges, South Australia*. A Murray Darling Freshwater Research Centre and Aquasave Report for the River Murray Catchment Water Management Board. Report No. 7/2003.
- Conallin AJ, Smith BB, Thwaites LA, Walker KF & Gillanders BM (2012) Environmental water allocations in regulated lowland rivers may encourage offstream movements and spawning by common carp, *Cyprinus carpio*: implications for wetland rehabilitation. *Marine and Freshwater Research* 63, 865–877. <https://doi.org/10.1071/MF12044>
- Congdon RA & McComb AJ (1981) The vegetation of the Blackwood River Estuary, southwest Australia. *Journal of Ecology* 69, 1–16. <https://doi.org/10.2307/2259812>
- Consoli G, Haller RM, Doering M, Hashemi S & Robinson CT (2022) Tributary effects on the ecological responses of a regulated river to experimental floods. *Journal of Environmental Management* 303. <https://doi.org/10.1016/j.jenvman.2021.114122>
- Cook PG, Shanafield M, Andersen MS, et al. (2022) Sustainable management of groundwater extraction: An Australian perspective on current challenges. *Journal of Hydrology: Regional Studies* 44, 101262, 1–19. <https://doi.org/10.1016/j.ejrh.2022.101262>
- Corrick AH (1982) Wetlands of Victoria III. Wetlands and waterbirds between Port Phillip Bay and Mount Emu Creek. *Proceedings of the Royal Society of Victoria* 94, 69–87.
- Corrick AH & Norman FI (1980) Wetlands of Victoria I. Wetlands and waterbirds of the Snowy River and Gippsland Lakes Catchment. *Proceedings of the Royal Society of Victoria* 91, 1–15
- Cowan TD & Cai W (2009) Are declining river inflows linked to rising temperatures? A perspective from the Murray-Darling Basin, in RD Braddock & LTH Newham (eds), *18<sup>th</sup> World IMACS Congress and MODSIM09 International Congress on Modelling and Simulations*. Modelling and Simulation Society of Australia and New Zealand and International Association for Mathematics and Computers in Simulation. pp. 2763–2768.
- Crabb P (1997) *Murray-Darling Basin Resources*. Murray-Darling Basin Commission, Canberra.
- Craig AE, Walker KF & Boulton AJ (1991) Effects of edaphic factors and flood frequency on the abundance of lignum (*Muehlenbeckia florulenta* Meissner) (Polygonaceae) on the River Murray floodplain, South Australia. *Australian Journal of Botany* 39, 431–443. <https://doi.org/10.1071/BT9910431>
- Crawford A, Holliday J, Merrick C, Brayan J, van Asten M & Bowling L (2017) Use of three monitoring approaches to manage a major *Chrysosporium ovalisporum* bloom in the Murray River, Australia, 2016. *Environmental Monitoring and Assessment* 189, 202. <https://doi.org/10.1007/s10661-017-5916-4>
- Crook D & Robertson A (1999) Relationships between riverine fish and woody debris: implications for lowland rivers. *Marine and Freshwater Research* 50(8), 941–953. <https://doi.org/10.1071/MF99072>

- Crook DA, Schilling HT, Gilligan DM, et al. (2023) Multi-decadal trends in large-bodied fish populations in the New South Wales Murray-Darling Basin, Australia. *Marine & Freshwater Research* 74(11), 899–916. <https://doi.org/10.1071/MF23046>
- CSIRO (Commonwealth Scientific and Industrial Research Organisation) (2004) *Water for a healthy country. Taxon attribute profiles: Chelidae*. Accessed: 16 February 2012. <http://www.anbg.gov.au/cpbr/WfHC/Chelidae/index.html>
- CSIRO & BOM (2007) *Climate Change in Australia*. Technical Report 2007, CSIRO Marine and Atmospheric Research, Aspendale, Victoria.
- CSIRO (2007) *Water availability in the Eastern Mount Lofty Ranges. A report of the Australian Government from the CSIRO Murray-Darling Basin Sustainable Yields Project*. CSIRO, Canberra, Australia.
- CSIRO (2008) *Water Availability in the Murray-Darling Basin. A report to the Australian Government from the CSIRO Murray-Darling Basin Sustainable Yields Project*. CSIRO, Canberra, Australia.
- CSIRO (2011) *A science review of the implications for South Australia of the Guide to the proposed Basin Plan: synthesis*. Goyder Institute for Water Research, Adelaide, Australia.
- Cullen P (2002) *Environmental aspects of sustainability*. Presentation at the annual symposium, Transition to Sustainability, Science at the Shine Dome, 3 May 2002, Australian Academy of Science, Canberra. Accessed: 9 August 2011. <http://www.science.org.au/events/sats/sats2002/cullen.html>
- Cunningham SC, Griffioen P, White M & Mac Nally R (2013) *Mapping the Condition of River Red Gum (Eucalyptus camaldulensis Dehnh.) and Black Box (Eucalyptus largiflorens F.Muell.) Stands in The Living Murray Icon Sites*. Stand Condition Report 2012. Murray-Darling Basin Authority, Canberra.
- Cunningham GM, Mulham WE, Milthorpe PL & Leigh JH (1992) *Plants of western New South Wales*. CSIRO Publishing, Collingwood.
- Cunningham SC, Griffioen P, White MD & Nally RM (2018) Assessment of ecosystems: A system for rigorous and rapid mapping of floodplain forest condition for Australia's most important river. *Land Degradation & Development* 29(1), 127–137. <https://doi.org/10.1002/ldr.2845>
- Cunningham SC, Thomson JR, Mac Nally R, Read J & Baker PJ (2011) Groundwater change forecasts widespread forest dieback across an extensive floodplain system. *Freshwater Biology* 56(8), 1494–1508. <https://doi.org/10.1111/j.1365-2427.2011.02585.x>
- Cunningham SC, White M, Griffioen P, Newell G & Mac Nally R (2013) Mapping floodplain vegetation types across the Murray–Darling Basin using remote sensing. *Murray–Darling Basin Authority: Canberra, ACT, Australia*.
- Da Silva MD, Hesp PA, Bruce D, Downes J & Da Silva GM (2024) Coastal transgressive dunefield evolution as a response to multi-decadal shoreline erosion, *Geomorphology* 455, 109165. <https://doi.org/10.1016/j.geomorph.2024.109165>
- Dakin WJ & Kesteven GL (1938) The Murray cod (*Maccullochella macquariensis* (Cuv. Et Val.)) *New South Wales State Fisheries Research Bulletin* 1, 1–18.

- Davidson NC (2016) Editorial: Understanding change in the ecological character of internationally important wetlands. *Marine and Freshwater Research* 67, 685–686.  
<https://doi.org/10.1071/MF16081>
- Davies PE, Harris JH, Hillman TJ & Walker KF (2008) *SRA Report 1: A report on the ecological health of rivers in the Murray-Darling Basin, 2004–2007*. Prepared by the Independent Sustainable Rivers Audit Group for the Murray-Darling Basin Ministerial Council. MDBC Publication No. 16/08.
- Davies PE, Harris JH, Hillman TJ & Walker KF (2010) The sustainable rivers audit: assessing river ecosystem health in the Murray–Darling Basin, Australia. *Marine and Freshwater Research* 61(7), 764–777. <https://doi.org/10.1071/MF09043>
- Davies PE, Stewardson MJ, Hillman TJ, Roberts JR & Thoms MC (2012) *Sustainable Rivers Audit 2: The ecological health of rivers in the Murray-Darling Basin at the end of the Millennium Drought (2008–2010) Volume 3*. Murray Darling Basin Authority, Canberra.
- Davies PM & Lane JAK (1995) *Guidelines for design of effective buffers for wetlands on the Swan Coastal Plain*. Report to the Australian Nature Conservation Agency, Canberra.
- Davies RJP (1992) *Threatened plant species of the Murray Mallee, Mt Lofty Ranges and Kangaroo Island regions of South Australia*. Conservation Council of South Australia Inc.
- Davis JR & Koop K (2006) Eutrophication in Australian rivers, reservoirs and estuaries – a southern hemisphere perspective on the science and its implications. *Hydrobiologia* 559, 23–76. <https://doi.org/10.1007/s10750-005-4429-2>
- DCCEEW (Department of Climate Change, Energy, the Environment and Water) (2021) *Directory of Important Wetlands classification system*. Accessed: 4 July 2011.  
<http://www.environment.gov.au/water/publications/environmental/wetlands/pubs/directory-ch2.pdf>
- DCCEEW & TSSC (Threatened Species Scientific Committee) (2017/2024) *Guidelines for nominating and assessing the eligibility for listing of ecological communities as threatened according to the Environment Protection and Biodiversity Conservation Act 1999 and the EPBC Regulations 2000*. Commonwealth Department of Climate Change, Energy, the Environment and Water, Canberra.  
<https://www.dcccew.gov.au/environment/biodiversity/threatened/nominations/forms-and-guidelines>
- De Deckker P & Geddes MC (1980) Seasonal fauna of ephemeral saline lakes near the Coorong Lagoon, South Australia. *Australian Journal of Marine and Freshwater Research* 31(5), 677–699. <https://doi.org/10.1071/MF9800677>
- DEH (Department for Environment and Heritage) (2004) *Floodplain Impacts Project Native Vegetation Data*. Department for Environment and Heritage, South Australia.
- DEH (2006) *Native vegetation information for NRM planning*. Government of South Australia, Adelaide.
- DEH (2008) *Adelaide and Mount Lofty Ranges South Australia Threatened Species Profile: Freshwater Fish: Psedaphritis urvillii, Congolli*. Department for Environment and Heritage, Adelaide.
- DEH (2010) *Management Plan for the Riverland Ramsar Site: A Plan for Wise Use 2010 – 2015*. Department for Environment and Heritage, Government of South Australia.



- DEM (Department for Energy and Mining) (2023) *Groundwater assessment using SARIG*, Minerals Regulatory Guidelines MG39, Mineral Resources Division. Department for Energy and Mining, South Australia, Adelaide.
- DENR (Department of Environment and Natural Resources) (2006) *Native vegetation for NRM planning*. Department of Environment and Natural Resources South Australia, Adelaide.
- DENR (2009) *SAAE types\_Final\_Draft\_v5. Wetland typology database*. Unpublished Microsoft Excel spreadsheet.
- DENR (2013) *Murray Futures: Coorong, Lower Lakes & Murray Mouth Recovery Project: Management Action 8 Construction of Fishways: Summary Paper of Design Development Report for Murray-Darling Basin Authority*. Government of South Australia.
- Denny ML, Willoughby N & Wallace TA (2019) *Riverine Recovery Project Historic Tree Condition Data Evaluation*. DEW Technical report 2019/09, Government of South Australia, Department for Environment and Water, Adelaide.
- DEW (Department for Environment and Water) (2020a) *Assessment of risks to groundwater dependent ecosystems in the Far North Prescribed Wells Area*, DEW Technical report 2020-07, Government of South Australia, Department for Environment and Water, Adelaide
- DEW (2020b) *Refinements to the River Murray Source Model in South Australia*, DEW Technical report 2020/06. Government of South Australia, Adelaide.
- DEW (2020c) *South Australian River Murray Basin Plan Environmental Outcome Evaluation: SA Channel and Floodplain Priority Environmental Assets*, DEW Technical report 2020/19. Government of South Australia, Adelaide.
- DEW (2021) *Southern Coorong Factsheet: The aquatic plants of the Southern Coorong*. Project Coorong. <https://cdn.environment.sa.gov.au/environment/images/SCF6-The-aquatic-plants-of-the-Southern-Coorong.pdf>
- DEW (2023a) *South Australian River Murray water for the environment report 2021-22*. Department for Environment and Water, Government of South Australia.
- DEW (2023b) *Technical information supporting the 2023 Murray Mouth barrage outflow and dredging environmental trend and condition report card*. DEW Technical Report 2023/61, Government of South Australia, Department for Environment and Water, Adelaide.
- DEW (2023c) *Technical information supporting the 2023 River Murray floodplain trees condition environmental trend and condition report card*, DEW Technical report 2023/34, Government of South Australia, Department for Environment and Water, Adelaide.
- DEW (2023d) *Technical information supporting the 2023 Coorong, Lower Lakes and Murray Mouth diadromous fish recruitment environmental trend and condition report card*, DEW Technical report 2023/33. Government of South Australia, Department for Environment and Water, Adelaide.
- DEW (2023e) *Technical information supporting the 2023 Lower Lakes aquatic and littoral vegetation environmental trend and condition report card*, DEW Technical Report 2023/31, Government of South Australia, Department for Environment and Water, Adelaide.

- DEW (2024a) *SA River Murray Flow Report*. Report #17/2024, 26 April 2024.  
[https://www.waterconnect.sa.gov.au/Content/Flow%20Reports/RM-Flow-Report%2024%2004%2026\\_FINAL.pdf](https://www.waterconnect.sa.gov.au/Content/Flow%20Reports/RM-Flow-Report%2024%2004%2026_FINAL.pdf)
- DEW (2024b) *South Australian River Murray Water for the Environment Report 2022-23*. Department for Environment and Water, Government of South Australia.
- DEW (2024c) *Tracking changes in South Australia's environment: 51 trend and condition report cards 2023*. Government of South Australia.
- DEWHA (Department of the Environment, Water, Heritage and the Arts) (2010) *The Coorong, and Lakes Alexandrina and Albert Wetland*.  
<https://www.dcceew.gov.au/sites/default/files/documents/coorong-factsheet.pdf>
- DEWLP, BOM, CSIRO, Uni Melb. (Department of Environment, Land, Water and Planning; Bureau of Meteorology; Commonwealth Scientific and Industrial Research Organisation; The University of Melbourne) (2020) *Victoria's Water in a Changing Climate: Insights from the Victorian Water and Climate Initiative*. The State of Victoria Department of Environment, Land, Water and Planning.
- DEWNR (Department for Environment, Water and Natural Resources) (2012) *Riverine Recovery Monitoring and Evaluation Program - Conceptual understanding of the ecological response to water level manipulation*. Department for Environment, Water and Natural Resources, Adelaide, South Australia.
- DEWNR (2016) River Murray Flow Report. #48/2016, issued 16 December 2016. [RM-Flow-Report-20161216.pdf \(waterconnect.sa.gov.au\)](https://www.waterconnect.sa.gov.au/Content/Flow%20Reports/RM-Flow-Report-20161216.pdf)
- Di Virgilio G, Evans JP, Blake SAP, Armstrong M, Dowdy AJ, Sharples J & McRae R (2019) Climate change increases the potential for extreme wildfires. *Geophysical Research Letters* 46(14), 8517–8526. <https://doi.org/10.1029/2019GL083699>
- Dick J, Haynes D, Tibby J, Garcia A & Gell P (2011) A history of aquatic plants in the Coorong, a Ramsar-listed coastal wetland, South Australia. *Journal of Paleolimnology* 46, 623–635.  
<https://doi.org/10.1007/s10933-011-9510-4>
- Dittmann SR, Baggalley S, Brown E, Drew M & Keuning J (2011) *Benthic macroinvertebrate monitoring for the Goolwa Channel Water Level Management Project, year two, and barrage releases within the Coorong, Lower Lakes and Murray Mouth region*. Department of Environment and Natural Resources, South Australia.
- Dittmann SR, Cantin A, Noble W & Polkington J (2006) *Macrobenthic Survey 2004 in the Murray Mouth, Coorong and Lower Lakes Ramsar site, with an evaluation of food availability for shorebirds and possible indicator functions of benthic species*. Department for Environment and Heritage, Adelaide.
- Dittmann SR, Gannon R, Baring R, Cummings SA, Hunt T & Humphries J (2009) *Macrobenthic and aquatic invertebrate survey 2008/2009 Currency Creek and Finniss River Tributaries*. Department for Environment and Heritage, Adelaide.
- Dittmann S, Kent J & Lam-Gordillo O (2021) *Benthic macroinvertebrate survey 2020-2021 report: Coorong, Lower Lakes and Murray Mouth Icon Site*. Report for the Department for Environment and Water and the Murray-Darling Basin Authority. Flinders University, Adelaide.

- Dittmann S, Kent J, Ahmed D, Nitschke J & Newbery A (2023) *Benthic macroinvertebrate survey 2022-2023 report: Coorong, Lower Lakes and Murray Mouth Icon Site*. Report for the Department for Environment and Water and the Murray-Darling Basin Authority. Flinders University, Adelaide.
- Dittmann S, Rolston A & Baring R (2018) Chapter 3.4. Estuarine and lagoon macroinvertebrates—patterns and processes, in L Mosely, Q Ye, SA Shepard, S Hemming & R Fitzpatrick *Natural History of the Coorong, Lower Lakes and Murray Mouth region (Yarluwar-Ruwe)*. Royal Society of South Australia, Adelaide, 332–348.
- Dittmann S, Schroder L & Lam-Gordillo O (2020) *Benthic macroinvertebrate survey 2019-2020 report: Coorong, Lower Lakes and Murray Mouth Icon Site*. Report for the Department for Environment and Water and the Murray-Darling Basin Authority. Flinders University, Adelaide.
- Dittmann S, Ye Q, Furst D, Newbery A, Nitschke J, Bucater L, Pyke W, Kent J, Schroder L, Henkens J, Baring R, Lam-Gordillo O, Brookes J & Short D (2022) *Food resource availability, energy content and nutritional value of major food sources for key fish and waterbird species under varying environmental conditions in the Coorong*. Goyder Institute for Water Research Technical Report Series No. 22/12.
- Doble R, Walker G, Crosbie R, Guillaume J & Doody T (2024) An overview of groundwater response to a changing climate in the Murray-Darling Basin, Australia: potential implications for the basin system and opportunities for management. *Hydrogeology Journal* 32, 59–80.  
<https://doi.org/10.1007/s10040-023-02723-5>
- Doody T, Bengner S, Pritchard J & Overton I (2014) Ecological response of *Eucalyptus camaldulensis* (river red gum) to extended drought and flooding along the River Murray, South Australia (1997–2011) and implications for environmental flow management. *Marine and Freshwater Research* 65(12), 1082–1093. <https://doi.org/10.1071/MF13247>
- Doody TM, Colloff MJ, Davies M, Koul V, Benyon RG & Nagler PL (2015) Quantifying water requirements of riparian river red gum (*Eucalyptus camaldulensis*) in the Murray–Darling Basin, Australia – implications for the management of environmental flows. *Ecohydrology* 8(8), 1471–1487. <https://doi.org/10.1002/eco.1598>
- Doody TM, Gao S, Vervoort W, Pritchard J, Davies M, Nolan M & Naler PL (2023) A river basin spatial model to quantitatively advance understanding of riverine tree response dynamics to water availability and hydrological management. *Journal of Environmental Management* 332, 117393. <https://doi.org/10.1016/j.jenvman.2023.117393>
- Doody TM, Gehrig SL, Vervoort RW, Colloff MJ & Doble R (2021) Determining water requirements for Black Box (*Eucalyptus largiflorens*) floodplain woodlands of high conservation value using drip-irrigation. *Hydrological Processes* 35:e14291. <https://doi.org/10.1002/hyp.14291>
- Doody TM, Hancock PJ & Pritchard JL (2019) *Information Guidelines Explanatory Note: Assessing groundwater-dependent ecosystems*. Report prepared for the Independent Expert Scientific Committee on Coal Seam Gas and Large Coal Mining Development through the Department of the Environment and Energy, Commonwealth of Australia.
- Dowdy AJ, Fromm MD & McCarthy N (2017) Pyrocumulonimbus lightning and fire ignition on Black Saturday in southeast Australia. *Journal of Geophysical Research: Atmospheres* 122, 7342–7354. <https://doi.org/10.1002/2017JD026577>

- Dowdy AJ, Ye H, Pepler A, Thatcher M, Osbrough SL, Evans JP, Virgilio GD & McCarthy N (2019) Future changes in extreme weather and pyroconvection risk factors for Australian wildfires. *Scientific Reports* 9(1), 1–11. <https://doi.org/10.1038/s41598-019-46362-x>
- DPIE (Department of Planning, Industry and Environment) (2021) *NSW floodplain harvesting policy*. Accessed: 20 May 2021. <https://www.industry.nsw.gov.au/water/plans-programs/healthyfloodplains-project/nsw-floodplain-harvesting-policy>
- DSE (Department of Sustainability and Environment) (2005) *The Index of Wetland Condition: Conceptual framework and selection of measures*. Victorian Government, Department of Sustainability and Environment, Melbourne.
- DSE (2011a) *Native Vegetation Groups for Victoria*. Accessed: 3 June 2011. <http://www.dse.vic.gov.au/conservation-and-environment/native-vegetation-groups-for-victoria> [To be updated]
- DSE (2011b) *Action Statement: Freshwater Catfish*. [http://www.dse.vic.gov.au/data/assets/pdf\\_file/0011/103205/201\\_Freshwater\\_Catfish\\_2008.pdf](http://www.dse.vic.gov.au/data/assets/pdf_file/0011/103205/201_Freshwater_Catfish_2008.pdf) [To be updated]
- DSEWPaC (Department of Sustainability, Environment Water Population and Communities) (2011a) *Directory of Important Wetlands (South Australia)*. Accessed: 4 July 2011. <http://www.environment.gov.au/water/publications/environmental/wetlands/pubs/directory-ch9.pdf>
- DSEWPaC (2011b) *Directory of Important Wetlands in Australia (Victoria)*. Accessed: 4 July 2011. <http://www.environment.gov.au/water/publications/environmental/wetlands/pubs/directory-ch11.pdf>
- DSEWPaC (2011c) *Banrock Station Wetland Complex*. Accessed: 3 June 2011. <http://www.environment.gov.au/cgi-bin/wetlands/ramsardetails.pl?refcode=63>
- DSEWPaC (2011d) *Riverland*. Accessed: 3 June 2011. <http://www.environment.gov.au/cgi-bin/wetlands/ramsardetails.pl?refcode=29>
- Dye A (2010) *Contribution of unregulated tributaries to the ecological functioning of the main channel of rivers. Snowy River Recovery: Snowy Flow Response Monitoring and Modelling*. NSW Office of Water, Sydney.
- Eastburn D (1990) Chapter 1: The River, in N Mackay & D Eastburn (eds), *The Murray*. Murray Darling Basin Commission, Australia.
- Ebenman B & Jonsson T (2005) Using community viability analysis to identify fragile systems and keystone species. *Trends in Ecology and Evolution* 20(10), 568–575. <https://doi.org/10.1016/j.tree.2005.06.011>
- Ebner B (2006) Murray cod an apex predator in the Murray River Australia. *Ecology of Freshwater Fish* 15, 510–520. <https://doi.org/10.1111/j.1600-0633.2006.00191.x>
- Ebregt A & De Greve P (2000) *Buffer Zones and their Management. Policy and best practices for terrestrial ecosystems in developing countries*. Theme Studies Series, Forests, Forestry and Biological Diversity Support Group. National Reference Centre for Nature Management, International Agricultural Centre, Wageningen, The Netherlands.

- Ellison AM (2019) Foundation species, non-trophic interactions, and the value of being common. *iScience* 13, 254–268. <https://doi.org/10.1016/j.isci.2019.02.020>
- Estes J, Crooks K & Holt R (2001) Ecological role of predators. *Encyclopaedia of Biodiversity* 4, 857–878. <https://doi.org/10.1016/B978-0-12-384719-5.00117-9>
- Evans D (1991) *The Coorong. A multispecies fishery*. Department of Fisheries, South Australia.
- Evans JP, Argueso D, Olson R & Di Luca A (2016) Bias-corrected regional climate projections of extreme rainfall in south-east Australia. *Theoretical and Applied Climatology* 130, 1085–1098. <https://doi.org/10.1007/s00704-016-1949-9>
- Evans R, Brown C & Kellett J (1990) Chapter 5: Geology and Groundwater, in N Mackay & D Eastburn (eds), *The Murray*. Murray Darling Basin Commission, Australia.
- Evans WR & Kellett JR (1989) The hydrogeology of the Murray Basin, southeastern Australia. *BMR Journal of Australian Geology and Geophysics* 11(2), 147–166.
- Eyre JE (1845) *Journals of expeditions of discovery into central Australia and overland from Adelaide to King George's Sound in the years 1840–1: Sent by the colonists of South Australia, with the sanction and support of the Government: Including an account of the manners and customs of the Aborigines and the state of their relations with Europeans*. National Library of Australia, Canberra.
- Fairman TA, Bennett LT & Nitschke CR (2019) Short-interval wildfires increase likelihood of resprouting failure in fire-tolerant trees. *Journal of Environmental Management* 231, 59–65. <https://doi.org/10.1016/j.jenvman.2018.10.021>
- Fanson BG, Hale R, Thiem JD, Lyon JP, Koehn JD, Bennett AF & Stuart S (2024) Assessing impacts of a notorious invader (common carp *Cyprinus carpio*) on Australia's aquatic ecosystems: Coupling abundance-impact relationships with a spatial biomass model. *Biological Conservation* 290, 110420. <https://doi.org/10.1016/j.biocon.2023.110420>
- Ferguson G (2006) *Fisheries biology of the greenback flounder Rhombosolea tapirina (Günther 1862) (Teleostei: Pleuronectidae) in South Australia*. Report for PIRSA Fisheries. South Australian Research and Development Institute (Aquatic Sciences), Adelaide, RD06/0008-1.
- Ferguson G (2008) *The South Australian Lakes and Coorong Fishery: Fishery Stock Status Report for PIRSA*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Field T (2020) *Commonwealth environmental water operational monitoring report 2019–20 [Banrock station]*. Commonwealth Environmental Water Office. Canberra.
- Finlayson CM, Capon SJ, Rissik D, et al. (2017) Policy considerations for managing wetlands under a changing climate. *Marine and Freshwater Research* 68, 1803–1815. <https://doi.org/10.1071/MF16244>
- Finlayson CM, Gell PA & Conallin J (2021) Continuing the discussion about ecological futures for the lower Murray River (Australia) in the Anthropocene. *Marine and Freshwater Research* 73(10), 1241–1244. <https://doi.org/10.1071/MF20344>
- FRDC (Fisheries Research and Development Corporation) (2022) *The National Carp Control Plan (NCCP)*. Deakin West, ACT.



- Fisheries Scientific Committee NSW (2013) *Final Determination: The Murray crayfish – Euastacus armatus as a Vulnerable Species*. Ref. No. FD53, File No. FSC 12/04.  
[https://www.dpi.nsw.gov.au/\\_data/assets/pdf\\_file/0003/636492/Murray-Crayfish-final-determination.pdf](https://www.dpi.nsw.gov.au/_data/assets/pdf_file/0003/636492/Murray-Crayfish-final-determination.pdf)
- Fitzpatrick R & Shand P (2008) Chapter 1: Inland acid sulfate soils in Australia: overview and conceptual models, in R Fitzpatrick & P Shand (eds), *Inland acid sulfate soil systems across Australia*. CRC LEME, Perth. pp. 6-47
- Fitzpatrick RW, Shand P & Merry R (2009) Chapter 3: Acid sulfate soils, in JT Jennings (ed), *Natural history of the Riverland and Murraylands*. Occasional Publications of the Royal Society of South Australia Inc., University of Adelaide.
- Fitzpatrick R, Shand P & Mosley LM (2018) Soils in the Coorong, Lower Lakes and Murray Mouth region, in L Mosely, Q Ye, SA Shepard, S Hemming & R Fitzpatrick (eds), *Natural History of the Coorong, Lower Lakes and Murray Mouth region (Yarluwar-Ruwe)*. Royal Society of South Australia, Adelaide. pp. 227–252.
- Fluin J, Gell P, Haynes D, Tibby J & Hancock G (2007) Paleolimnological evidence for the independent evolution of neighbouring terminal lakes, the Murray-Darling Basin, Australia. *Hydrobiologia* 591, 117–134. <https://doi.org/10.1007/s10750-007-0799-y>
- Fluin J, Haynes D & Tibby J (2009) *An environmental history of the Lower Lakes and The Coorong*. Department of Environment and Heritage, University of Adelaide, South Australia.
- Forbes JP, Todd CR, Baumgartner LJ, Watts RJ, Robinson WA, Steffe AS, Murphy JJ, Asmus MW & Thiem JD (2019) Simulation of different fishery regulations to prevent population decline in a large freshwater invertebrate, the Murray crayfish (*Euastacus armatus*). *Marine and Freshwater Research* 71(8), 962–971. <https://doi.org/10.1071/MF19109>
- Foree EG & McCarty PL (1970) Anaerobic decomposition of algae. *Environmental Science and Technology* 4, 842–849. <https://doi.org/10.1021/es60045a005>
- Forsyth DM, Koehn JD, MacKenzie DI & Stuart IG (2013) Population dynamics of invading freshwater fish: common carp (*Cyprinus carpio*) in the Murray-Darling Basin, Australia. *Biol. Invasions* 15, 341–354. <https://doi.org/10.1007/s10530-012-0290-1>
- Foulkes JN & Gillen JS (eds) (2000) *A biological survey of the Murray Mallee South Australia*. Biological Survey and Research, Department for Environment and Heritage and Geographic Analysis and Research Unit, Department for Transport, Urban Planning and the Arts.
- Fowler HJ, Lenderink G, Prein AF, et al. (2021) Anthropogenic intensification of short-duration rainfall extremes. *Nature Reviews Earth & Environment* 2, 107–122.  
<https://doi.org/10.1038/s43017-020-00128-6>
- Fox AD & Stipniece A (2024) Interactions between stoneworts (Charales) and waterbirds. *Biological Reviews* 99(2), 390–408. <https://doi.org/10.1111/brv.13027>
- Frahn K, Nicol J & Strawbridge A (2012) *Current distribution and abundance of Ruppia tuberosa in the Coorong*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.

- Francis C & Sheldon F (2002) River red gum (*Eucalyptus camaldulensis* Dehnh.) organic matter as a carbon source in the lower Darling River, Australia. *Hydrobiologia* 481, 113–124.  
<https://doi.org/10.1023/A:1021269205983>
- Frankham R (1996) Relationship of genetic variation to population size in wildlife. *Conservation Biology* 10, 1500–1508. <https://www.jstor.org/stable/2387021>
- Fredburg J, Bice CM & Zampatti BP (2022) *Chowilla icon site fish assemblage condition monitoring 2021*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide. SARDE Publication No. F2008/000907-12. SARDI Research Report Series No. 1139.
- Fredberg J, Thwaites L & Earl J (2014) Oriental weatherloach, *Misgurnus anguillicandatus*, in the River Murray, South Australia: a risk assessment. Report to Biosecurity SA. South Australian Research and Development Institute (Aquatic Sciences), SARDI Publication No. F2014/000381-1. SARDI Research Report Series No. 786.
- Freestone FL, Brown P, Campbell CJ, Wood DB, Nielsen DL & Henderson MW (2017) Return of the lignum dead: Resilience of an arid floodplain shrub to drought. *Journal of Arid Environments* 138, 9–17. <https://doi.org/10.1016/j.jaridenv.2016.11.011>
- Freund M, Henley BJ, Karoly DJ, Allen KJ & Baker PJ (2017) Multi-century cool- and warm-season rainfall reconstructions for Australia's major climatic regions. *Climate of the Past* 13, 1751–1770. <https://doi.org/10.5194/cp-13-1751-2017>
- Furst D, Aldridge K, Bice C, Zampatti B & Ye Q (2019) *The influence of longitudinal hydrological connectivity on resource availability and lower order food web structure in the Murray River*. Commonwealth Environmental Water Office, Canberra.
- Furst D, Bucater L & Ye Q (2019) *Zooplankton community structure in relation to water quality and salt-wedge conditions in the Murray Estuary in spring/summer 2018-19*. A report to the Commonwealth Environmental Water Office, Canberra.  
<https://www.dcceew.gov.au/sites/default/files/documents/zooplankton-water-quality-murray-estuary-report-2018-19.pdf>
- Furse JM & Coughran J (2011a) An assessment of the distribution, biology, threatening processes and conservation status of the freshwater crayfish, genus *Euastacus* (Decapoda: Parastacidae) in continental Australia. I Biological background and current status. *Crustaceana Monographs* 15, 241–252.
- Furse JM & Coughran J (2011b) An assessment of the distribution, biology, threatening processes and conservation status of the freshwater crayfish, genus *Euastacus* (Decapoda: Parastacidae) in continental Australia. II. Threats, conservation assessments and key findings. *Crustaceana Monographs* 15, 253–263.
- Furse JM & Coughran J (2011c). An assessment of the distribution, biology, threatening processes and conservation status of the freshwater crayfish, genus *Euastacus* (Decapoda: Parastacidae) in continental Australia. III. Case studies and recommendations. *Crustaceana Monographs* 15, 265–274.
- Furst D, Aldridge K, Bice C, Zampatti B and Ye Q (2019) *The influence of longitudinal hydrological connectivity on resource availability and lower order food web structure in the Murray River*. A report to the Commonwealth Environmental Water Office, Canberra.
- Ganf G (2000) Aquatic and riparian vegetation, in A Jensen, M Good, P Harvey, P Tucker & M Long (eds), *River Murray Barrages Environmental Flows. Report to Murray-Darling Basin Commission*,

Canberra, ACT. Wetlands Management Program, Department of Environment and Natural Resources, Adelaide, South Australia.

Garnaut R (2011) *Garnaut Climate Change Review - Update 2011. Update Paper five: The science of climate change*. Commonwealth of Australia, Canberra.

Garnett ST & Crowley GM (2000) *The Action Plan for Australian Birds*. Environment Australia.

Gawne B, Butcher R, Hale J, Kingsford R, Brandis K, Leo V, Wheaton L & Hladysz S (2011) *A Review of River Ecosystem Condition in the Murray-Darling Basin*. Final Report prepared for the Murray-Darling Basin Authority by The Murray-Darling Freshwater Research Centre, MDFRC Publication 01/2011.

GAWS (Great Australian Wildlife Search) (2024) 2023 Results of eDNA Sampling of the Murray-Darling Basin. Interactive Map. <https://www.wildlifesearch.org.au/results>

Geddes M & Hall D (1990) Chapter 12. The Murray Mouth and Coorong, in N Mackay & D Eastburn (eds), *The Murray*. Murray-Darling Basin Commission, Australia.

Geddes MC (1984) Seasonal studies on the zooplankton community of Lake Alexandrina, River Murray, South Australia, and the role of turbidity in determining zooplankton community structure. *Australian Journal of Marine and Freshwater Research* 35, 417–426.  
<https://doi.org/10.1071/MF9840417>

Geddes MC (1987) Changes in salinity and in the distribution of macrophytes, macrobenthos and fish in the Coorong lagoons, South Australia, following a period of River Murray flow. *Transactions of the Royal Society of South Australia* 111, 173–181.

Geddes MC (1990) Chapter 20. Crayfish, in N Mackay & D Eastburn (eds), *The Murray*. Murray Darling Basin Commission, Australia.

Geddes MC (2003) *Survey to investigate the ecological health of the North and South Lagoons of the Coorong, June/July 2003*. SARDI Aquatic Sciences for the Department of Water, Land and Biodiversity Conservation, Adelaide.

Geddes MC (2005a) *Ecological outcomes for the Murray Mouth and Coorong from the managed barrage release of September - October 2003*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.

Geddes MC (2005b) *The ecological health of the North and South Lagoons of the Coorong in July 2004 - Final Report*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.

Geddes MC & Butler AJ (1984) Physicochemical and biological studies on the Coorong lagoons, South Australia, and the effect of salinity on the distribution of the macrobenthos. *Transactions of the Royal Society of South Australia* 108, 51–62.

Geddes MC, Shiel RJ & Francis J (2016) Zooplankton in the Murray estuary and Coorong during flow and no-flow periods. *Transactions of the Royal Society of South Australia* 140(1), 74–89.  
<https://doi.org/10.1080/03721426.2016.1151497>

Gee GW & Hillel D (1988) Groundwater recharge in arid regions: Review and critique of estimation methods. *Hydrological Processes* 2(3), 255–266. <https://doi.org/10.1002/hyp.3360020306>

Gehrig SL (2009) *The role of hydrology in determining the distribution patterns of invasive willows (Salix) and dominant native trees in the lower River Murray (South Australia)*. PhD Thesis, The University of Adelaide, Adelaide.

- Gehrig S & Frahn K (2015) Investigating use of drip irrigation to improve condition of black box (*Eucalyptus largiflorens*) woodlands. Phase III: Variable watering regimes. South Australian Research and Development Institute (Aquatic Sciences), Adelaide. SARDI Publication No. F2013/000438-3. SARDI Research Report Series No. 845.
- Gehrig S & Nicol J (2010) *Aquatic and Littoral vegetation of the Murray River downstream of Lock 1, the Lower Lakes, Murray Estuary and Coorong. A Literature Review*. SARDI Publication Number F2010/000297-1. SARDI Research Report Series No. 482. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Gehrig SL, Marshland KB, Nicol JM & Weedon JT (2012) *Chowilla Icon Site - Floodplain Vegetation Monitoring, 2011 Interim Report*. SARDI Publication No. F2010/000279-2. SARDI Research Report Series No. 613. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Gehrke PC, Revel MB & Philbey AW (1993) Effects of river red gum, *Eucalyptus camaldulensis*, litter on Golden perch, *Macquaria ambigua*. *Journal of Fish Biology* 43, 265–279.
- Gell PA (2019) Restoring Murray River floodplain wetlands: Does the sediment record inform on watering regime? *River Research and Applications* 36, 620–629.  
<https://doi.org/10.1002/rra.3439>
- Gell PA (2020) Watching the tide roll away – contested interpretations of the nature of the Lower Lakes of the Murray Darling Basin. *Pacific Conservation Biology* 26, 130–141.  
<https://doi.org/10.1071/PC18085>
- George AK, Walker KF & Lewis MM (2005) Population status of eucalypt trees on the River Murray floodplain, South Australia. *River Research and Applications* 21, 271–282.  
<https://doi.org/10.1002/rra.846>
- Geoscience Australia (2023) *Longest Rivers*. Accessed: 23 October 2023.  
<https://www.ga.gov.au/scientific-topics/national-location-information/landforms/longest-rivers>
- Giatas G, Catalano S, Dittmann S, Ye Q, Jackson M, Mott R and Markos K (2022) *Primary food resources for key waterbirds and benthic fish in the Coorong*. Goyder Institute for Water Research Technical Report Series No. 22/02.
- Gibbs M, Bice C, Brookes J, Furst D, Gao L, Joehnk K, Marklund M, Nicol J, Pethybridge H, Szarvas S, Wallace T, Welti N & Zampatti B (2020) *Ecological connectivity of the River Murray: Managing ecological outcomes and water quality risks through integrated river management*. Goyder Institute for Water Research Technical Report Series No. 20/03.
- Gibbs MS, Wallace T & Mosley LM (2022) Constraining organic matter composition and dynamics as a dominant driver of hypoxic blackwater risk during River Murray floodplain inundation. *Hydrological Processes* <https://doi.org/10.1002/hyp.14529>
- Gilbertson DD & Foale MR (eds) (1970) *The southern Coorong and lower Younghusband Peninsula of South Australia*, Nature Conservation Society of South Australia, Adelaide.
- Gillanders BM & Ye Q (2011) *Ecological risk assessment of stocking Murray cod in South Australia. Report to PIRSA Fisheries and Aquaculture*. SARDI Publication No. F2011/000299-1. SARDI Research Report Series No. 571. School of Earth and Environmental Sciences, the University of Adelaide, Adelaide and South Australian Research and Development Institute (Aquatic Sciences), Adelaide.

- Gillespie GR, Roberts JD, Hunter D, et al. (2020) Status and priority conservation actions for Australian frog species. *Biological Conservation* 247,108543.  
<https://doi.org/10.1016/j.biocon.2020.108543>
- Gilligan DM (2005) 'Fish communities of the Murrumbidgee catchment: status and trends.' NSW Department of Primary Industries, Cronulla, Sydney. Available at  
<https://www.dpi.nsw.gov.au/content/research/areas/aquatic-ecosystems/outputs/2005/545>
- Gilligan D, Rolls R, Merrick, J, Lintermans M, Duncan P & Koehn J (2007) *Scoping the knowledge requirements for Murray crayfish (Euastacus armatus)*. NSW Department of Primary Industries, Aquatic Ecosystems Research, Narrandera Fisheries Centre, Narrandera.
- Glamore WC, Rayner DS & Rahman PF (2016) *Estuaries and climate change. Technical Monograph prepared for the National Climate Change Adaptation Research Facility*. Water Research Laboratory of the School of Civil and Environmental Engineering, UNSW.
- Goode JR & Harvey PD (2009) Chapter 7: Water Resources, in JT Jennings (ed), *Natural History of the Riverland and Murraylands*. Occasional Publications of the Royal Society of South Australia Inc., University of Adelaide.
- Goodwin AE (1999) Massive *Lernaea cyprinacea* infestations damaging the gills of channel catfish polycultured with bighead carp. *Journal of Aquatic Animal Health* 11(4), 406–408.  
[https://doi.org/10.1577/1548-8667\(1999\)011<0406:MLCIDT>2.0.CO;2](https://doi.org/10.1577/1548-8667(1999)011<0406:MLCIDT>2.0.CO;2)
- Go J, Lancaster M, Deece K, Dhungyel O & Whittington R (2006) The molecular epidemiology of iridovirus in Murray cod (*Maccullochella peelii peelii*) and dwarf gourami (*Colisa lalia*) from distant biogeographical regions suggests a link between trade in ornamental fish and emerging iridoviral diseases. *Molecular and Cellular Probes*, 20(3-4) 212–222.  
<https://doi.org/10.1016/j.mcp.2005.12.002>
- Goonan P, Jenkins C, Hill R & Kleinig T (2015) *Subsurface groundwater ecosystems: A briefing report on the current knowledge, monitoring considerations and future plans for South Australia*. Environment Protection Authority, Adelaide, South Australia.
- Gosbell K, Collins P & Christie M (2002) Wader surveys in the Coorong and coastal lakes of Southeastern Australia during February 2002. *The Stilt* 42, 10–29. The Bulletin of the East Asian-Australasian Flyway. Australasian Wader Studies Group.
- Government of South Australia (2011) *Salinity and water quality*. Accessed: 13 May 2013.  
<http://www.sa.gov.au/subject/Water%2C+energy+and+environment/Water/Water+information/Salinity+and+water+quality#floodplain> [Link to be updated] looking at [Salinity and Water Quality - Technical Publications \(waterconnect.sa.gov.au\)](#)
- Graf DL, Jones H, Geneva AJ, Pfeiffer JM & Klunzinger MW (2015) Molecular phylogenetic analysis supports a Gondwanan origin of the Hyriidae (Mollusca: Bivalvia: Unionida) and the paraphyly of Australasian taxa. *Molecular Phylogenetics and Evolution* 85, 1–9.  
<https://doi.org/10.1016/j.ympev.2015.01.012>
- Gregory SV, Swanson FJ, McKee WA & Cummins KW (1991) An ecosystem perspective of riparian zones. *BioScience* 41, 540–551. <https://doi.org/10.2307/1311607>
- Gross C, Pittock J, Finlayson M & Geddes MC (2012) *Climate change adaptation in the Coorong, Murray Mouth and Lakes Alexandrina and Albert*, National Climate Change Adaptation Research Facility, Gold Coast, 109 pp.



- Hammer M (2004) *The Eastern Mount Lofty Ranges Fish Inventory: Distribution and Conservation of Freshwater Fishes of Tributaries to the Lower River Murray, South Australia*. Native Fish Australia (SA) Inc & River Murray Catchment Water Management Board, Adelaide.
- Hammer M (2007) *Report on urgent conservation measures and monitoring of southern purple-spotted gudgeon on the River Murray, South Australia*. Report to the South Australian Murray-Darling Basin Natural Resources Management Board. Aquasave Consultants, Adelaide.
- Hammer M (2008) *Aquatic survey of the Murray Bridge Army Range wetlands, South Australia*. Aquasave Consultants, Adelaide.
- Hammer M, Barnes T, Pillar L & Sortino D (2012) *Reintroduction Plan for the Purple-spotted Gudgeon in the southern Murray-Darling Basin*. Murray Darling Basin Authority Publication No. 45/12.
- Hammer M, Pillar L & Sortino D (2009) *Identification and assessment of surrogate refuge dams as part of the Drought Action Plan for Lower Murray threatened fishes*. Report to the South Australian Department for Environment and Heritage. Aquasave Consultants, Adelaide.
- Hammer M & Walker KF (2004) A catalogue of South Australian freshwater fishes including new records, range extensions and translocations. *Transactions of the Royal Society of South Australia* 128, 85–97.
- Hammer M & Wedderburn S (2008) The threatened Murray hardyhead: Natural history and captive rearing. *Fishes of Sahul* 22, 390–399.
- Hammer M, Wedderburn S & van Weenen J (2009) *Action plan for South Australian freshwater fishes*. Native Fish Australia (SA) Inc, Adelaide.
- Hammer MP, Adams M & Foster R (2012) Update to the catalogue of South Australian freshwater fishes (Petromyzontida and Actinopterygii). *Zootaxa* 3593, 59–74.  
<https://doi.org/10.11646/ZOOTAXA.3593.1.3>
- Hammer MP, Goodman TS, Adams M, Faulks LF, Unmack PJ, Whiterod NS and Walker KF (2015) Regional extinction, rediscovery and rescue of a freshwater fish from a highly modified environment: The need for rapid response. *Biological Conservation* 192, 91–100.  
<http://dx.doi.org/10.1016/j.biocon.2015.08.041>
- Harris JH & Rowland SJ (1996) Family Percichthyidae: Australian freshwater cods and basses, in RM McDowall (ed), *Freshwater Fishes of South-eastern Australia*. Second Edition. Reed Books, Sydney. pp. 150–163.
- Harris JH & Gehrke PC (eds) (1997) *Fish and Rivers in Stress: The NSW Rivers Survey*. NSW Fisheries Office of Conservation and the Cooperative Research Centre for Freshwater Ecology, in association with NSW Resource and Conservation Assessment Council. Cronulla, Sydney, NSW.
- Hart B, Walker G, Katupitiya A & Doolan J (2020) Salinity Management in the Murray–Darling Basin, Australia. *Water* 12(6), 1829. <https://doi.org/10.3390/w12061829>
- Hart BT, Bailey P, Edwards R, Hortle K, James K, McMahon A, Meredith C & Swadling K (1990) Effects of salinity on river, stream and wetland ecosystems in Victoria, Australia. *Water Research* 24(9), 1103–1117. [https://doi.org/10.1016/0043-1354\(90\)90173-4](https://doi.org/10.1016/0043-1354(90)90173-4)
- Hart BT, Bailey P, Edwards R, Hortle K, James KR, McMahon A, Meredith C & Swadling K (1991) A review of the salt sensitivity of the Australian freshwater biota. *Hydrobiologia* 210, 105–144.  
<https://doi.org/10.1007/BF00014327>

- Harvey N (1996) The significance of coastal processes for management of the River Murray Estuary. *Australian Geographical Studies*, 34(1), 45–57. <https://doi.org/10.1111/j.1467-8470.1996.tb00102.x>
- Helfensdorfer AM, Power HE & Hubble TCT (2019) Modelling Holocene analogues of coastal plain estuaries reveals the magnitude of sea-level threat. *Scientific Reports* 9, 2667. <https://doi.org/10.1038/s41598-019-39516-4>
- Henry GW & Lyle LM (2003) *The National Recreational and Indigenous Fishing Survey*. NSW Fisheries, Cronulla, New South Wales.
- Hladyz S, Baumgartner L, Bice C, Butler G, Fanson B, Giatas G, Koster W, Lyon J, Stuart I, Thiem J, Tonkin, Z, Ye Q, Yen J & Zampatti B (2021) *Basin-scale evaluation of 2019-20 Commonwealth environmental water: Fish. Flow-MER Program*. Commonwealth Environmental Water Office (CEWO): Monitoring, Evaluation and Research Program, Department of Agriculture, Water and the Environment, Australia.
- Hladyz S, Watkins SC, Whitworth KL, & Baldwin DS (2011) Flows and hypoxic blackwater events in managed ephemeral river channels. *Journal of Hydrology (Amsterdam)* 401, 117–125. <https://doi.org/10.1016/j.jhydrol.2011.02.014>
- Hocking DJ & Babbitt KJ (2014) Amphibian contributions to ecosystem services. *Herpetological Conservation and Biology* 9(1), 1–17.
- Hoffman EP (2017) *Frog, fish, and macro-invertebrate response to flooding of wetlands in the Lower Murray region, South Australia. Summary report – 2017*. Department of Environment, Water and Natural Resources, Adelaide.
- Hoffmann EP (2018) Environmental watering triggers rapid frog breeding in temporary wetlands within a regulated river system. *Wetlands Ecology and Management* 26, 1073–1087. <https://doi.org/10.1007/s11273-018-9632-9>
- Holland K, Jolly I, Overton I, Miles M, Vears L & Walker G (2005) *The Floodplain Risk Methodology (FRM): A suite of tools to rapidly assess at the regional scale the impacts of groundwater inflows and benefits of improved inundation on the floodplains of the lower River Murray*. CSIRO Land and Water, Urrbrae, Adelaide.
- Holland, KL, Doody TM, McEwan, KL, Jolly ID, White M, Berens V & Souter N (2009) *Response of the River Murray floodplain to flooding and groundwater management: Field investigations*. CSIRO: Water for a Healthy Country National Research Flagship, Canberra.
- Holland KL, Turnadge CJ, Nicol JM, Gehrig SL & Strawbridge AD (2013) *Floodplain response and recovery: comparison between natural and artificial floods*, Goyder Institute for Water Research Technical Report Series No. 13/4, Adelaide, South Australia.
- Holmes SP, Pynt J & Moore S (2013) *The ecology and occurrence of the River Snail, Notopala sublineata sublineata, in New South Wales: a survey of the Darling River system and the viability of the habitats provided by it*. Final Report to the NSW FSC: Student Research Grant 2013.
- Hose GC, Chariton AA, Daam MA, et al. (2022) Invertebrate traits, diversity and the vulnerability of groundwater ecosystems. *Functional Ecology* 36, 2200–2214. <https://doi.org/10.1111/1365-2435.14125>

- Hose GC, Sreekanth J, Barron O & Pollino C (2015) *Stygofauna in Australian groundwater systems: extent of knowledge*. Report to Australian Coal Association Research Program. Macquarie University and CSIRO.
- Howard K, Beesley L, Ward K & Stokeld D (2016) Preliminary evidence suggests freshwater turtles respond positively to an environmental water delivery during drought. *Australian Journal of Zoology* 64(5), 370–373. <https://doi.org/10.1071/ZO16076>
- Howitt JA, Baldwin DS, Rees GN & Williams JL (2007) Modelling blackwater: Predicting water quality during flooding of lowland river forests. *Ecological Modelling* 203, 229–242. <https://doi.org/10.1016/j.ecolmodel.2006.11.017>
- Huang J, Welsh D, Erler D, Ferguson A, Brookes J, Keneally C, Chilton D, Dittmann S, Lam-Gordillo O, Southgate M, Simpson S, & Mosley LM (2022) *Coorong Nutrient Cycling and Fluxes*. Goyder Institute for Water Research Technical Report Series.
- Humphries P (2009) Wilhelm Blandowski's contribution to ichthyology of the Murray-Darling Basin, Australia. *Proceedings of the Royal Society of Victoria* 121, 90–108. <https://doi.org/10.1071/RS09090>
- Humphries P (2023) *The Life and Times of the Murray Cod*. CSIRO Publishing, Clayton South, Victoria.
- Humphries P, King AJ & Koehn JD (1999) Fish, flows and flood plains: links between freshwater fishes and their environment in the Murray-Darling River system, Australia. *Environmental Biology of Fishes* 56, 129–151. <https://doi.org/10.1023/A:1007536009916>
- Humphries P & Walker KF (2013) *Ecology of Australian Freshwater Fishes*. CSIRO Publishing, Canberra.
- Hunt TJ, Paton FL & Paton DC (2019) *An initial assessment of the potential for wetlands in the South East and Lower Lakes regions of South Australia to support key species of Coorong waterbirds*, Technical report series 19/20, Goyder Institute for Water Research, Adelaide.
- Hutchinson M (2009) Chapter 13: Reptiles and Amphibians, in JT Jennings (ed), *Natural History of the Riverland and Murraylands*. Occasional Publications of the Royal Society of South Australia Inc., University of Adelaide.
- Hutchison M, Nixon D, Shiau J & Norris A (2022) *Impacts and solutions: A scoping study on relative impacts of irrigation infrastructure on fish in the Fitzroy Basin. Final Report*. Department of Agriculture and Fisheries Queensland.
- IPCC (2023) Summary for Policymakers, in H Lee & J Romero (eds), *Climate Change 2023: Synthesis Report. Contribution of Working Groups I, II and III to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change*. IPCC. Geneva, Switzerland. pp. 1–34.
- IUCN (2024) *The IUCN Red List of Threatened Species 2024*. International Union for conservation of Nature. Accessed: July 2024. <https://www.iucnredlist.org/>
- Jacobs T (1990) Chapter 3: River Regulation, in N Mackay & D Eastburn (eds), *The Murray*. Murray Darling Basin Commission, Australia.
- Jackson MV, Mott R, Prowse TAA, Delean S, Shu Y, Liu L, Hunt BJ, Sanchez-Gomez S, Brookes J & Cassey P (2022) *Recommended habitat quality measures for key waterbird species in the Coorong*. Goyder Institute for Water Research Technical Report Series No. 22/05.

- James K (2004) Shifting sands at the Murray Mouth: evidence from historic surveys, 1839-1938. *South Australian Geographical Journal* 103, 25–42.
- James CS, Capon SJ & Quinn GP (2015) Nurse plant effects of a dominant shrub (*Duma florulenta*) on understorey vegetation in a large, semiarid wetland in relation to flood frequency and drying. *Journal of Vegetation Science* 26(5), 985-994. <https://www.jstor.org/stable/43912919>
- Janssen MA & Walker KF (1999) Processing of riparian and wetland plant litter in the River Murray, South Australia. *Hydrobiologia* 411, 53–64. <https://doi.org/10.1023/A:1003891720922>
- Jellinek S, Croft T & Te T (2018) Chapter 3.3 Terrestrial Vegetation of the Coorong, Lower Lakes and Murray Mouth Region, in L Mosley, Q Ye, S Shepherd, S Hemming and R Fitzpatrick (eds), *Natural history of the Coorong, Lower Lakes and Murray Mouth region (Yarluwar-Ruwe)*, Royal Society of South Australia, Adelaide. pp 317–331.
- Jenkyk J, Hemraj DA, Brown MH, Ellis AV & Leterme SC (2014) Environmental variability and phytoplankton dynamics in a South Australian inverse estuary. *Continental Shelf Research* 91, 134–144. <https://doi.org/10.1016/j.csr.2014.08.009>
- Jennings JT (2009) *Natural history of the Riverland and Murraylands*. Occasional Publications of the Royal Society of South Australia Inc, Adelaide.
- Jennings JT, Austin AD, Davies KA, Harvey MS, Hirst DB & Taylor GS (2009) Chapter 11. Terrestrial Invertebrates, in JT Jennings (ed), *Natural History of the Riverland and Murraylands*. Occasional Publications of the Royal Society of South Australia Inc., University of Adelaide.
- Jennings P, Zampatti B & Bice C (2008) *Fish movement and recruitment in the Coorong and Lower Lakes 2007/08 progress report*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide. pp. 41. SARDI Aquatic Sciences Publication No. F2007/000555-2. SARDI Research Report Series No. 302.
- Jensen AE (2008) *The roles of seed banks and soil moisture in recruitment of semi-arid floodplain plants: the River Murray, Australia*. PhD thesis, University of Adelaide, Adelaide.
- Jensen A (2011a) *The Secrets of Black Box: guardians of Australian floodplains*. Blurb book. <http://au.blurb.com/books/2718222>
- Jensen A (2011b) *The Lignum Tangle: secrets of the workhorse of Australian river floodplains*. Blurb book. <http://au.blurb.com/books/2719927>
- Jensen AE & Walker KF (2017) Sustaining recovery in red gum, black box and lignum in the Murray River Valley: clues from natural phenological cycles to guide environmental watering. *Transactions of the Royal Society of South Australia* Volume 141 Issue 2: River Murray Ecology <https://doi.org/10.1080/03721426.2017.1376467>
- Jensen A, Good M, Harvey P, Tucker P & Long M (2000) *River Murray Environmental Flows: An evaluation of environmental flow needs in the Lower Lakes and Coorong*. Murray-Darling Basin Commission, Canberra.
- Jensen AE, Walker KF & Paton DC (2007) Using phenology of eucalypts to determine environmental watering regimes for the River Murray floodplain, South Australia, in AL Wilson, RL Dehaan, RJ Watts, KJ Page, KH Bowmer & A Curtis (eds), *Proceedings of the 5th Australian Stream Management Conference, Australian rivers: making a difference*. Charles Sturt University, Thurgooda, New South Wales.

- Jensen AE, Walker KF & Paton DC (2006) The Secret Life of Tangled Lignum, *Muehlenbeckia florulenta* (Polygonaceae): little known plant of the floodplains, in I Taylor, P Murray & S Taylor (eds), *Wetlands of the Murrumbidgee River Catchment*. Murrumbidgee Catchment Management Authority, Leeton, NSW. pp. 79–85.
- Jeppesen E, Moss B, Bennion H, Carvalho L, DeMeester L, Feuchtmayr H, Friberg N, Gessner MO, Hefting M, Lauridsen TL, Liboriussen L, Malmquist HJ, May L, Meerhoff M, Olafsson JS, Soons MB & Verhoeven JTA (2010) Chapter 6: Interaction of Climate Change and Eutrophication, in M Kernan, R Battarbee & B Moss (eds), *Climate Change Impacts on Freshwater Ecosystems*. Blackwell Publishing Ltd.
- Jolly ID (1996) The effects of river management on the hydrogeology and hydroecology of arid and semi-arid floodplains, in MG Anderson, DE Walling, PD Bates (eds), *Floodplain Processes*. Wiley, New York. pp. 577–609.
- Jolly ID (2004) *Review of River Murray floodplain salinity studies in South Australia and their relevance to the Victorian Mallee floodplains*. CSIRO Land and Water, Adelaide.
- Jolly ID, Walker GR & Narayan KA (1993a) Floodwater/aquifer interaction in an arid floodplain and its implications for River Murray salinity, in *Proceedings of hydrology and water resources symposium, Newcastle, Australia*. The Institution of Engineers, Australia National Conference Publication No. 93/14, Canberra. pp. 51–57.
- Jolly ID, Walker GR & Thorburn PJ (1993b) Salt accumulation in semi-arid floodplain soils with implications for forest health. *Journal of Hydrology* 150, 589–614.  
[https://doi.org/10.1016/0022-1694\(93\)90127-U](https://doi.org/10.1016/0022-1694(93)90127-U)
- Jones CG, Lawton JH & Schachak M (1994) Organisms as ecosystem engineers. *Oikos* 69, 373–386. <https://doi.org/10.2307/3545850>
- Jones L & Miles M (2009) *River Murray Wetland Classification Project (DEH) report to the Riverine Recovery Project*. Department of Water, Land and Biodiversity Conservation, Adelaide.
- Junk WJ & Watnzen KM (2004) The flood pulse concept: new aspects, approaches and applications – an update, in RL Welcomme & T Petr (eds), *Proceedings of the Second International Symposium on the Management of Large Rivers for Fisheries, Food and Agriculture Organization of the United Nations (FAO) and the Mekong River Commission (MRC)*. Food and Agriculture Organization of the United Nations (FAO) and the Mekong River Commission (MRC), Cambodia.
- Junk WJ, Bayley PB & Sparks RE (1989) The flood pulse concept in river-floodplain systems. *Canadian Journal of Fisheries and Aquatic Sciences* 106, 110–127.
- Kämpf J & Bell D (2014) The Murray/Coorong Estuary: Meeting of the Waters?, in E Wolanski (ed) *Estuaries of Australia in 2050 and Beyond*, Estuaries of the World, Springer Science+Business Media. Dordrecht. pp. 31–47.
- Kaminskas S (2021) Alien pathogens and parasites impacting native freshwater fish of southern Australia: a scientific and historical review. *Australian Zoologist* 41(4), 696–730.  
<https://doi.org/10.7882/AZ.2020.039>
- Kaminskas S (2023) Alien fish ascendancy and native fish extinction: ecological history and observations on the Lower Goodradigbee River, Australia. *Pacific Conservation Biology* 29(1), 38–73. <https://doi.org/10.1071/PC21048>



- Kaminskas S & Humphries P (2009) Diet of Murray cod (*Maccullochella peelii peelii*) (Mitchell) larvae in an Australian lowland river in low flow and high flow years. *Hydrobiologia* 636, 449–461. <https://doi.org/10.1007/s10750-009-9973-8>
- Kearney RE & Kildea MA (2001) *The status of Murray cod in the Murray-Darling Basin*. Environment Australia, Canberra.
- Keith D (2004) *Ocean shores to desert dunes: the native vegetation of New South Wales and the ACT*. Department of Environment and Conservation, Hurstville, NSW.
- Keith DA, Rodríguez JP, Rodríguez-Clark KM, et al. (2013) Scientific foundations for an IUCN Red List of Ecosystems. *PloS ONE* 8(5), e62111. <https://doi.org/10.1371/journal.pone.0062111>
- Kennedy SA, Ganf GG & Walker KF (2003) Does salinity influence the distribution of exotic willows (*Salix* spp.) along the Lower River Murray. *Marine and Freshwater Research* 54, 825–831. <http://dx.doi.org/10.1071/mf03035>
- Kilsby NN & Steggles T (2015) *Ecological objectives, targets and environmental water requirements for the South Australian River Murray floodplain environmental asset*, DEWNR Technical report 2015/15, Government of South Australia, through Department of Environment, Water and Natural Resources, Adelaide.
- Kim DH, Aldridge KT, Brookes JD & Ganf GG (2013) The effect of salinity on the germination of *Ruppia tuberosa* and *Ruppia megacarpa* and implications for the Coorong: A coastal lagoon of southern Australia. *Aquatic Botany* 111, 81–88. <https://doi.org/10.1016/j.aquabot.2013.06.008>
- King AJ, Tonkin Z & Lieshcke J (2012) Short-term effects of a prolonged blackwater event on aquatic fauna in the Murray River, Australia: considerations for future events. *Marine and Freshwater Research* 63, 576–586. <https://doi.org/10.1071/MF11275>
- Kingsford RT (2000) Ecological impacts of dams, weir diversions and river management on floodplain wetlands in Australia. *Austral Ecology* 25, 109–127. <https://doi.org/10.1046/j.1442-9993.2000.01036.x>
- Kingsford R (2023) *How did millions of fish die gasping in the Darling - after three years of rain?* The Conversation. 20 March 2023 Carlton Australia, The Conversation Media Group Ltd.
- Kingsford RT, Porter JL, Brandis KJ & Ryall S (2020) Aerial surveys of waterbirds in Australia. *Scientific Data* 7, 1–6. <https://doi.org/10.1038/s41597-020-0512-9>
- Klunzinger MW (2023) Conservation status of freshwater mussels in Australia—new species, new listings and work to come. *Tentacle* 31, 3–5. The Newsletter of the IUCN/SSC Mollusc Specialist Group, Species Survival Commission, International Union for Conservation of Nature.
- Knouft JH & Ficklin DL (2017) The potential impacts of climate change on biodiversity in flowing freshwater systems. *Annual Review of Ecology, Evolution, and Systematics* 48, 111–33. <https://doi.org/10.1146/annurev-ecolsys-110316-022803>
- Kobayashi T, Bayly IAE, Shiel RJ & Miskiewicz AG (2019) Freshwater zooplankton: diversity and biology, in Suthers IM, Rissik D & Richardson AJ (eds) *Plankton: A Guide to Their Ecology and Monitoring for Water Quality* 2<sup>nd</sup> Edition. pp. 119–140. CSIRO Publishing & CRC Press.
- Koehn JD (1996) Habits and movements of freshwater fish in the Murray-Darling Basin, in RJ Barnes & R Lehané (eds), *Proceedings 1995 Riverine Environment Research Forum, October 1995, Attwood, Victoria*. Murray-Darling Basin Commission, Canberra. pp. 27–37.

- Koehn JD (2004) Carp (*Cyprinus carpio*) as a powerful invader in Australian waterways. *Freshwater Biology* 49(7), 882–894. <https://doi.org/10.1111/j.1365-2427.2004.01232.x>
- Koehn J, Balcombe S & Zampatti B (2017) *Prioritising fish research for flow management in the Murray-Darling Basin*. Arthur Rylah Institute for Environmental Research, Heidelberg, Victoria.
- Koehn J, Brumley A & Gehrke R (2000) *Managing the Impacts of Carp*. Bureau of Rural Sciences (Department of Agriculture, Fisheries and Forestry - Australia), Canberra.
- Koehn JD & MacKenzie RF (2004) Priority management actions for alien freshwater fish species in Australia. *New Zealand Journal of Marine and Freshwater Research* 38, 457–472. 0028-8330/04/3803-0457. [Priority management actions for alien freshwater fish species in Australia \(tandfonline.com\)](https://doi.org/10.1080/00288330.2004.1091232)
- Koehn J, Todd C, Thwaites L, Stuart I, Zampatti B, Ye Q, Conallin A, Dodd L & Stamation K (2016) *Managing flows and Carp*. Arthur Rylah Institute for Environmental Research Technical Report Series No. 255. Arthur Rylah Institute for Environmental Research, Department of Environment, Land, Water and Planning, Heidelberg, Victoria.
- Koehn JD & Harrington DJ (2006) Environmental conditions and timing for the spawning of Murray cod (*Maccullochella peelii peelii*) and the endangered trout cod (*M. macquariensis*) in Southeastern Australian Rivers. *River Research and Applications* 22, 327–343. <https://doi.org/10.1002/rra.897>
- Koehn JD, Raymond SD, Stuart I, et al. (2020) A compendium of ecological knowledge for restoration of freshwater fishes in Australia's Murray–Darling Basin. *Marine and Freshwater Research* 71, 1391–1463. <https://doi.org/10.1071/MF2012>
- Kopf RK, Humphries P, Bond NR, et al. (2019) Macroecology of fish community biomass—size structure: effects of invasive species and river regulation. *Canadian Journal of Fisheries and Aquatic Science* 76, 109–122. <https://doi.org/10.1139/cjfas-2017-0544>
- Koster WM, Dawson DR, Clunie P, Hames F, McKenzie J, Moloney PD & Crook DA (2015) Movement and habitat use of the freshwater catfish (*Tandanus tandanus*) in a remnant floodplain wetland. *Ecology of Freshwater Fish* 24, 443–455. <https://doi.org/10.1111/eff.12159>
- Koster WM, Dawson DR, Kitchingman A, Moloney PD & Hale R (2020) Habitat use, movement and activity of two large-bodied native riverine fishes in a regulated lowland weir pool. *Journal of Fish Biology* 96, 782–794. <https://doi.org/10.1111/jfb.14275>
- Koster WM, Stuart I, Tonkin Z, Dawson D & Fanson B (2020) Environmental influences on migration patterns and pathways of a threatened potamodromous fish in a regulated lowland river network. *Ecohydrology* 14, e2260. <https://doi.org/10.1002/eco.2260>
- Landscape South Australia Murraylands and Riverland Board (2024) *Re-establishing Murray crayfish in South Australia*. <https://www.landscape.sa.gov.au/mr/projects/wetlands-and-floodplains-projects/re-establishing-murray-crayfish-in-south-australia>
- Landscape South Australia Murraylands and Riverland Board (2024) *Keeping the Murray Mouth open*. <https://www.landscape.sa.gov.au/mr/water/river-murray>
- Lachlan SS & Nagelkerken I (2020) Species range shifts along multistressor mosaics in estuarine environment under future climate. *Fish and Fisheries* 21(1), 32–46. <https://doi.org/10.1111/faf.12412>

- Lamontagne S, Aldridge KT, Holland KL, Jolly ID, Nicol J, Oliver RL, Paton DC, Walker KF, Wallace TA & Ye Q (2012) *Expert panel assessment of the likely ecological consequences in South Australia of the proposed Murray-Darling Basin Plan*. Goyder Institute for Water Research, University of Adelaide, Adelaide.
- Lane PN, Benyon RG, Nolan RH, Keenan RJ & Zhang L (2023) Forests, fire and vegetation change impacts on Murray-Darling basin water resources. *Australasian Journal of Water Resources*, 27(1), 68–84. <https://doi.org/10.1080/13241583.2023.2179555>
- Lawrence J, Mackey B, Chiew F, Costello MJ, Hennessy K, Lansbury N, Nidumolu UB, Pecl G, Rickards L, Tapper N, Woodward A & Wreford A (2022) Australasia, in DC Pörtner, M Roberts, ES Tignor & K Poloczanska (eds), *Climate Change 2022: Impacts, Adaptation and Vulnerability*. Contribution of Working Group II to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, Cambridge, UK and New York, NY, USA. pp. 1581–688, <https://doi.org/10.1017/9781009325844.013>
- Le CTU, Paul WL, Gawne B & Suter PJ (2021) Insight into the multi-decadal effects of floods on aquatic macroinvertebrate community structure in the Murray River using distributed lag nonlinear models and counterfactual analysis. *Science of The Total Environment*, 757, 143988. <https://doi.org/10.1016/j.scitotenv.2020.143988>
- Leigh C, Bush A, Harrison ET, Ho SS, Luke L, Rolls RJ & Ledger ME (2015) Ecological effects of extreme climatic events on riverine ecosystems: insights from Australia. *Freshwater Biology* 60(12), 2620–2638. <https://doi.org/10.1111/fwb.12515>
- Leigh C, Sheldon F, Kingsford RT & Arthington AH (2010) Sequential floods drive 'booms' and wetland persistence in dryland rivers: a synthesis. *Marine and Freshwater Research* 61(8), 896–908. <https://doi.org/10.1071/MF10106>
- Leigh SJ & Zampatti BP (2011) *Movement and spawning of Murray cod (Maccullochella peelii) and golden perch (Macquaria ambigua ambigua) in response to a small-scale flow manipulation in the Chowilla Anabranch system*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Leigh SJ & Zampatti BP (2012) *Chowilla Icon Site – Fish assemblage condition monitoring 2011*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Leigh SJ & Zampatti BP (2013) Movement and mortality of Murray cod, *Maccullochella peelii*, during overbank flows in the lower River Murray, Australia. *Australian Journal of Zoology* 61, 160–169. <https://doi.org/10.1071/ZO12124>
- Lescheid E (2020) *Ecological response to environmental watering part of the Pike Lagoon floodrunner spring 2019–summer 2020*. Report prepared for the Nature Foundation of South Australia. Adelaide.
- Lester RE & Fairweather PG (2013) The Coorong lagoons and Murray Mouth inverse estuary, South Australia, Australia. Red List of Ecosystems. <https://assessments.iucnrl.org/assessments/125>
- Leterme SC, Allais L, Jendyk J, Hemraj DA et al. (2015) Drought conditions and recovery in the Coorong wetland, South Australia in 1997-2013. *Estuarine, Coastal and Shelf Science* 163, 175–184. <https://doi.org/10.1016/j.ecss.2015.06.009>
- Leterme SC, Oliver R, Shiel R, Hemraj D, Geddes M, Furst D, Aldridge K, Barnes T & Wedderburn SO (2018) Chapter 3.1 Plankton communities of the Coorong, Lower Lakes and Murray Mouth, in L Mosley, Q Ye, S Shepherd, S Hemming and R Fitzpatrick (eds) *Natural history of the Coorong*,

- Lower Lakes and Murray Mouth region (Yarluwar-Ruwe)*, Royal Society of South Australia, Adelaide. pp 273–291.
- Lewis R, Waycott M, O’Loughlin EJ, Ugrl C, van Dijk KJ, Calladine A and Nicol J (2022) *Distribution and seasonality of the Ruppia dominated aquatic macrophyte community and filamentous algae in the southern Coorong*. Goyder Institute for Water Research Technical Report Series No. 22/09, Adelaide, South Australia.
- Lind L, Hasselquist EM & Laudon H (2019) Towards ecologically functional riparian zones: A meta-analysis to develop guidelines for protecting ecosystem functions and biodiversity in agricultural landscapes. *Journal of Environmental Management* 249, e109391. <https://doi.org/10.1016/j.jenvman.2019.109391>
- Lintermans M (2023) *Fishes of the Murray-Darling Basin: An introductory guide*. Second Edition. Murray Darling Basin Authority, Canberra.
- Lintermans M (2023) *Fishes of the Murray-Darling Basin*. Australian Restoration Centre, Canberra.
- Little S, Lewis JP & Pietkiewicz H (2022) Defining estuarine squeeze: The loss of upper estuarine transitional zones against in-channel barriers through saline intrusion. *Estuarine, Coastal and Shelf Science* 278, e108107. <https://doi.org/10.1016/j.ecss.2022.108107>
- Llewellyn LC (1971) Breeding studies on the freshwater forage fish of the Murray-Darling River System. *Fisherman*—Official Journal of the State Fisheries Department of NSW. Volume 3, No. 13, 1–12.
- Llewellyn LC (2006) Breeding and development of the endangered Purple-spotted Gudgeon *Mogurnda adspersa* population from the Murray-Darling. *Australian Zoologist* 33, 480–510. <https://doi.org/10.7882/AZ.2006.021>
- Llewellyn LC (2008) Observations on the breeding biology of *Ambassis agassizii* Steindachner, 1867 (Teleostei: Ambassidae) from the Murray Darling Basin in New South Wales. *Australian Zoologist* 34, 476–498. <https://doi.org/10.7882/AZ.2008.026>
- Lloyd L, Atkins BP, Boon PI, Roberts J & Jacobs T (1994) Natural Processes in floodplain ecosystems, in: *Proceedings of the Murray-Darling Basin Floodplain Wetlands Management Workshop*. MDBC, Canberra.
- Lloyd LN & Walker KF (1986) Distribution and conservation status of small freshwater fish in the River Murray, South Australia. *Transactions of the Royal Society of South Australia* 110(2), 49–57.
- Locky DA (2016) *Wetlands as keystone ecosystems: conservation cornerstones in dynamically-changing landscapes*. Abstract A-171, 15<sup>th</sup> International Peat Congress, 15-19 August 2016, Malaysia.
- LWRRDC (Land and Water Resources Research and Development Corporation) (1998) *Riparian Zones: What are they?* RipRap, LWRRDC Riparian Lands Management Newsletter. Issue 11, December 1998. Land and Water Resources Research and Development Corporation. Canberra.
- MacDonald J & Tonkin Z (2008) A review of the impact of eastern gambusia on native fishes of the Murray-Darling Basin. Arthur Rylah Institute for Environmental Research, Department of Sustainability and Environment, Heidelberg, Victoria.

- Macdonald JI, Tonkin ZD, Ramsey DSL, Kaus AK, King AK & Crook DA (2012) Do invasive eastern gambusia (*Gambusia holbrooki*) shape wetland fish assemblage structure in south-eastern Australia? *Marine and Freshwater Research* 63, 659–671.
- Mackay N (1990) Understanding the Murray, in N Mackay & D Eastburn (eds), *The Murray*. Murray Darling Basin Commission, Australia.
- Mackay N & Eastburn D (1990) *The Murray*. Murray Darling Basin Commission. Australia.
- Mac Nally R, Cunningham SC, Baker PJ, Horner GJ & Thomson JR (2011) Dynamics of Murray-Darling floodplain forests under multiple stressors: The past, present, and future of an Australian icon. *Water Resources Research* 47(12), 1–11. <https://doi.org/10.1029/2011WR010383>
- Macumber P (1990) Chapter 7: The Salinity Problem, in N Mackay & D Eastburn (eds), *The Murray*. Murray Darling Basin Commission, Australia.
- Madsen JD, Chambers PA, James WF, et al. (2001) The interaction between water movement, sediment dynamics and submersed macrophytes. *Hydrobiologia* 444, 71–84. <https://doi.org/10.1023/A:1017520800568>
- Maheshwari BL, Walker KF & McMahon (1995) Effects of regulation on the flow regime of the river Murray, Australia. *Regulated Rivers: Research and Management* 10, 15–38. <https://doi.org/10.1002/rrr.3450100103>
- Maier HR, Burch MD & Bormans M (2001) Flow management strategies to control blooms of the cyanobacterium, *Anabaena circinalis*, in the River Murray at Morgan, South Australia. *Regulated Rivers: Research and Management* 17(6), 637–650. <https://doi.org/10.1002/rrr.623>
- Mallen-Cooper M & Stuart IG (2003) Age, growth and non-flood recruitment of two potamodromous fishes in a large semi-arid/temperate river system. *River Research and Applications* 19, 697–719. <https://doi.org/10.1002/rra.714>
- Mallen-Cooper M & Zampatti BP (2018) History, hydrology and hydraulics: rethinking the ecological management of large rivers. *Ecohydrology* 11(5), e1965. <https://doi.org/10.1002/eco.1965>
- Mallen-Cooper M & Zampatti BP (2020) Restoring the ecological integrity of a dryland river: Why low flows in the Barwon–Darling River must flow. *Ecological Management and Restoration* 21(3), 218–228. <https://doi.org/10.1111/emr.12428>
- Mariani M, Holz A, Veblen TT, Williamson G, Fletcher MS & Bowman DM (2018) Climate change amplifications of climate-fire teleconnections in the Southern Hemisphere. *Geophysical Research Letters* 45, 5071–5081. <https://doi.org/10.1029/2018GL078294>
- Marshall IR, Brauer CJ, Wedderburn SD, Whiterod NS, Hammer MP, Barnes TC, Attard CR, Moller LM & Beheregaray LB (2021) Longitudinal monitoring of neutral and adaptive genomic diversity in a reintroduction. *Conservation Biology* 2022;e13889. <https://doi.org/10.1111/cobi.13889>
- Marsland K, Nicol J & McNeil D (2010) *Fish habitat in the Lower River Murray: an analysis of the nature, extent and the associated fish assemblages Final report*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Masigol H, Khodaparast SA, Woodhouse JN, et al. (2019) The contrasting roles of aquatic fungi and oomycetes in the degradation and transformation of polymeric organic matter. *Limnology & Oceanography* 64, 2662–2678. <https://doi.org/10.1002/lno.11242>



- Mason K & Turner R (2018) Chapter 3.8 Frogs of the Lower Lakes, Coorong and Murray Mouth, in L Mosley, Q Ye, S Shepherd, S Hemming and R Fitzpatrick (eds), *Natural history of the Coorong, Lower Lakes and Murray Mouth region (Yarluwar-Ruwe)*, Royal Society of South Australia, Adelaide. pp 416–421.
- McCarthy B (2005) *Distribution of Murray crayfish (Euastacus armatus) in the Mallee region 2004*. La Trobe, Melbourne.
- McCarthy B, Zukowski S, Whiterod N, Vilizzi L, Beesley L & King A (2014) Hypoxic blackwater event severely impacts Murray crayfish (*Euastacus armatus*) populations in the Murray River, Australia. *Austral Ecology* 39, 491–500. <https://doi.org/10.1111/aec.12109>
- McCormick R (2012) *The spiny crayfish of Australia. A guide to Australia's Euastacus freshwater crayfish*. CSIRO, Melbourne.
- McDonald MW, Brooker MIH & Butcher PA (2009) A taxonomic revision of *Eucalyptus camaldulensis* (Myrtaceae). *Australian Systematic Botany*, 22, 257–285. <https://doi.org/10.1071/SB09005>
- McGinness H, Arthur T & Davies M (2018) Flood regimes driving vegetation and bird community transitions in semi-arid floodplain woodlands. *Ecohydrology* 11(5), e1954. <https://doi.org/10.1002/eco.1954>
- McGinness HM, Arthur AD & Reid JRW (2010) Woodland bird declines in the Murray–Darling Basin: are there links with floodplain change? *The Rangeland Journal* 32(3), 315–327. <https://doi.org/10.1071/RJ10016>
- McKeon G (2006) Living in a variable climate. Paper prepared for the 2006 Australian State of the Environment Committee, Department of the Environment and Heritage, Canberra.
- McKinnon LJ (1995) Emersion of Murray Crayfish, *Euastacus armatus* (Decapoda: Parastacidae), from the Murray River due to post-flood water quality. *Proceedings of the Royal Society of Victoria* 107, 31–38.
- McMaster D & Bond N (2008) A field and experimental study on the tolerances of fish to *Eucalyptus camaldulensis* leachate and low dissolved oxygen concentration. *Marine and Freshwater Research* 59, 177–185. <https://doi.org/10.1071/MF07140>
- McNeil DG, Gehrig SL & Sharpe CP (2013) *Resistance and resilience of Murray-Darling Basin fishes to drought disturbance*. Final report to the Murray-Darling Basin Authority – Native Fish Strategy Project MD/1086 “Ecosystem resilience and the role of refugia for native fish communities and populations”. South Australian Research and Development Institute (Aquatic Sciences), Adelaide. SARDI Publication No. F2009/000406-1. SARDI Research Report Series No. 602.
- McNeil D & Hammer M (2007) *Biological review of the freshwater fishes of the Mount Lofty Ranges*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- McNeil D, Schmarr D & Mathwin R (2011) *Condition of freshwater fish communities in the Adelaide and Mount Lofty Ranges Management region*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- MDBA (Murray Darling Basin Authority) (1999) *River Murray Flood Mapping - 1956 flood boundary (Revised 2009)*. Commonwealth of Australia. <https://researchdata.edu.au/river-murray-flood-flood-boundary/2995087>
- MDBA (2008) *Keeping salt out of the Murray*.

- MDBA (2009) *Murray River System Drought Update June 2009*.
- MDBA (2010a) *Guide to the proposed Basin Plan: Overview*.
- MDBA (2010b) *Guide to the proposed Basin Plan: Technical Background Part I*.
- MDBA (2010c) *Guide to the proposed Basin Plan: Technical Background Part II*.
- MDBA (2011a) *Proposed Basin Plan - a draft for consultation*. November 2011.
- MDBA (2011b) *The Living Murray story—one of Australia's largest river restoration projects*.
- MDBA (2011c) *All about the barrages Fact Sheet*. Publication No. 24/11 5pp.
- MDBA (2019) *Climate Change and the Murray-Darling Basin Plan*. MDBA Discussion Paper. Publication 9/19.
- MDBA (2020) *Native fish recovery strategy: working together for the future of native fish*.  
<https://www.mdba.gov.au/sites/default/files/publications/native-fish-recovery-strategy-june-2020.pdf>
- MDBA (2023) *Basin Plan*. Accessed: January 2024. <https://www.mdba.gov.au/water-management/basin-plan>
- MDBC (Murray-Darling Basin Commission) (1990) *Riparian vegetation of the River Murray*. Report prepared by Margules & Partners Pty Ltd, P & J Smith Ecological Consultants, Department of Conservation Forests & Lands Victoria.
- MDBC (Murray-Darling Basin Commission) (2001) *Basin Salinity Management Strategy 2001-2015*.
- MDBC (2003a) *Environmental implications of drought for management of the River Murray system: Report of a workshop conducted by the Murray-Darling Basin Commission*.
- MDBC (2003b) *Preliminary Investigations into observed river red gum decline along the River Murray below Euston*. Department of Water, Land and Biodiversity Conservation, South Australia.
- MDBC (2004) *Native fish strategy for the Murray-Darling Basin 2003-2013*.
- MDBC (2005) *The Living Murray: Foundation report on the significant ecological assets targeted in the First Step Decision*.
- MDBC (2006a) *The River Murray Channel Icon Site Environmental Management Plan 2006-2007*.
- MDBC (2006b) *The Chowilla Floodplain and Lindsay-Wallpolla Islands Icon Site Environmental Management Plan 2006-2007*.
- MDBC (2006c) *The Lower Lakes, Coorong and Murray Mouth: Icon Site Environmental Management Plan 2006 - 2007*.
- MDBC (2008a) *The Living Murray: Icon Site Condition Report October 2008*.
- MDBC (2008b) *Murray-Darling Basin Rivers: Ecosystem Health Check, 2004 - 2007*. A summary report based on the Independent Sustainable Rivers Audit Group's SRA Report 1: A Report on the Ecological health of rivers in the Murray-Darling Basin, 2004-2007, submitted to the Murray-Darling Basin Ministerial Council in May 2008.
- MDBMC (Murray-Darling Basin Ministerial Council) (1987) *Salinity and drainage strategy: background paper 87/1*.

- MDBMC (1999) *The salinity audit of the Murray-Darling Basin: A 100 year perspective*.
- Meredith SN, Gawne B, Sharpe C, Whiterod N, Conallin A & Zukowski S (2002) *Dryland Floodplain Ecosystems: influence of flow pattern on fish production*. Technical Report 01/02. Murray-Darling Freshwater Research Centre, Mildura.
- Merrick JR & Midgley SH (1981) Spawning behaviour of the freshwater catfish *Tandanus tandanus* (Plotosidae). *Marine and Freshwater Research*, 32(6), 1003-1006. <https://doi.org/10.1071/MF9811003>
- Meyer JL (1990) A blackwater perspective on riverine ecosystems. *Bioscience* 40, 643–651. <https://doi.org/10.2307/1311431>
- Miles MW & Kirk JA (2005) SIMPACT – Salinity Modelling for Policy and Catchment Management in the Lower Murray-Darling Basin, in A Zerger & RM Argent (eds), *MODSIM 2005 International Congress on Modelling and Simulation*. Modelling and Simulation Society of Australia and New Zealand. pp. 170–176.
- Mills LS, Soulé ME & Doak DF (1993) The keystone-species concept in ecology and conservation: management and policy must explicitly consider the complexity of interactions in natural systems. *BioScience* 43(4), 219–224. <https://doi.org/10.2307/1312122>
- Milner VS, Yarnell SM & Peek RA (2019) The ecological importance of unregulated tributaries to macroinvertebrate diversity and community composition in a regulated river. *Hydrobiologia* 829, 291–305. <https://doi.org/10.1007/s10750-018-3840-4>
- Mitchell LH (1983) *Conservation assessment of remnant vegetation in the Mount Lofty Ranges, South Australia*. Master's Thesis, Canberra College of Advanced Education, Canberra.
- Moise D & Milne T (eds) (2010) *A Biological Survey of Permanent Water Sites within the South Australian Murray Darling Basin Rangelands*. Nature Conservation Society of South Australia, Adelaide.
- Morris K (2012) *Wetland connectivity: understanding the dispersal of organisms that occur in Victoria's wetlands*. Arthur Rylah Institute for Environmental Research Technical Report Series No. 225. Department of Sustainability and Environment, Heidelberg, Victoria.
- Morrongiello JR, Beatty SJ, Bennett JC, et al. (2011) Climate change and its implications for Australia's freshwater fish. *Marine and Freshwater Research* 62(9), 1082–1098. <https://doi.org/10.1071/MF10308>
- Mosley LM, Brookes J, Dittmann S, Huang L, Lam-Gordillo O, Priestley S, Simpson S, Welsh D & Waycott M (2022) *A scientific evaluation to inform nutrient removal options for the Coorong*. Goyder Institute for Water Research Technical Report Series No. 22/06.
- Mosley LM, Gibbs M & Zampatti B (2024) The past, present and future of the Coorong, Lower Lakes and Murray Mouth, in JC Radcliffe & TG Flapper (eds), *A thriving Murray-Darling Basin in 50 years: Actions in the face of climate change*, Australian Academy of Technological Sciences and Engineering, Canberra ACT.
- Mosley LM, Hamilton B, Busch B, Hipsey M & Taylor B (2017) *Assessment and modelling of the effects of the 2013-2016 Morella Basin releases on Coorong water quality*. Report to the Department of Environment, Water and Natural Resources. University of Adelaide, South Australia.

- Mosley LM & Leyden E (2023) *Coorong water quality responses to the 2022-2023 River Murray flood*. Report prepared for the Department for Environment and Water by the University of Adelaide.
- Mosley LM, Zammit B, Jolley AM & Barnett L (2014) Acidification of lake water due to drought. *Journal of Hydrology* 511, 484–493. <https://doi.org/10.1016/j.jhydrol.2014.02.001>
- Mosley LM, Zammit B, Leyden E, Heneker TM, Hipsey MR, Skinner D & Aldridge KT (2012) The Impact of Extreme Low Flows on the Water Quality of the Lower Murray River and Lakes (South Australia). *Water Resources Management* 26(13), 3923–3946. <https://doi.org/10.1007/s11269-012-0113-2>
- Mosley L, Ye Q, Shepherd S, Hemming S & Fitzpatrick R (eds) (2018) *Natural history of the Coorong, Lower Lakes, and Murray Mouth Region (Yarluwar-Ruwe)*. Royal Society of South Australia Inc. University of Adelaide Press.
- Mott R, Selwood KE & Wintle B (2020) *Threatened bird conservation in Murray-Darling Basin wetland and floodplain habitat: Final Report*. Threatened Species Recovery Hub, National Environmental Science Program.
- Mouquet N, Gravel D, Massol F & Calcagno V (2013) Extending the concept of keystone species to communities and ecosystems. *Ecology Letters* 16(1), 1–8. <https://doi.org/10.1111/ele.12014>
- Mussared D (1997) *Living on Floodplains*. Cooperative Research Centre for Freshwater Ecology for Murray-Darling Basin Commission.
- Musyl MK & Keenan CP (1996) Evidence for cryptic speciation in Australian freshwater eel-tailed catfish, *Tandanus tandanus* (Teleostei: Plotosidae). *Copeia* 3, 526–534. <https://doi.org/10.2307/1447516>
- Muyt A (2001) *Bush Invaders of South-East Australia: A guide to the identification and control of environmental weeds found in South-East Australia*. RJ and FJ Richardson, Meredith, Victoria.
- Nathan R & Lowe L (2012) The hydrologic impact of farm dams. *Australasian Journal of Water Resources* 16(1), 75–83. <https://doi.org/10.7158/13241583.2012.11465405>
- Nayar S & Loo MGK (2009) *Phytoplankton and phytobenthic productivity along a salinity gradient in the Coorong and Murray Mouth*. CSIRO: Water for a Healthy Country National Research Flagship and South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Neilson DL, Smith FJ, Hillman TJ & Shiel RJ (2000) Impact of water regime and fish predation on zooplankton resting egg production and emergence. *Journal of Plankton Research* 22, 433–446. <https://doi.org/10.1093/plankt/22.3.433>
- Neilson DL, Watson G & Petrie R (2005) Microfaunal communities in three lowland rivers under differing flow regimes. *Hydrobiologia* 543, 101–111. <https://doi.org/10.1007/s10750-004-6946-9>
- Nelson RL (2013) Groundwater, rivers and ecosystems: comparative insights into law and policy for making the links. *Australian Environment Review* (June), 558–566. Accessed: 22 August 2024, from Submission DR109 - Attachment 2. National Water Reform - Public inquiry. [https://www.pc.gov.au/data/assets/pdf\\_file/0019/222652/subdr109-water-reform-attachment2.pdf](https://www.pc.gov.au/data/assets/pdf_file/0019/222652/subdr109-water-reform-attachment2.pdf)
- Newall PR, Lloyd LN, Gell PA & Walker KF (2009) *Riverland Ramsar Site Ecological Character Description*. Department for Environment and Heritage, South Australia.

- Newton G (2012) Buffer zones for aquatic biodiversity conservation. *Australasian Plant Conservation* 21(2), 18–22.
- Newton GM (2009) Australia's environmental climate change challenge: overview with reference to water resources. *Australasian Journal of Environmental Management* 16, 130–139.  
<https://doi.org/10.1080/14486563.2009.9725229>
- Newton GM & Mitchell BD (1999) Egg dormancy in the Australian estuarine-endemic copepods *Gippslandia estuarina* and *Sulcanus conflictus*, with reference to dormancy of other estuarine fauna. *Marine and Freshwater Research* 50(5), 441–449.
- Ngarrindjeri Tendi, Ngarrindjeri Heritage Committee, Ngarrindjeri Native Title Management Committee (2007) *Ngarrindjeri Nation Yarlwar-Ruwe Plan: Caring for Ngarrindjeri Sea Country and Culture*. Ngarrindjeri Land and Progress Association Camp Coorong, Meningie, South Australia.
- Nias D (2002) *The Darling Anabranch Management Plan: A Proposal for the future of the Darling Anabranch*. The Great Anabranch of the Darling Water Trust, Wentworth.
- Nicholls N (2008) *Australian climate and weather extremes: past, present and future*. Department of Climate Change, Canberra.
- Nicol J (2005) *The ecology of Ruppia spp. in South Australia with reference to the Coorong*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide, 44pp. SARDI Aquatic Sciences Publication Number RD04/0247-2.
- Nicol J (2007a) *Current ecological knowledge of the flora of coastal lagoon estuary systems in south-eastern Australia. A literature review*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Nicol J (2007b) *Impact of barrage releases on the population dynamics of Ruppia megacarpa in the Murray estuary and North Lagoon of the Coorong. Progress Report 2006/07*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Nicol J (2007c) *Risk of pest plant recruitment as a result of the operations of Chowilla environment regulator*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Nicol J (2012) Understory vegetation monitoring of Chowilla environmental watering sites 2008–2012. South Australian Research and Development Institute (Aquatic Sciences), Adelaide. SARDI Publication No. SARDI Research Report Series No. 654.
- Nicol JM, Gehrig SL, Ganf GG & Paton DC (2018) Chapter 3.2 Aquatic and Littoral Vegetation, in L Mosely, Q Ye, SA Shepard, S Hemming & R Fitzpatrick, *Natural History of the Coorong, Lower Lakes and Murray Mouth region (Yarlwar-Ruwe)*. Royal Society of South Australia, Adelaide. pp. 292–316.
- Nicol JM, Frahn KA, Fredberg J, Gehrig SL, Marsland KB & Weedon JT (2020) *Chowilla Icon Site – Floodplain vegetation monitoring 2019 Interim Report*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide. SARDI publication No. F2010/000279-10. SARDI Research Report Series No. 1054.
- Nicol JM, Frahn KA, Fredberg J, Gehrig SL, Marsland KB & Weedon JT (2023) *Chowilla Icon Site – Floodplain vegetation monitoring 2022 Interim Report*. South Australian Research and Development Institute (Aquatic & Livestock Sciences), Adelaide. SARDI publication No. F2010/000279-13. SARDI Research Report Series No. 1170.



- Nicol JM, Frahn KA, Gehrig S L & Marsland KB (2017) *Lower Lakes Vegetation Condition Monitoring – 2016-17*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide. SARDI Publication No. F2009/000370-8. SARDI Research Report Series No. 953.
- Nicol JM, Frahn KA, Gehrig SL & Marsland KB (2019) *Lower Lakes Vegetation Condition Monitoring – 2018-19*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide. SARDI Publication No. F2009/000370-10. SARDI Research Report Series No. 1030.
- Nicol JM, Frahn KA, Gehrig SL & Marsland KB (2021) *Lower Lakes Vegetation Condition Monitoring 2020-21*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide. SARDI Publication No. F2009/000370-12. SARDI Research Report Series No. 1108.
- Nielsen DI, Brock MA, Crossle K, Harris K, Healey M & Jarosinski I (2003) The effects of salinity on aquatic plant germination and zooplankton hatching from two wetland sediments. *Freshwater Biology* 48(7), 2214–2223. <https://doi.org/10.1046/j.1365-2427.2003.01146.x>
- Nixon SW (1995) Coastal marine eutrophication: a definition, social causes and future concerns. *Ophelia* 41, 199–219. <https://doi.org/10.1080/00785236.1995.10422044>
- NMCRT (National Murray Cod Recovery Team) (2010) *National recovery plan for the Murray cod Maccullochella peelii peelii*. Department of Sustainability and Environment, Melbourne.
- Nobel M & Fulton C (2016) Habitat specialisation and sensitivity to change in a threatened crayfish occupying upland streams. *Aquatic Conservation: Marine and Freshwater Ecosystems* 27(1), 90–102. <https://doi.org/10.1002/aqc.2620>
- Nock CJ, Elphinstone MS, Roland SJ & Baverstock PR (2010) Phylogenetics and revised taxonomy of the Australian freshwater cod genus, *Maccullochella* (Percichthyidae). *Marine and Freshwater Research* 61, 980–991. <https://doi.org/10.1071/MF09145>
- Noell CJ, Ye Q, Short D, Bucater L & Wellman NR (2009) *Fish assemblages of the Murray Mouth and Coorong region, South Australia, during an extended drought period*. CSIRO Water for a Healthy Country National Research Flagship and South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Norris RH, Liston P, Davies N, Coysh J, Dyer F, Linke S, Prosser I & Young B (2001) *Snapshot of the Murray-Darling Basin River Condition*. CSIRO Land and Water, Adelaide.
- Noye J (ed) (1975) *The Coorong*, 2<sup>nd</sup> edition, Publication 39, Department of Adult Education, University of Adelaide, Adelaide.
- NRM SA (Natural Resource Management South Australia) (undated) *Aquatic weeds of South Australia*. Government of South Australia. Accessed: 15 August 2024. [https://pir.sa.gov.au/\\_data/assets/pdf\\_file/0019/137008/nrmbu\\_Aquatic\\_weeds\\_in\\_SA\\_broch\\_final.pdf](https://pir.sa.gov.au/_data/assets/pdf_file/0019/137008/nrmbu_Aquatic_weeds_in_SA_broch_final.pdf)
- NSW (New South Wales) Fisheries Department (1903) *Murray cod fisheries*. NSW Fisheries Department Printers, Sydney.
- Nuttall WK (1997) Measurement of wetland hydroperiod using harmonic analysis. *Wetlands* 17, 82–89. <https://doi.org/10.1007/BF03160720>
- O’Connell M, Baldwin D S, Robertson AI, Rees G (2000) Release and bioavailability of dissolved organic matter from floodplain litter: influence of origin and oxygen levels. *Freshwater Biology* 45, 333–342.

- O'Malley C & Sheldon F (1990) *Chowilla Floodplain Biological Study*. Nature Conservation Society SA (NCSSA), South Australia.
- O'Neill G (2008) *Living today with a future climate*. South Eastern Australian Climate Initiative, Murray-Darling Basin Commission, Canberra.
- Ocock JF, Bino G, Wassens S, Spencer J, Thomas R. F & Kingsford R (2018) Identifying critical habitat for Australian freshwater turtles in a large regulated floodplain: Implications for environmental water management. *Environmental Management* 61(3), 375–389.  
<https://doi.org/10.1007/s00267-017-0837-0>
- Ohlmeyer RG (1991) *Report on implications of manipulating water levels in the River Murray between Lock 1 and 10*. Report prepared for the South Australian River Murray Wetlands Management Program. Murray-Darling Basin Natural Resources Management Program. Engineering and Water Supply Department, Adelaide.
- OPC (Office of Parliamentary Counsel) (2018) *Basin Plan 2012*. Compilation No. 6, 3 July 2018. Office of Parliamentary Counsel, Canberra.
- Overton IC & Doody TM (2007) *Flooding Frequency and Vegetation Health Relationships for Environmental Flows in the River Murray in Victoria*. CSIRO Water for a Healthy Country Report prepared for the Victorian Environmental Assessment Council, Canberra.
- Overton IC, Coff B, Mollison D, Barling R, Fels K & Boyd A (2018) Black Box Management Framework: A Framework for Managing Floodplain and Wetland Black Box Eucalypts in the Murray-Darling Basin. Prepared by Jacobs Group (Australia) Pty Ltd for the Commonwealth Environmental Water Office, Department of the Environment and Energy.
- Overton IC, Jolly ID, Slavich PG, Lewis MM & Walker GR (2006) Modelling vegetation health from the interaction of saline groundwater and flooding on the Chowilla floodplain, South Australia. *Australian Journal of Botany* 54, 207–220. <http://dx.doi.org/10.1071/bt05020>
- Overton IC, Rutherford JC & Jolly ID (2005) *Flood extent, groundwater recharge and vegetation response from the operation of a potential weir in Chowilla Creek, South Australia*. CSIRO Land and Water Client Report to Department of Water, Land and Biodiversity Conservation.
- Pahor S & Newton G (2013) Understanding blackwater events in rivers. *Australian Plant Conservation* 22(2):18-19.
- Paine RT (1966) Food web complexity and species diversity. *The American Naturalist* 100, 65–75.
- Paine RT (1969) A note on trophic complexity and community stability. *The American Naturalist* 103, 91–93.
- Park C (2007) *A Dictionary of Environment and Conservation*. Oxford University Press, Oxford, UK.
- Parkin T, Rowley JLL, Elliot-Tate J, Mahony M, Sumner J, Melville J & Donnellan SC (2024) Systematic assessment of the brown tree frog (Anura: Pelodyadidae: *Litoria ewingii*) reveals two endemic species in South Australia. *Zootaxa* 5406(1), 1–36. <https://doi.org/10.11646/zootaxa.5406.1.1>
- Paseka RE, Bratt AR, MacNeill KL, Burian A & See CR (2019) Elemental Ratios Link Environmental Change and Human Health. *Frontiers in Ecology and Evolution* 7, e378.  
<https://doi.org/10.3389/fevo.2019.00378>

- Passfield RA, Simmons CT & Doble R (2008) *Do artificial wetting and drying cycles for lower Murray wetlands prevent salt accumulation?* Proceedings, 2<sup>nd</sup> International Salinity Forum: Global issues, local action. 30 March–3 April, Adelaide, South Australia. Accessed: 8 November 2011. [http://www.internationalsalinityforum.org/Final%20Papers/passfield\\_B7.pdf](http://www.internationalsalinityforum.org/Final%20Papers/passfield_B7.pdf)
- Paton DC (2010) *The End of the Line: The Coorong and Lower Lakes*. Australian Theological Forum Ltd. Hindmarsh, South Australia.
- Paton DC, Paton FL & Bailey CP (2015) *Ecological Character Description for Ruppia tuberosa in the Coorong*. University of Adelaide.
- Paton DC & Bailey (2011a) *Condition monitoring of the Lower lakes, Coorong and Murray Mouth Icon site: Waterbirds using the Lower Lakes in 2011*. University of Adelaide, Adelaide.
- Paton DC & Bailey CP (2011b) *Condition monitoring of the Lower lakes, Coorong and Murray Mouth Icon site: Waterbirds using the Coorong and Murray Estuary 2011*. University of Adelaide, Adelaide.
- Paton DC & Bailey CP (2012a) *Annual monitoring of Ruppia tuberosa in the Coorong region of South Australia, July 2011*. University of Adelaide, Adelaide.
- Paton DC & Bailey CP (2012b) *Condition monitoring of the Lower lakes, Coorong and Murray Mouth Icon site: Waterbirds using the Coorong and Murray Estuary 2012*. University of Adelaide, Adelaide.
- Paton DC, Paton FL & Bailey CP (2018) Chapter 3.7 Waterbirds of the Coorong, Lower Lakes and Murray Mouth, in L Mosely, Q Ye, SA Shepard, S Hemming & R Fitzpatrick, *Natural History of the Coorong, Lower Lakes and Murray Mouth region (Yarluwar-Ruwe)*. Royal Society of South Australia, Adelaide. pp. 400–415.
- Paton DC, Rogers DJ, Cale P, Willoughby N & Gates JA (2009a) Chapter 14: Birds, in JT Jennings (ed), *Natural History of the Riverland and Murraylands*. Occasional Publications of the Royal Society of South Australia Inc, University of Adelaide, Adelaide.
- Paton DC, Rogers DJ, Hill BM, Bailey CP & Ziembicki M (2009b) Temporal changes to spatially stratified waterbird communities of the Coorong, South Australia: implications for the management of heterogenous wetlands. *Animal Conservation* 12(4), 1–10. <https://doi.org/10.1111/j.1469-1795.2009.00264.x>
- Paul WL, Cook RA, Suter PJ, Clarke KR, Shackleton ME, McInerney PJ & Hawking JH (2018) Long-term monitoring of macroinvertebrate communities over 2,300 km of the Murray River reveals ecological signs of salinity mitigation against a backdrop of climate variability. *Water Resources Research*, 54, 7004–7028. <https://doi.org/10.1029/2018WR022976>
- Peduzzi P & Luef B (2008) Viruses, bacteria and suspended particles in a backwater and main channel site of the Danube (Austria). *Aquatic Sciences* 70(2), 186–194. <https://doi.org/10.1007/s00027-008-8068-3>
- Peterson, T J, Saft M, Peel M, & John A (2021) Watersheds may not recover from drought. *Science* 372(6543), 745–749. <https://doi.org/10.1126/science.abd5085>
- Phillips W & Muller K (2006) *Ecological Character of the Coorong, lakes Alexandrina and Albert Wetland of International importance*. South Australian Department for Environment and Heritage, Adelaide.

- Ponder WF, Hallan A, Shea ME, Clark SA, Richards K, Klunzinger MW & Kessner V (2023) *Australian Freshwater Molluscs: The snails and bivalves of Australian inland waters*.  
[https://keys.lucidcentral.org/keys/v3/freshwater\\_molluscs/](https://keys.lucidcentral.org/keys/v3/freshwater_molluscs/)
- Ponder WF & Walker KF (2003) From mound springs to mighty rivers: The conservation status of freshwater molluscs in Australia. *Aquatic Ecosystem Health and Management* 6(1), 1–11.  
<https://doi.org/10.1080/14634980301482>
- Porter J, Kingsford R, Francis R & Brandis K (2020) *Aerial Survey of Wetland Birds in Eastern Australia – October 2020 Annual Summary Report*. Sydney.
- Pratchett MS, Bay LK, Gehrke PC, Koehn JD, Osborne K, Pressey RL, Sweatman HPA & Wachenfeld D (2011) Contribution of climate change to degradation and loss of critical fish habitats in Australian marine and freshwater environments. *Marine and Freshwater Research* 62, 1062–1081. <https://doi.org/10.1071/MF10303>
- Pressey B (1990) Chapter 10: Wetlands, in N Mackay & D Eastburn (eds), *The Murray*. Murray Darling Basin Commission, Australia.
- Pressey RL (1986) *Wetlands of the River Murray. RMC Environmental Report 86/1*. River Murray Commission, Canberra.
- Prosser I, Wolf L & Littleboy A (2011) Chapter 10. Water in mining and industry, in I Prosser (ed) *Water*. CSIRO Science and Solutions for Australia.
- Prosser IP, Chiew FHS and Smith MS (2021) Adapting water management of climate change in the Murray-Darling Basin, Australia. *Water* 13(18), 2504.
- Puckeridge JT, Sheldon F, Walker KF & Boulton AJ (1998) Flow variability and the ecology of large rivers. *Marine and Freshwater Research* 49, 55–72. <http://dx.doi.org/10.1071/mf94161>
- Puckridge JT, Walker KF, Langdon JS, Daley C & Beakes GW (1989) Mycotic dermatitis in a freshwater gizzard shad, the bony bream, *Nematalosa erebi* (Günther), in the River Murray, South Australia. *Journal of Fish Diseases* 12, 205–221. <https://doi.org/10.1111/j.1365-2761.1989.tb00305.x>
- Pyke GH (2008) Plague Minnow or Mosquito Fish? A review of the biology and impacts of introduced *Gambusia* species. *Annual Review of Ecology, Evolution, and Systematics* 39, 171–191. doi: 10.1146/annurev.ecolsys.39.110707.173451.
- Qualls RG & Haines BL (1992) Biodegradability of dissolved organic matter in forest throughfall, soil solution, and stream water. *Soil Science Society of America Journal* 56, 578–586.  
<https://doi.org/10.2136/sssaj1992.03615995005600020038x>
- Ramy TL & Richardson JS (2017) Terrestrial invertebrates in the riparian zone: mechanisms underlying their unique diversity. *BioScience* 67, 808–819.  
<https://doi.org/10.1093/biosci/bix078>
- Reese EG & Batzer DP (2007) Do invertebrate communities in floodplains change predictably along a river's length? *Freshwater Biology* 52(2), 226–239. <https://doi.org/10.1111/j.1365-2427.2006.01678.x>
- Reeves JM, Haynes D, García A & Gell PA (2015) Hydrological Change in the Coorong Estuary, Australia, Past and Present: Evidence from Fossil Invertebrate and Algal Assemblages. *Estuaries and Coasts* 38(6), 2101–2116. <https://doi.org/10.1007/s12237-014-9920-4>

- Reid DJ, Lake PS, Quinn GP & Reich P (2008) Association of reduced riparian vegetation cover in agricultural landscapes with coarse detritus dynamics in lowland streams. *Marine and Freshwater Research* 59, 998–1014. <https://doi.org/10.1071/MF08012>
- Reinfelds IV, Walsh, CT, van der Meulen DE, Growns IO & Gray CA (2013) Magnitude, frequency and duration of instream flows to stimulate and facilitate catadromous fish migrations: Australian Bass (*Macquaria novemaculeata* Perciformes, Percichthyidae). *River Research & Applications* 29, 512–527. <https://doi.org/10.1002/rra.1611>
- Resetarits EJ, Cathey SE & Leibold MA (2017) Testing the keystone community concept: effects of landscape, patch removal, and environment on metacommunity structure. *Ecology* 99(1), 1–11. <https://doi.org/10.1002/ecy.2041>
- Reynolds CS (1984) *The Ecology of Freshwater Phytoplankton*. Cambridge University Press, Cambridge, UK.
- Reynolds CS (1987) Cyanobacterial water blooms, in J Callow (ed), *Advances in Botanical Research*, Academic Press, London. pp. 67–143.
- Reynolds JD, Dulvy NK & Roberts CM (2002) Exploitation and other threats of fish conservation, in PJB Hard & JD Reynolds (eds), *Handbook of Fish Biology and Fisheries Vol. 2 Fisheries*. Blackwell Publishing, Melbourne. pp. 319–341.
- Reynolds LF (1983) Migration patterns of five fish species in the Murray-Darling river system. *Marine & Freshwater Research* 34(6), 857–871. <https://doi.org/10.1071/MF9830857>
- Rhodes JO (1999) *Heads and Tales: Recollections of a Fisheries and Wildlife Officer*. The Australian Deer Research Foundation Ltd. Croydon, Victoria.
- Rice SP, Kiffney P, Greene C & Pess GR (2008) Chapter 11 The ecological importance of tributaries and confluences, in SP Rice, AG Roy & BL Rhoads (eds), *River Confluences, Tributaries and the Fluvial Network*. John Wiley & Sons, USA.
- Richardson D, Black AS, Monselesan DP, Risbey JS, Squire DT, Tozer CR & Canadell JG (2021) Increased extreme fire weather occurrence in southeast Australia and related atmospheric drivers. *Weather and Climate Extremes* 34, e100397. <https://doi.org/10.1016/j.wace.2021.100397>
- Roberts A, Westell C, Wilson C, Langley M, River Murray and Mallee Aboriginal Corporation & Ngarrindjeri Aboriginal Corporation (2021) Aboriginal serrated and perforated artefacts from the Murray River, South Australia. *Archaeology in Oceania* 57(1), 16–27. <https://doi.org/10.1002/arco.5250>
- Roberts J, Chick A, Oswald L & Thompson P (1995) Effect of carp, *Cyprinus carpio* L, an exotic benthivorous fish, on aquatic plants and water quality in experimental ponds. *Marine and Freshwater Research* 46, 1171–1180. <https://doi.org/10.1071/MF9951171>
- Roberts J & Marston F (2011) *Water regime for wetland and floodplain plants: a source book for the Murray–Darling Basin*, National Water Commission, Canberra.
- Robertson AI, Bacon P & Heagney G (2001) The responses of floodplain primary production to flood frequency and timing. *Journal of Applied Ecology* 38, 126–136. <https://doi.org/10.1046/j.1365-2664.2001.00568.x>



- Robertson AI, Bunn SE, Boon PI & Walker KF (1999) Sources, sinks and transformations of organic carbon in Australian Floodplain rivers. *Marine and Freshwater Research*, 50, 813–830. <https://doi.org/10.1071/MF99112>
- Robertson AI & Rowling RW (2000) Effects of livestock on riparian zone vegetation in an Australian dryland river. *Regulated Rivers Research & Management* 16, 527–541.
- Robinson AC, Lang PJ, Croft TS, Smith FM, Graham AR & Markous X (2009) Chapter 9: Flora and Vegetation, in JT Jennings (ed), *Natural History of the Riverland and Murraylands*. Occasional Publications of the Royal Society of South Australia Inc., University of Adelaide.
- Robinson S, Nay T, Gervais C, Mason K & Kriesl A (2021) *Delivering a targeted e-water regime to support a higher level of Southern Bell Frog (Litoria raniformis) recruitment in Temporary Wetlands Riverland, SA 2020/21, Final Report*. Murraylands and Riverland Landscape Board, Berri, South Australia.
- Robinson W, Koehn J & Lintermans M (2024) Contemporary Trends in the Spatial Extent of Common Riverine Fish Species in Australia's Murray–Darling Basin. *Fishes* 9, 221. <https://doi.org/10.3390/fishes9060221>
- Robson B, Chester ET, Mitchell BD & Matthews TG (2008) *Identification and management of refuges for aquatic organisms*. National Water Commission, Canberra.
- Rogers DJ & Paton DC (2009a) *Changes in the distribution and abundance of Ruppia tuberosa in the Coorong*. CSIRO: Water for a Healthy Country National Research Flagship, Canberra.
- Rogers DJ & Paton DC (2009b) *Spatiotemporal variation in the waterbird communities of the Coorong*. CSIRO: Water for a Healthy Country National Research Flagship, Canberra.
- Rogers K & Ralph TJ (2011) *Floodplain wetland biota in the Murray-Darling Basin: Water and Habitat Requirements*. CSIRO, Collingwood, Victoria.
- Rojas R, Fu G, & González D (2022) *Groundwater level trends and aquifer prioritisation in the Murray-Darling Basin*. MD-WERP Deliverable T2.8b2, CSIRO, Australia.
- Rolston A & Dittmann S (2009) *The distribution and abundance of macrobenthic invertebrates in the Murray Mouth and Coorong lagoons 2006 - 2008*. CSIRO: Water for a Healthy Country National Research Flagship, Canberra.
- Ross A, Evans R & Nelson R (2022) Risks related to groundwater in the Murray-Darling Basin. *Australasian Journal of Water Resources* 27(1), 31–46. <https://doi.org/10.1080/13241583.2022.2140904>.
- Ross A & Williams J (2024) Surface water and groundwater connectivity in the Murray-Darling Basin: integrated management of connected resources, in JC Radcliffe & TG Flapper (eds), *A thriving Murray-Darling Basin in 50 years: Actions in the face of climate change*, Australian Academy of Technological Sciences and Engineering, Canberra ACT.
- Rourke M & Gilligan D (2010) *Population genetic structure of freshwater catfish (Tandanus tandanus) in the Murray-Darling Basin and coastal catchments of New South Wales: Implications for future re-stocking programs*. Industry & Investment NSW, Narrandera, NSW.
- Rowland SJ (1989) Aspects of the history and fishery of the Murray cod, *Maccullochella peelii* (Mitchell) (Percichthyidae). *Proceedings of the Linnaean Society of New South Wales* 111, 201–213.

- Rowland SJ (2005) Overview of the history, fishery, biology and aquaculture of Murray cod (*Maccullochella peelii peelii*), in M Lintermans & B Phillips (eds), *Management of Murray cod in the Murray-Darling Basin: Statement, recommendations and supporting papers. Proceedings of a workshop held in Canberra, 3-4 June 2004*. Murray-Darling Basin Commission and Cooperative Research Centre for Freshwater Ecology, Canberra. pp. 38–61.
- Rowland SJ & Ingram BA (1991) Diseases of Australian native freshwater fishes with particular emphasis on the ectoparasitic and fungal diseases of Murray cod (*Maccullochella peelii*), golden perch (*Macquaria ambigua*) and silver perch (*Bidyanus bidyanus*). *NSW Fisheries Fisheries Bulletin* 4, 1–33.
- Russell J & Newton G (2020) *Murray-Darling Basin Climate Context 2012 – 2020: A report to inform the 2020 Evaluation of the Basin Plan*. Murray-Darling Basin Authority, Canberra.
- Rutherford I (1990) Chapter 2: Ancient River Young Nation, in N Mackay & D Eastburn (eds), *The Murray*. Murray Darling Basin Commission, Australia.
- Ryan A, Colloff MJ & Pittock J (2021) Flow to nowhere: the disconnect between environmental watering and the conservation of threatened species in the Murray–Darling Basin, Australia. *Marine and Freshwater Research* 72, 1408–1429. <https://doi.org/10.1071/MF21057>
- Saccò M, Blyth AJ, Douglas G, et al. (2022) Stygofaunal diversity and ecological sustainability of coastal groundwater ecosystems in a changing climate: The Australian paradigm. *Freshwater Biology* 67, 2007–2023. <https://doi.org/10.1111/fwb.13987>
- Saccò M, Mammola S, Altermatt F, et al. (2023) Groundwater is a hidden global keystone ecosystem. *Global Change Biology* 2023;30:e17066. <https://doi.org/10.1111/gcb.17066>
- Saddler A, Koehn JD & Hammer MP (2013) Let's not forget the small fishes—conservation of two threatened species of pygmy perch in south-eastern Australia. *Marine and Freshwater Research* 64, 874–886. <http://dx.doi.org/10.1071/MF12260>
- Sainty G & Jacobs S (1990) Chapter 17: Waterplants, in N Mackay & D Eastburn (eds), *The Murray*. Murray Darling Basin Commission, Australia.
- SAMDBNRM Board (South Australian Murray-Darling Basin Natural Resources Management Board) (2009) *Water Allocation Plan for the River Murray prescribed Watercourse*. Government of South Australia, Adelaide.
- SAMDBNRM Board (2010a) *Draft Water Allocation Plan for the Eastern Mount Lofty Ranges Prescribed Water Resources Area. Working Draft as at April 2010*. Government of South Australia, Adelaide.
- SAMDBNRM Board (2010b) *Draft Water Allocation Plan for the Marne Saunders Prescribed Water Resources Area*. Government of South Australia, Adelaide.
- Sarowar MN, Van den Berg AH, McLaggan D, Young, MR & Van West P (2013) Saprolegnia strains isolated from river insects and amphipods are broad spectrum pathogens. *Fungal Biology* (2013) 752–763. <http://dx.doi.org/10.1016/j.funbio.2013.09.002>
- Sasaki M, Hammer MP, Unmack PJ, Adams M & Beheregaray LB (2016) Population genetics of a widely distributed small freshwater fish with varying conservation concerns: the southern purple-spotted gudgeon, *Mogurnda adspersa*. *Conservation Genetics* 17, 875–889. <https://doi.org/10.1007/s10592-016-0829-2>

- Scanes E, Scanes PR & Ross PM (2020) Climate change rapidly warms and acidifies Australian estuaries. *Nature Communications* 11, 1803. <https://doi.org/10.1038/s41467-020-15550-z>
- Schapira M, Buscot MJ, Pollet T, Leterme SC, Pollet T, Chapperon C & Seuront L (2009) Distribution of heterotrophic bacteria and virus-like particles along a salinity gradient in a hypersaline coastal lagoon. *Aquatic Microbial Ecology* 54(2), 171–183. <https://doi.org/10.3354/ame01262>
- Schilling HT, Butler GL, Cheshire KJM, Gilligan DM, Stocks JR, Thiem JD & Crook DA (2024) Contribution of invasive carp (*Cyprinus carpio*) to fish biomass in rivers of the Murray–Darling Basin, Australia. *Biological Invasions*. <https://doi.org/10.1007/s10530-024-03362-x>
- Schulze DJ & Walker K F (1997) Riparian eucalypts and willows and their significance for aquatic invertebrates in the River Murray. *Regulated Rivers: Research and Management* 13, 557–577. [https://doi.org/10.1002/\(SICI\)1099-1646\(199711/12\)13:6<557::AID-RRR485>3.0.CO;2-Q](https://doi.org/10.1002/(SICI)1099-1646(199711/12)13:6<557::AID-RRR485>3.0.CO;2-Q)
- Schwerdtfeger P & Grace W (2009) Chapter 5: Climate, in JT Jennings (ed), *Natural History of the Riverland and Murraylands*. Occasional Publications of the Royal Society of South Australia Inc, University of Adelaide, Adelaide.
- Scientific Reference Panel (2003) *Ecological Assessment of Environmental Flow Reference Points for the River Murray System. Interim Report*. Cooperative Research Centre for Freshwater Ecology, Canberra.
- Scott A (1997) *Relationships between waterbird ecology and river flows in the Murray-Darling Basin*. CSIRO Land and Water, Canberra.
- Scott AC (2001) Chapter 6.4: Other riverine animals, in WJ Young (ed), *Rivers as Ecological Systems: the Murray-Darling Basin*. Murray-Darling Basin Commission, Canberra.
- Scott S, Jones JT, Margetts C, Regan SG & Kirby S (2022) De Vis' banded snake, *Denisonia devisi* (Squamata: Elapidae): an addition to the elapid fauna of South Australia with notes on its ecology and conservation. *Herpetological Conservation and Biology* 17(2), 362–369.
- SEACI (South Eastern Australian Climate Initiative) (2011) *The Millennium Drought and 2010/11 Floods*. Factsheet 2 of 4. CSIRO. Accessed: 4 December 2012. [http://www.seaci.org/publications/documents/SEACI-2Reports/SEACI2\\_Factsheet2of4\\_WEB\\_110714.pdf](http://www.seaci.org/publications/documents/SEACI-2Reports/SEACI2_Factsheet2of4_WEB_110714.pdf)
- Selwood KE, Clarke RH, Cunningham SC, Lada H, McGeoch MA & Mac Nally R (2015) A bust but no boom: responses of floodplain bird assemblages during and after prolonged drought. *Journal of Animal Ecology* 84(6), 1700–1710. <https://doi.org/10.1111/1365-2656.12424>
- Shaffron M, Croome R & Rolls J (1990) Chapter 9: Water Quality, in N Mackay & D Eastburn (eds), *The Murray*. Murray Darling Basin Commission, Australia.
- Sheldon F & Lloyd L (1990) Physical limnology and aquatic habitats, in C O'Malley & F Sheldon (eds), *Chowilla Floodplain Biological Study*. Nature Conservation Society South Australia, Adelaide. pp. 119–136.
- Sheldon F, McCasker N, Hobbs M, Humphries P, Jones H, Klunzinger M & Kennard M (2020) *Habitat and flow requirements of freshwater mussels in the northern Murray-Darling Basin*. Report to the Commonwealth Environmental Water Office. Australian Rivers Institute, Griffith University and Institute of Land, Water and Society, Charles Sturt University.

- Sheldon F & Walker KF (1993) Short Communication. Pipelines as a refuge for freshwater snails. *Regulated Rivers: Research and Management* 8, 295–299. <https://doi.org/10.1002/rrr.3450080308>
- Sheldon F & Walker KF (1997) Changes in biofilms induced by flow regulation could explain extinctions of aquatic snails in the Lower River Murray, Australia. *Hydrobiologia* 347, 97–108. <https://doi.org/10.1023/A:1003019302094>
- Sheldon F & Walker KF (1998) Spatial distribution of littoral invertebrates in the Lower Murray-Darling River system, Australia. *Marine and Freshwater Research* 49, 171–182. <https://doi.org/10.1071/MF96062>
- Shiel RJ (1990) Chapter 18: Zooplankton, in N Mackay & D Eastburn (eds), *The Murray*. Murray Darling Basin Commission, Australia.
- Shiel RJ & Aldridge KT (2011) *The response of zooplankton communities in the North lagoon of the Coorong and Murray Mouth to barrage releases from the Lower Lakes, November 2010 - April 2011*. Department of Environment and Natural Resources and Department for Water, Adelaide.
- Shiel RJ, Green JD & Nielson DL (1998) Floodplain biodiversity: Why are there so many species? *Hydrobiologia* 378/388: 39–46. <https://doi.org/10.1023/A:1017056802001>
- Shiel RJ & Tan L (2013) *Zooplankton response monitoring: Lower Lakes, Coorong and Murray Mouth September 2012 – March 2013*. Report prepared for the Department of Environment, Water and Natural Resources, the Government of South Australia.
- Shiel RJ, Walker KF & Williams WD (1982) Plankton of the lower River Murray, South Australia. *Marine and Freshwater Research* 33, 301–327. <https://doi.org/10.1071/MF9820301>
- Sim T & Muller K (2004) *A fresh history of the Lakes: Wellington to the Murray Mouth, 1800s to 1935*. River Murray Catchment Water Management Board, Strathalbyn, South Australia.
- Slavich PG (1997) *Modelling groundwater use, salt accumulation and vegetation growth in areas with shallow saline water tables*. PhD Thesis, Flinders University of South Australia, Adelaide.
- Sloan S (2005) *Management Plan for the South Australian Lakes and Coorong Fishery. The South Australian Fisheries Management Series. Paper No. 44*. Primary Industries and Resources South Australia, Adelaide.
- Small K, Kopf RK, Watts RJ & Howitt J (2014) Hypoxia, Blackwater and Fish Kills: Experimental lethal oxygen thresholds in juvenile predatory lowland river fishes. *PLoS ONE* 9(4), e94524. <https://doi.org/10.1371/journal.pone.0094524>
- Smith BB, Conallin A & Vilizzi L (2009) Regional patterns in the distribution, diversity and relative abundance of wetland fishes of the River Murray, South Australia. *Transactions of the Royal Society of South Australia*, 133(2), 339–360.
- Smith BB & Hammer M (2006) *Mapping the current distribution of native and exotic freshwater fish within the South Australian Murray-Darling Basin*. Final Report to PIRSA Rural Solutions, prepared by the South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Smith F & Kenny S (2005) *Floristic vegetation and tree health mapping, River Murray floodplain, South Australia. Internal Report*. SA Department for Environment and Heritage, Adelaide. Internal Report.

- Smith P & Smith J (1990) Chapter 13: Floodplain Vegetation, in N Mackay & D Eastburn (eds), *The Murray*. Murray Darling Basin Commission, Australia.
- Smith P & Smith J (2014) Floodplain vegetation of the River Murray in 1987–1988: an important pre-drought benchmark for subsequent studies. *Cunninghamia* 14, 97–151.
- Soffels RJ, Richardson AJ, Vogel MT, Coates SP & Müller WJ (2015) What do metabolic rates tell us about thermal niches? Mechanisms driving crayfish distributions along an altitudinal gradient. *Oecologia* 180, 45–54. <https://doi.org/10.1007/s00442-015-3463-7>
- Souter NJ, Watts RA, White MG, George AK & McNicol KJ (2009) *Method manual for the visual assessment of Lower River Murray floodplain trees. River red gum (Eucalyptus camaldulensis)*, DWLBC Report 2009/25, Government of South Australia, through Department of Water, Land and Biodiversity Conservation, Adelaide.
- Spence AR & Tingley MW (2020) The challenge of novel abiotic conditions for species undergoing climate-induced range shifts. *Ecography* 43(11), 1571–1590. <https://doi.org/10.1111/ecog.05170>
- Steffen W (2009) *Climate change 2009: Faster change and more serious risks*. Department of Climate Change, Canberra.
- Steffen W, Burbidge A, Hughes L, Kitching R, Lindenmayer D, Musgrave W, Stafford Smith M & Werner P (2009) *Australia's biodiversity and climate change: a strategic assessment of the vulnerability of Australia's biodiversity to climate change. Summary for policy makers 2009*. Department of Climate Change, Canberra.
- Steffen W, Vertessy R, Dean A, Hughes L, Bambrick H, Gergis J & Rice M (2018) *Deluge and Drought: Australia's Water Security in a Changing Climate*. Climate Council of Australia, Ltd. <https://www.climatecouncil.org.au/wp-content/uploads/2018/11/Climate-Council-Water-Security-Report.pdf>
- Steinfeld CMM & Kingsford RT (2011) Disconnecting the floodplain: earthworks and their ecological effect on a dryland floodplain in the Murray–Darling Basin, Australia. *River Research and Applications* 29, 206–218. <https://doi.org/10.1002/rra.1583>
- Stewart HJ, Brandle R & Foulkes JN (eds) (2010) *Impacts of Salinity on the Fauna of the Murray River Valley Floodplain 2002-2004*. (Department for Environment and Heritage, Adelaide, South Australia).
- Stewardson MJ, Walker GR, Coleman M (2021) Hydrology of the Murray-Darling Basin, Murray-Darling Basin, Australia. In: *Murray-Darling Basin: Its Future Management*; BT Hart, NR Bond, N Byron, CA Pollino, MJ Stewardson (eds). Elsevier, Amsterdam, The Netherlands. pp. 253–274.
- Stiling P (1999) *Ecology: Theories and applications. Third Edition*. Prentice Hall, New Jersey.
- Stocks J R, Ellis IM, van der Meulen DE, Doyle JI & Cheshire KJM (2022) Kills in the Darling: assessing the impact of the 2018–20 mass fish kills on the fish communities of the Lower Darling–Baaka River, a large lowland river of south-eastern Australia. *Marine and Freshwater Research* 73(2), 159–177 <https://doi.org/10.1071/MF20340>
- Stoffels RJ, Richardson AJ, Vogel MT, Coates SP & Müller WJ (2015) What do metabolic rates tell us about thermal niches? Mechanisms driving crayfish distributions along an altitudinal gradient. *Oecologia* 180(1), 45–54. <https://doi.org/10.1007/s00442-015-3463-7>



- Stoltefaut T, Haubrock PJ, Welti EAR, Baker NJ & Haase P (2024) A long-term case study indicates improvements in floodplain biodiversity after river restoration. *Ecological Engineering* 198, 107143. <https://doi.org/10.1016/j.ecoleng.2023.107143>
- Stuart IG, Fanson BG, Lyon JP et al. (2021) Continental threat: How many common carp (*Cyprinus carpio*) are there in Australia? *Biological Conservation* 254, 108942. <https://doi.org/10.1016/j.biocon.2020.108942>
- Stuart I & Sharpe CP (2022) Ecohydraulic model for designing environmental flows supports recovery of imperilled Murray cod (*Maccullochella peelii*) in the Lower Darling–Baaka River following catastrophic fish kills. *Marine & Freshwater Research* 73(2), 247–258. <https://doi.org/10.1071/MF20377>
- Stuart IG, Zampatti BP & Baumgartner LJ (2008) Can a low-gradient vertical-slot fishway provide passage for a lowland river fish community? *Marine and Freshwater Research* 59, 332–346. <https://doi.org/10.1071/MF07141>
- Sturt C (1833) *Two expeditions into the interior of southern Australia during the years 1828, 1829, 1830 and 1831 with observations on the soil, climate and general resources of the Colony of New South Wales*. Accessed: 30 November 2009. [Two Expeditions into the Interior of Southern Australia \(gutenberg.net.au\)](http://www.gutenberg.net.au)
- Styan C, McCluskey C, Sun Y & Kupriyanova E (2017) Cryptic sympatric species across the Australian range of the global estuarine invader *Ficopomatus enigmaticus* (Fauvel, 1923) (Serpulidae, Annelida). *Aquatic Invasions* 12(1), 53–65. <https://doi.org/10.3391/ai.2017.12.1.06>
- Sullivan C (1990) Chapter 16: Phytoplankton, in N Mackay & D Eastburn (eds), *The Murray*. Murray Darling Basin Commission, Australia.
- Suter PJ, Goonan PM, Beer JA & Thompson TB (1993) *A Biological and physico-chemical monitoring study of wetlands from the River Murray flood plain in South Australia. Report 7/93*. Australian Centre for Water Quality Research.
- Suter PJ, Goonan PM, Neill JA & Thompson TB (1995) *A biological and physico-chemical monitoring study of wetlands from the River Murray flood plain in South Australia: Supplement, October 1991–March 1993. Report No. 9/95*. Australian Water Quality Centre.
- Taylor B (2010) *Ecological justification for the South Lagoon salinity reduction scheme – A Discussion Paper*. Department of Environment and Natural Resources, Adelaide, South Australia.
- Taylor B & Ganf GG (2005) Comparative ecology of two co-occurring floodplain plants: the native *Sporobolus mitchellii* and the exotic *Phyla canescens*. *Marine and Freshwater Research* 56, 431–440. <https://doi.org/10.1071/MF04196>
- Taylor JK & Poole HG (1931) Report on the soils of the bed of Lake Albert, South Australia. *Journal of the Council for Scientific and Industrial Research* 4, 83–95.
- Taylor PJ, Hodgson G, Hatton TJ & Correll RL (1996) Testing of a GIS model of *Eucalyptus largiflorens* health on a semiarid, saline floodplain. *Environmental Management* 20, 553–564. <https://doi.org/10.1007/BF01474655>
- Telfer A, Burnell R, Woods J & Weir Y (2012) *River Murray floodplain salt mobilisation and salinity exceedances at Morgan*. Murray–Darling Basin Authority, Canberra.

- Thacker CE, Geiger DL & Unmack PJ (2022a) Species delineation and systematics of a hemiclinal hybrid complex in Australian freshwaters (Gobiiformes: Gobioidae: Eleotridae: *Hypseleotris*). *Royal Society Open Science* 9(7), 1–17.
- Thacker CE, Shelley JJ, McCraney WT, Adams M, Hammer MP & Unmack PJ (2022b) Phylogeny, diversification, and biogeography of a hemiclinal hybrid system of native Australian freshwater fishes (Gobiiformes: Gobioidae: Eleotridae: *Hypseleotris*). *BMC Ecology and Evolution* 22(1), 1–23. <https://doi.org/10.1186/s12862-022-01981-3>
- The Daily News (1932) '[WILL MURRAY COD DIE OUT?](#)', 16 July. Accessed: 1 August 2024.
- The Mount Barker Courier and Onkaparinga and Gumeracha Advertiser (1949) [FISHING—PRESENT AND PAST](#), Thursday 21 July.
- Thiele S, Adams M, Hammer M, Wedderburn S, Whiterod N, Unmack PJ & Beheregaray LB (2020) Range-wide population genetics study informs on conservation translocations for the endangered Murray hardyhead (*Craterocephalus fluviatilis*). *Aquatic Conservation: Marine and Freshwater Ecosystems* 30, 1959–1974. <https://doi.org/10.1002/aqc.3408>
- Thom B, Rocheta E, Steinfeld C, Harvey N, Pittock J & Cowell P (2020) The role of coastal processes in the management of the mouth of the River Murray, Australia: Present and future challenges. *River Research Applications* 36, 656–667. <https://doi.org/10.1002/rra.3551>
- Thoms MC, Suter P, Roberts, J Koehn J, Jones G, Hillman T & Close A (2000) *Report of the River Murray Scientific Panel on Environmental Flows. River Murray - Dartmouth to Wellington and the Lower Darling River*. Murray-Darling Basin Commission, Canberra.
- Thoms MC & Walker KF (1992) Sediment transport in a regulated, semi-arid river, The River Murray, Australia, in RD Roberts & ML Bothwell (eds), *Aquatic Ecosystems in Semi-arid Regions: implications for resource management*. NHRI Environment Canada, Saskatoon, Symposium Series No. 7. pp. 239–250.
- Thomson (1994) *The Impact of River Regulation on the Natural Flows of the Murray-Darling Basin. Technical Report 92/5.3*. Murray Darling Basin Commission, Canberra.
- Thorburn PJ & Walker GR (1993) The source of water transpired by *Eucalyptus camaldulensis*: soil, groundwater, or streams?, in JR Ehleringer, AE Hall & GD Farquhar (eds), *Stable Isotopes and Plant Carbon-Water Relations*. Academic Press, San Diego, CA, USA. pp. 511–527.
- Thwaites LA & Fredberg JF (2014) *The response patterns of wetland fish communities following prolonged drought and widespread flooding*. Goyder Institute for Water Research Technical Report Series No. 14/9.
- Tibby J, Bourman B, Wilson C, Mosley LM, Belperio AP, Ryan DD, Hesp PA, Murray-Wallace CV, Miot da Silva G, Dillenburg S & Haynes D (2021) A large mid-Holocene estuary was not present in the lower River Murray, Australia. *Scientific Reports* 11, 12082. <https://doi.org/10.1038/s41598-021-90025-9>
- Tims AR & Saupe EE (2023) Forecasting climate-driven habitat changes for Australian freshwater fishes. *Diversity and Distributions* 29, 641–653. <https://doi.org/10.1111/ddi.13686>
- Tockner K, Malard F & Ward JV (2000) An extension of the flood pulse concept. *Hydrobiological Processes* 14, 2861–2883.

- Tonkin ZD, Humphries P & Pridmore PA (2006) Ontogeny of feeding in two native and one alien fish species from the Murray-Darling Basin, Australia. *Environmental Biology of Fishes* 76, 303–315. <https://doi.org/10.1007/s10641-006-9034-3>
- Tonkin Z, Kitchingman A, Fanson B, et al. (2020) Quantifying links between instream woody habitat and freshwater fish species in south-eastern Australia to inform waterway restoration. *Aquatic Conservation Marine and Freshwater Ecosystems* 30, 1385–1396. <https://doi.org/10.1002/aqc.3352>
- Tonkin Z, Macdonald J, Ramsey D, Kaus A, Hames F, Crook D & King A (2012) *Assessing the recovery of fish communities following removal of the introduced eastern gambusia, Gambusia holbrooki*. Arthur Rylah Institute for Environmental Research Technical Report Series No. 232. Department of Sustainability and Environment, Heidelberg, Victoria.
- Tonkin Z, Moloney P, Lyon J, Kitchingman A, O'Mahony J, Raymond S, Hackett G, Saddler S, Greenfield S, Wood D & Hale R (2022) Movement behaviour of a threatened native fish informs flow management in a modified floodplain river system. *Ecosphere* 13, e3916. <https://doi.org/10.1002/ecs2.3916>
- Tonkin Z, Ramsey DSL, Macdonald J, Crook D, King AJ & Kaus A (2014) Does localized control of invasive eastern gambusia (Poeciliidae: *Gambusia holbrooki*) increase population growth of generalist wetland fishes? *Austral Ecology* 39, 355–366.
- Towns DR (1985) Limnological characteristics of a south Australian intermittent stream, Brown Hill Creek. *Australian Journal of Marine and Freshwater Research* 36, 821–837. <https://doi.org/10.1071/MF9850821>
- Townsend M & Fotheringham D (2002) *Coastal Processes in The Murray Mouth, Exploring implications of closure or restricted flow*. Murray Darling Basin Commission, Canberra.
- TSSC (Threatened Species Scientific Committee) (2010) *River Murray – Darling to Sea Ecological Community: Expert Technical Workshop Report, 1-3 July 2009, Adelaide*. Report to Department of the Environment, Water, Heritage and the Arts, Canberra. Accessed: 8 August 2024. <https://www.dcceew.gov.au/environment/biodiversity/threatened/publications/river-murray-darling-sea-expert-technical-workshop-report>
- TSSC (2011) *River Murray – Darling to Sea Threatened Ecological Community: Criteria/Condition Thresholds Workshop Report, 19 April 2010, Adelaide*. Report to the Department of Sustainability, Environment, Water, Population and Communities, Canberra. Accessed: 24 July 2024. <http://www.environment.gov.au/biodiversity/threatened/publications/thresholds-workshop.html>
- TSSC (2013) *Threatened Species Scientific Committee's Advice for the River Murray and associated wetlands, floodplains and groundwater systems, from the junction with the Darling River to the sea*. Canberra: Department of Sustainability, Environment, Water, Population and Communities. <http://www.environment.gov.au/biodiversity/threatened/communities/pubs/92-committee-advice.pdf>
- TSSC (2017/2024) Guidelines for Nominating and Assessing the Eligibility for Listing of Ecological Communities as Threatened according to the *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act) and the *EPBC Regulations 2000*. <https://www.dcceew.gov.au/sites/default/files/documents/guidelines-ecological-communities.pdf>

- Tyler MJ & Walker KF (2011) *Frogs of South Australia* 3<sup>rd</sup> Edition. Michael Tyler & Associates, Belair, South Australia.
- VanLaarhoven J & van der Wielen M (2012) *Assessment of the needs of water dependent ecosystems for the Eastern Mount Lofty Ranges Prescribed Water Resources Area*. Government of South Australia, through Department for Water, Adelaide.
- Van Dyke JU, Spencer R-J, Thompson MB, Chessman B, Howard K & Georges A (2019) Conservation implications of turtle declines in Australia's Murray River system. *Scientific Reports* 9, 1998 <https://doi.org/10.1038/s41598-019-39096-3>
- Van Praagh B (2003) *Action Statement No. 184. Glenelg Spiny Crayfish (Euastacus bispinosus) and Murray Spiny Crayfish (Euastacus armatus) listed under Flora and Fauna Guarantee Act 1988*. The State of Victoria, Department of Sustainability and Environment.
- Van Rossum T, Uyaguari-Diaz MI, Vlok M, et al. (2018) Spatiotemporal dynamic of river viruses, bacteria and microeukaryotes. *BioRxiv (The Preprint Server for Biology)*. <https://doi.org/10.1101/259861>
- Van Waageningh HG (1981) A proposal for the dimensions of protection areas. *The Science of the Total Environment* 21, 397–403. [https://doi.org/10.1016/0048-9697\(81\)90174-1](https://doi.org/10.1016/0048-9697(81)90174-1)
- Vaughn CC (2018) Ecosystem services provided by freshwater mussels. *Hydrobiologia* 810, 15–27. <https://doi.org/10.1007/s10750-017-3139-x>
- Verhoeven JT, Khan SJ & Evans JC (2024) Challenges and adaptation needs for water quality in the Murray-Darling Basin in response to climate change, in JC Radcliffe & TG Flapper (eds), *A thriving Murray-Darling Basin in 50 years: Actions in the face of climate change*. Australian Academy of Technological Sciences and Engineering, Canberra ACT.
- Vertessy R, Barma D, Baumgartner L, Mitrovic S, Sheldon F & Bond N (2019) *Independent assessment of the 2018-19 fish deaths in the lower Darling - Final Report*. Murray–Darling Basin Authority's independent Advisory Committee on Social, Economic and Environmental Sciences, Australia.
- Vilizzi L, Tarkan AS & Copp GH (2015) Experimental Evidence from Causal Criteria Analysis for the Effects of Common Carp *Cyprinus carpio* on Freshwater Ecosystems: A Global Perspective. *Reviews in Fisheries Science & Aquaculture*
- Vilizzi L, Thwaites LA, Smith BC, Nicol JM & Madden CP (2014) Ecological effects of common carp (*Cyprinus carpio*) in a semi-arid floodplain wetland. *Marine and Freshwater Research* 65(9), 802–817. <http://dx.doi.org/10.1071/MF13163>
- Vörös J, Wassens S, Price L, Hunter D, Myers S, Armstrong K, Mahony MJ & Donnellan S (2023) Molecular systematic analysis demonstrates that the threatened southern bell frog, *Litoria raniformis* (Anura: Pelodyadidae) of eastern Australia, comprises two sub-species. *Zootaxa* 5228(1), 1–43. <https://doi.org/10.11646/zootaxa.5228.1.1>
- von der Borch CC (1976) Stratigraphy and formation of Holocene dolomite carbonate deposits of the Coorong area, South Australia. *Journal of Sedimentary Research* 46(4), 952–966. <https://doi.org/10.1306/212F709F-2B24-11D7-8648000102C1865D>
- Wade S, Corbin T & McDowell L-M (2004) *Critter Catalogue: A guide to the aquatic invertebrates of South Australian inland waters*. Environment Protection Authority, South Australia.

- Waddington K, Harrison A, Rayner D, Tucker T & Glamore W (2023) Estuarine hypoxia—identifying high risk catchments now and under future climate scenarios. *Water Resources Research*. 59, e2023WR035026 <https://doi.org/10.1029/2023WR035026>
- Walker D (2002b) What is possible: hydrology and morphology, in N Goodwin & S Bennett (eds), *The Murray Mouth: Exploring the implications of closure or restricted flow*. Department of Water Land and Biodiversity Conservation, Adelaide.
- Walker DJ (2002a) *The behaviour and future of the River Murray Mouth*. Centre for Applied Modelling in Water Engineering, Department of Civil and Environmental Engineering, Adelaide University.
- Walker G, Doble R, Mech T, Lavis T, Blum M, MacEwan R, Stenson M, Wang E, Jolly I, Miles M, McEwan K, Bryan B, Ward J, Rassam D, Connor J, Smith C, Munday T, Nancarrow B & Williams S (2005) *Lower Murray Landscape Futures phase one report. CSIRO Land and Water Final Year 1 Technical Report to the Centre for Natural Resource Management, the Victorian NAP Office and the CSIRO Water for a Healthy Country Flagship Program*, CSIRO, Canberra.
- Walker J, Bullen F & Williams BG (1993) Ecohydrological changes in the Murray-Darling Basin. The number of trees cleared over two centuries. *Journal of Applied Ecology* 30(2), 265–273. <https://doi.org/10.2307/2404628>
- Walker KF (1981) Ecology of freshwater mussels in the River Murray. *Australian Water Resources Council Technical Paper* 63, 1–119.
- Walker KF (1982) The plight of the Murray crayfish in South Australia. *Redgum (Conservation Council of South Australia)* 6, 2–6.
- Walker KF (1985) A review of the ecological effects of river regulation in Australia. *Hydrobiologia* 125, 111–129. <https://doi.org/10.1007/BF00045929>
- Walker KF (1986) The Murray-Darling river system. Chapter 13, in BR Davies & KF Walker (eds), *The Ecology of River Systems*. Dr W Junk Publishers, Dordrecht, Netherlands.
- Walker K (1990) Chapter 21: Mussels, in N Mackay & D Eastburn (eds), *The Murray*. Murray Darling Basin Commission, Australia.
- Walker KF (1991) Chapter 5.4: A Semi-Arid Lowland River: The River Murray, Australia, in P Calow & GE Petts (eds), *Rivers Handbook, Volume 1*. Blackwell Scientific Publications, Oxford.
- Walker KF (1997) An endangered pest - the river snail *Notopala hanleyi*, in C Cary & N Athersmith (eds), *Our hidden state - South Australia through the eyes of its scientists*. ANZAAS (The Australian & New Zealand Association for the Advancement of Science), Adelaide. pp. 13–17.
- Walker KF (1998) Molluscs of inland waters, in PL Beesley, GJB Ross & A Wells (eds), *Mollusca: The Southern Synthesis [Fauna of Australia. Vol 5]*. CSIRO Publishing, Melbourne.
- Walker K (2001) A river transformed: the effect of weirs on the River Murray, in S Blanch (ed), *The Way Forward on Weirs*. Inland Rivers Network, NSW.
- Walker KF (2006) Serial weirs, cumulative effects: the Lower River Murray, Australia, in R Kingsford (ed), *The ecology of desert rivers*. Cambridge University Press, Cambridge.
- Walker KF (2010) Climate change and water allocation planning: biotic perspective, in BC Bates, S Beare & S Page (eds), *Incorporating Climate Change in Water Allocation Planning*. Waterlines Report 28: National Water Commission, Canberra.



- Walker KF (2017) Reproductive phenology of river and lake populations of freshwater mussels (Unionida: Hyriidae) in the River Murray. *Molluscan Research*, 37(1), 31–44.  
<https://doi.org/10.1080/13235818.2016.1206166>
- Walker KF, Boulton AJ, Thoms MC & Sheldon F (1994) Effects of water-level changes induced by weirs on the distribution of littoral plants along the River Murray, South Australia. *Australian Journal of Marine and Freshwater Research* 45, 1421–1438.  
<https://doi.org/10.1071/MF9941421>
- Walker KF, Corbin TA, Cummings CR, Geddes MC, Goonan PM, Kokkin MJ, Lester RE, Madden CP, McEvoy PK, Whiterod N & Zukowski S (2018) Chapter 3.5 Freshwater Macro-invertebrates, in L Mosely, Q Ye, SA Shepard, S Hemming & R Fitzpatrick, *Natural History of the Coorong, Lower Lakes and Murray Mouth region (Yarluwar-Ruwe)*. Royal Society of South Australia, Adelaide, pp. 349–370.
- Walker KF, Hillman, TJ & Williams WD (1978) The effects of impoundments on rivers: an Australian case study. *Verhandlungen der Internationalen Vereinigung für Theoretische und Angewandte Limnologie* 20, 1695–1701.
- Walker KF, Jones HA & Klunzinger MW (2014) Bivalves in a bottleneck: taxonomy, phylogeography and conservation of freshwater mussels (Bivalvia: Unionoida) in Australasia. *Hydrobiologia* 735, 61–79. <https://doi.org/10.1007/s10750-013-1522-9>
- Walker KF, Sheldon F & Puckridge JT (1995) A perspective on dryland river ecosystems. *Regulated Rivers: Research and Management* 11, 85–104. <https://doi.org/10.1002/rrr.3450110108>
- Walker K, Madden CP, Williams CR, Fricker SR, Geddes, MC, Goonan PM, Kokkinn MJ, McEvoy PK, Shiel RJ & Tsymbal V (2009) Chapter 10: Freshwater Invertebrates, in JT Jennings (ed), *Natural History of the Riverland and Murraylands*. Occasional Publications of the Royal Society of South Australia Inc., University of Adelaide.
- Walker KF & Thoms (1993) Environmental effects of flow regulation on the River Murray, South Australia. *Regulated Rivers: Research and Management* 8, 103–19.  
<https://doi.org/10.1002/rrr.3450080114>
- Walker KF, Thoms MC & Sheldon F (1992) Effect of weirs on the littoral environment of the river Murray, South Australia, in PJ Boon, PA Calow & ED Petts (eds), *River Conservation and Management*. John Wiley and Sons, Brisbane.
- Wallace T (2010) *A summary of the relative abundance and size-class distribution of large-bodied fish in the Mallee region of the lower Murray River in the period 2002–10. Recreational Fishing Grant Program Final Report*. Murray Darling Freshwater Research Centre, Victoria.
- Wallace TA (2009) *An assessment of tree condition at the Pike Floodplain (South Australia)*. Murray-Darling Freshwater Research Centre, Mildura, Victoria.
- Wallace TA (2022) *Pike Floodplain Tree Condition Survey Data March 2009–March 2022*. Report produced by Riverwater Life Pty Ltd for the Department for Water and Environment, South Australian Government.
- Wallace TA, Daly R, Aldridge KT, Cox J, Gibbs MS, Nicol JM, Oliver RL, Walker KF, Ye Q & Zampatti BP (2014) *River Murray Channel: Environmental Water Requirements: Ecological Objectives and Targets*, Goyder Institute for Water Research Technical Report Series No. 14/4, Adelaide, South Australia.

- Wallace TA, Gehrig SL, Doody TM, Davies MJ, Walsh R, Fulton C, Cullen R & Nolan M (2021) A multiple-lines-of-evidence approach for prioritising environmental watering of wetland and floodplain trees. *Ecohydrology* 14(3), 1–20. <https://doi.org/10.1002/eco.2272>
- Ward M, Southwell D, Gallagher RV, et al. (2022) Modelling the spatial extent of post-fire sedimentation threat to estimate the impacts of fire on waterways and aquatic species. *Diversity and Distributions* 28(11), 2429–2442. <https://doi.org/10.1111/ddi.13640>
- Ward M, Tulloch AIT, Radford JQ, et al. (2020) Impact of 2019–2020 mega-fires on Australian fauna habitat. *Nature Ecology & Evolution* 4, 1321–1326. <https://doi.org/10.1038/s41559-020-1251-1>
- Wassens S, Poynter C, Brooks S & McGinness H (2021) *Basin-scale evaluation of 2019–20 Commonwealth environmental water: Species Diversity. Flow-MER Program*. Commonwealth Environmental Water Office (CEWO): Monitoring, Evaluation and Research Program, Department of Agriculture, Water and the Environment, Australia.
- Waycott M & Lewis R (2022) *A restoration strategy for the Ruppia Community of the southern Coorong*. Goyder Institute for Water Research Technical Report Series No. 22/19.
- Waycott M, Lewis R, O’Loughlin EJ, Urgl C, van Dijk KJ, Calladine A, Collier C, Mosley L, Priestley S, Leterme S, Conran JG, Thornhill A, Hipsey M & Nicol J (2022) *Growth, phenology, nutrient responses and ecological limits of the Ruppia Community and associated filamentous algal blooms of the southern Coorong*. Goyder Institute for Water Research Technical Report Series No. 23/01.
- Waycott M, Urgl C, O’Loughlin E, van Dijk KJ, Nicol J, Imgraben S & Mosley L (2023) *Coorong nutrients, aquatic plants and algae investigations 2022–2023. Final report: Results of monthly and widespread survey field work*. University of Adelaide, South Australia.
- Webster IT (2005) *An overview of the hydrodynamics of the Coorong and Murray Mouth*. CSIRO: Water for a Healthy Country national Research Flagship, Canberra.
- Wedderburn SD (2018) Multi-species monitoring of rare wetland fishes should account for imperfect detection of sampling devices. *Wetlands Ecology and Management* 26(6), 1107–1120. <https://doi.org/10.1007/s11273-018-9634-7>
- Wedderburn S & Bailey C (2024) *Condition Monitoring of Threatened Fish Populations in Lake Alexandrina and Lake Albert*. The University of Adelaide, Adelaide.
- Wedderburn S, Bailey C & Barnes T (2023) *Condition monitoring of the threatened fish populations in Lake Alexandrina and Lake Albert*. Report to the Murray-Darling Basin Authority and the South Australian Department of Environment and Water.
- Wedderburn SD, Barnes TC & Hillyard KA (2014) Shifts in fish assemblages indicate failed recovery of threatened species following prolonged drought in terminating lakes of the Murray-Darling Basin, Australia. *Hydrobiologia* 730, 179–190. <https://doi.org/10.1007/s10750-014-1836-2>
- Wedderburn SD, Furst D & Barnes T (2019) *A model to help predict responses of threatened fish populations to water level scenarios in Lake Alexandrina, South Australia*. The University of Adelaide, Adelaide.
- Wedderburn S & Hammer M (2003) *The Lower Lakes Fish Inventory: Distribution and Conservation of Freshwater Fishes of the Ramsar Convention Wetland at the Terminus of the Murray-Darling Basin, South Australia*. Native Fish Australia (SA) Inc., Adelaide.

- Wedderburn SD, Hammer MP & Bice CM (2012) Shifts in small-bodied fish assemblages resulting from drought-induced water level recession in terminating lakes of the Murray-Darling Basin, Australia. *Hydrobiologia* 691, 35–46. <https://doi.org/10.1007/s10750-011-0993-9>
- Wedderburn SD, Hammer MP, Bice CM, Lloyd LN, Whiterod NS & Zampatti BP (2017) Flow regulation simplifies a lowland fish assemblage in the Lower River Murray, South Australia. *Transactions of the Royal Society of South Australia* 141(2), 169–192. <https://doi.org/10.1080/03721426.2017.1373411>
- Wedderburn SD, Hillydard KA & Shiel RJ (2013) Zooplankton response to flooding of a drought refuge and implications for the endangered fish species *Craterocephalus fluviatilis* cohabiting with alien *Gambusia holbrooki*. *Aquatic Ecology* 47, 263–275. <https://doi.org/10.1007/s10452-013-9442-3>
- Wedderburn S & Sutor L (2012) *South Australian River Murray regional wetlands fish assessment 2003–2012*. Report to the South Australian Murray-Darling Basin Natural Resources Management Board. The University of Adelaide, Adelaide.
- Wedderburn SD, Walker KF & Zampatti B (2008) Salinity may cause fragmentation of hardyhead (Teleostei: Atherinidae) population in the River Murray, Australia. *Marine and Freshwater Research* 59, 254–258. <https://doi.org/10.1071/MF07205>
- Wedderburn S, Whiterod N & Gwinn DC (2019) *Determining the status of Yarra Pygmy Perch in the Murray-Darling Basin*. Report to the Murray-Darling Basin Authority and the Commonwealth Environmental Water Office.
- Wedderburn SD, Whiterod NS, Barnes TC & Shiel RJ (2020) Ecological aspects related to reintroductions to avert the extirpation of a freshwater fish from a large floodplain river. *Aquatic Ecology*, 54(1), 281–294. <https://doi.org/10.1007/s10452-019-09742-z>
- Wedderburn SD, Whiterod NS & Vilizzi L (2022) Occupancy modelling confirms the first extirpation of a freshwater fish from one of the world's largest river systems. *Aquatic Conservation: Marine and Freshwater Ecosystems* 32(2), 258–268. <https://doi.org/10.1002/aqc.3755>
- Wegener IK & Sutor L (2013) *Distribution of the Oriental Weatherloach (Misgurnus anguillicaudatus) in the South Australian region of the Murray–Darling Basin: From specimens collected by Natural Resources SA Murray – Darling Basin 2010–2013*. Department of Environment, Water and Natural Resources, Berri, South Australia.
- Weiss J & Dugdale T (2017) *Knowledge document of the impact of priority wetland weeds: Part 2 – Impacts of priority wetland weeds*. Report prepared for Department of Environment, Land, Water and Planning (DELWP) Water and Catchments Group by Agriculture Victoria.
- Wentworth Group of Concerned Scientists (2020) *Assessment of river flows in the Murray-Darling Basin: Observed versus expected flows under the Basin Plan 2012-2019*.
- Whetton P & Chiew FHS (2021) Climate change impacts in the Murray-Darling Basin, in BT Hart, NR Bond, N Byron, CA Pollino, MJ Stewardson (eds), *Murray-Darling Basin: Its Future Management*. Elsevier, Amsterdam, The Netherlands. pp. 253–274.
- Whipp R (2010) Decline of *Ruppia* species in the Coorong lagoons, SA. *Australasian Plant Conservation* 19(1), 25–26. <https://doi.org/10.5962/p.373322>

- White DA, Turner NC & Galbraith JH (2000) Leaf water relations and stomatal behaviour of four allopatric *Eucalyptus* species planted in Mediterranean south west Australia. *Tree Physiology* 20, 1157–1165. <https://doi.org/10.1093/treephys/20.17.1157>
- Whiterod N (2019) *A translocation strategy to ensure the long-term future of threatened small-bodied freshwater fishes in the South Australian section of the Murray-Darling Basin*. A report to Natural Resources, SA Murray-Darling Basin and the Riverine Recovery Project. Aquasave-Nature Glenelg Trust, Goolwa Beach.
- Whiterod N & Zukowski S (2017) *The status of the Murray crayfish recreational fishery in Victoria*. A report funded by the Victorian Government using Recreational Fishing Licence fees. Aquasave-Nature Glenelg Trust, Goolwa Beach.
- Whiterod NS & Zukowski S (2019) It's not there, but it could be: a renewed case for reintroduction of a keystone species into the Lower River Murray. *Transactions of the Royal Society of South Australia*, 143(1), 51–66. <https://doi.org/10.1080/03721426.2019.1580920>
- Whiterod NS, Zukowski S, Asmus M, Gilligan D & Miller AD (2016) Genetic analyses reveal limited dispersal and recovery potential in the large freshwater crayfish *Euastacus armatus* from the southern Murray-Darling Basin. *Marine and Freshwater Research* 68 (2), 213–225. <https://doi.org/10.1071/MF16006>
- Whiterod N, Zukowski S, Asmus M, Todd CR & Gwinn DC (2018) Take the long way home: Minimal recovery in a K-selected freshwater crayfish impacted by significant population loss. *Ecological Indicators* 89, 622–630. <https://doi.org/10.1016/j.ecolind.2018.02.042>
- Whiterod N, Zukowski S, Ellis I, Pearce L, Raadik T, Rose P, Stoessel D & Wedderburn S (2019) *The present status of key small-bodied threatened freshwater fishes in the southern Murray-Darling Basin, 2019*. A report to the Tri-State Murray NRM Regional Alliance. Aquasave–Nature Glenelg Trust, Goolwa Beach.
- Whiterod N, Zukowski S, Ellis I, Gilligan D, Kerezszy A, Pearce L, Raadik T, Rose P, Raymond S, Robinson S, Stoessel D, Wedderburn S & Willis D (2021) *A 2021 update on the status of key small-bodied threatened freshwater fishes in the southern Murray-Darling Basin*. A report to the Tri-State Murray NRM Regional Alliance. Aquasave–Nature Glenelg Trust, Victor Harbor.
- Whitworth K, Williams J, Lugg A & Baldwin D (2011) *A prolonged and extensive hypoxic blackwater event in the southern Murray-Darling basin*. MDFRC Publication 30/2011. Murray-Darling Freshwater Research Centre and NSW DPI, NSW.
- Whitworth KL, Baldwin DS & Kerr JL (2012) Drought, floods and water quality: Drivers of a severe hypoxic blackwater event in a major river system (the southern Murray-Darling Basin, Australia). *Journal of Hydrology* 450–451, 190–198. <https://doi.org/10.1016/j.jhydrol.2012.04.057>
- Wilkinson S, Jansen A, Watts R, Read A & Briohny D (2005) *Techniques for targeting erosion control and riparian rehabilitation in the Mount Lofty Ranges*. CSIRO Land and Water, Canberra.
- Williams M & Schulz D (2023) *Menindee mass fish kill: How it happened*. A desktop investigation unravelling the operational decisions that preceded the death of 20 million fish. An independent investigation. [content \(anu.edu.au\)](https://content.anu.edu.au) Accessed: 19 August 2024.
- Williams MD & Williams WD (1991) Salinity tolerance of four species of fish from the Murray-Darling Basin River system. *Hydrobiologia* 210, 145–160. <https://doi.org/10.1007/BF00014328>

- Williams WD (1980) *Australian Freshwater Life: The Invertebrates of Australian Inland Waters*. 2<sup>nd</sup> Edition. Macmillan, Melbourne.
- Williams WD (1985) Biotic adaptations in temporary lentic waters with a special reference to those in semi-arid and arid regions. *Hydrobiologia* 125, 85–110.  
<https://doi.org/10.1007/BF00045928>
- Winning G (1997) *The Functions and Width of Wetland Buffers*. Hunter Wetlands Research; Technical Memorandum No. 1.
- Wilson A & Bignall J (2009) *Regional Recovery Plan for Threatened Species and Ecological Communities of Adelaide and the Mount Lofty Ranges, South Australia*. Department for Environment and Heritage, South Australia.
- Wilson S & Swan G (2021) *A Complete Guide to the Reptiles of Australia*. 6th Edition. Reed New Holland Publishers, Wahroonga, New South Wales, Australia.
- Woinarski JCZ, Garnett ST, Gillespie G, Legge SM, Lintermans M & Rumpff L (2023) Lights at the end of the tunnel: The incidence and characteristics of recovery for Australian threatened animals. *Biological Conservation*, 279, 1–12. Article 109946.  
<https://doi.org/10.1016/j.biocon.2023.109946>
- Womersley HBS (1975) Plant life in the Coorong Lagoons, in J Noye (ed), *The Coorong*. University of Adelaide, Adelaide.
- Woodward G, Perkins DM & Brown LE (2010) Climate change and freshwater ecosystems: impacts across multiple levels of organization. *Philosophical Transactions of the Royal Society B* 365, 2093–2106. <https://doi.org/10.1098/rstb.2010.0055>
- WRCWA (Water and Rivers Commission Western Australia) (2000) *Wetland buffers*. Water Notes WN4 January 2000.
- Wright JP & Jones CG (2006) The concept of organisms as ecosystem engineers ten years on: progress, limitations and challenges. *Bioscience* 56, 203–209. [https://doi.org/10.1641/0006-3568\(2006\)056\[0203:TCOOAE\]2.0.CO;2](https://doi.org/10.1641/0006-3568(2006)056[0203:TCOOAE]2.0.CO;2)
- Wright D, Thiem J, Blackman E, Beatty S, Lymbery A & Davis S (2022) *Desiccation tolerance of river and floodplain mussels in the Murray-Darling Basin*. NSW DPI Technical Report to the Commonwealth Environmental Water Office.
- Wright DW, Thiem JD, Blackman E, Beatty SJ, Lymbery AJ & Davis S (2024) Differences in desiccation tolerance of two Australian freshwater mussel species with different life history characteristics is temperature dependent. *Hydrobiologia*. <https://doi.org/10.1007/s10750-024-05570-x>
- Wurzbacher C, Kerr J & Grossart H-P (2011) Chapter 10. Aquatic Fungi, in O Grillo & G Venora (eds), *The dynamical processes of Biodiversity – Case studies of evolution and spatial distribution*. IntechOpen, Rijeka. pp 227–258.
- Yang X, Tan J, Sun KH & Liang L (2020) Experimental demonstration of the importance of keystone communities for maintaining metacommunity biodiversity and ecosystem functioning. *Oecologia* 193, 473–447. <https://doi.org/10.1007/s00442-020-04693-x>



- Ye Q, Bucater L & Short D (2015) *Intervention monitoring for black bream (Acanthopagrus butcheri) recruitment in the Murray Estuary*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide. SARDI Publication No. F2015/000685-1. SARDI Research Report Series No. 875.
- Ye Q, Bucater L, Short D & Earl J (2012) *Coorong fish condition monitoring 2008-2012: The black bream (Acanthopagrus butcheri), greenback flounder (Rhombosolea tapirina) and smallmouthed hardyhead (Atherinosoma microstoma) populations*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide. SARDI Publication No. F2011/000471-2. SARDI Research Report Series No. 649.
- Ye Q, Bucater L, Short D & Livore J (2012) *Fish response to barrage releases in 2011/12, and recovery following the recent drought in the Coorong*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide. SARDI Publication No. F2012/000357-1. SARDI Research Report Series No. 665.
- Ye Q, Bucater L, Furst D, Lorenz Z, Giatas G & Short D (2019) *Monitoring salt wedge dynamics, food availability and black bream (Acanthopagrus butcheri) recruitment in the Coorong during 2018-19*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide. SARDI Publication No. F2018/000425-2. SARDI Research Report Series No. 1045.
- Ye Q, Bucater L, Zampatti BP, Bice CM, Wilson PJ, Suitor L, Wegener IK, Short DA & Fleer D (2015) *Population dynamics and status of freshwater catfish (Tandanus tandanus) in the lower River Murray, South Australia*. Report to PIRSA Fisheries and Aquaculture. South Australian Research and Development Institute (Aquatic Sciences), Adelaide. SARDI Publication No. F2014/000903-1. SARDI Report Series No. 841.
- Ye Q, Butler G, Koehn J, Lintermans M, Brooks S, Beizel M, Giatas G, Miles N, Theim J & Zampatti B (2021) *Status of Australian Fish Stocks Report: Murray Cod (2020)*. [https://fish.gov.au/2020-Reports/murray\\_cod](https://fish.gov.au/2020-Reports/murray_cod)
- Ye Q, Cheshire KJ & McNeil DG (2010) *Influences of salinity, water quality and hydrology on early life stages of fishes in the Lower River Murray, South Australia*. SARDI Publication No. F2009/000470-1-6, SARDI Research Report Series No. 446. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Ye Q, Giatas GC, Aldridge KT, Bengner SN, Bice CM, Brookes JD, Bucater LB, Cheshire KJM, Cummings CR, Doody TM, Fairweather PG, Frahn KA, Fredberg JF, Gehrig SL, Holland KL, Leigh SL, Lester RE, Lorenz Z, Marsland KB, Nicol JM, Oliver RL, Overton IC, Pritchard JL, Strawbridge AD, Thwaites LA, Turnadge CJ, Wilson PK & Zampatti BP (2014) *Ecological responses to flooding in the lower River Murray following an extended drought. Synthesis Report of the Murray Flood Ecology Project*. Goyder Institute for Water Research Technical Report Series No. 14/6.
- Ye Q, Giatas G, Aldridge K, Busch B, Gibbs M, Hipsey M, Lorenz Z, Maas R, Oliver R, Shiel R, Woodhead J & Zampatti B (2018) *Long-Term Intervention Monitoring of the Ecological Responses to Commonwealth Environmental Water Delivered to the Lower Murray River Selected Area in 2016/17*. A report prepared for the Commonwealth Environmental Water Office. South Australian Research and Development Institute, Aquatic Sciences.
- Ye Q, Giatas G, Bice C, Brookes J, Furst D, Gibbs M, Nicol J, Oliver R, Shiel R, Zampatti B, Bucater L, Deane D, Hipsey M, Huang P, Lorenz Z & Zhai S (2021) *Commonwealth Environmental Water Office Monitoring, Evaluation and Research Project: Lower Murray 2019-20 Technical Report*. A report prepared for the Commonwealth Environmental Water Office by the South Australian Research and Development Institute, Aquatic Sciences.

- Ye Q, Giatas G, Bice C, Brookes J, Furst D, Gibbs M, Nicol J, Oliver R, Zampatti B, Bucater L, Deane D, Frahn K, Hipsey M, Kok C, Huang P, Lorenz Z, Mills J, Shiel R & Zhai S (2022) *Commonwealth Environmental Water Office Monitoring, Evaluation and Research Project: Lower Murray 2020-21 Technical Report*. A report prepared for the Commonwealth Environmental Water Office by the South Australian Research and Development Institute, Aquatic Sciences.
- Ye Q, Giatas G, Bice C, Brookes J, Furst D, Gibbs M, Nicol J, Oliver R, Zampatti B, Bucater L, Deane D, Frahn K, Hipsey M, Kok C, Huang P, Lorenz Z, Mills J, Shiel R & Zhai S (2023) *Commonwealth Environmental Water Office Monitoring, Evaluation and Research Project: Lower Murray 2021-22 Technical Report*. A report prepared for the Commonwealth Environmental Water Office by the South Australian Research and Development Institute, Aquatic Sciences.
- Ye Q, Giatas G, Brookes J, Furst D, Gibbs M, Oliver R, Shiel R, Zampatti B, Aldridge K, Bucater L, Busch B, Hipsey M, Lorenz Z, Mass R & Woodhead J (2020a) *Commonwealth Environmental Water Office Long-Term Intervention Monitoring Project 2014-2019: Lower Murray River Technical Report*. A report prepared for the Commonwealth Environmental Water Office by the South Australian Research and Development Institute, Aquatic Sciences.
- Ye Q, Giatas G, Dittmann S, Baring R, Bucater L, Deane D, Furst D, Brookes J, Rogers D & Goldsworthy S (2020b) *A synthesis of current knowledge of the food web and food resources for waterbird and fish populations in the Coorong*. Goyder Institute for Water Research Technical Report Series No. 20/11.
- Ye Q & Hammer M (2009) Chapter 12: Fishes, in JT Jennings (ed), *Natural History of the Riverland and Murraylands*. Occasional Publications of the Royal Society of South Australia Inc., University of Adelaide.
- Ye Q, Jones K & Pierce BE (2000) *Murray cod (Maccullochella peelii peelii) fishery assessment report to PIRSA for Inland Waters Fishery Management Committee*, Fisheries Assessment Series 2000/17. South Australian, Adelaide.
- Ye Q & Zampatti BP (2007) *Murray cod stock status: the Lower River Murray, South Australia. Stock status report to PIRSA Fisheries*. SARDI Aquatic Sciences Publication No. F20007-000211-1. South Australian Research and Development Institute (SARDI), Aquatic Sciences, Adelaide, Australia.
- Yee A, Mackie J & Pernet B (2019) The distribution and unexpected genetic diversity of the non-indigenous annelid *Ficopomatus enigmaticus* in California. *Aquatic Invasions* 14(2), 250– 266. <https://doi.org/10.3391/ai.2019.14.2.06>
- Young EK (1981) *An evaluation of avian use of fresh surface water sources in the southern Coorong National Park: Implications for management programs*. Master's thesis. University of Adelaide, South Australia.
- Young WJ (2001) *Rivers as Ecological Systems: the Murray-Darling Basin*. Murray-Darling Basin Commission, Canberra.
- Young WJ, Schiller CB, Harris JH, Roberts J & Hillman TJ (2001) Chapter Two: River flow, processes, habitats and river life, in WJ Young (ed), *Rivers as Ecological Systems: the Murray-Darling Basin*. Murray-Darling Basin Commission, Canberra.
- Zampatti BP, Bice CM & Jennings PR (2010) Temporal variability in fish assemblage structure and recruitment in a freshwater-deprived estuary: The Coorong, Australia. *Marine and Freshwater Research* 61, 1298–1312. <https://doi.org/10.1071/MF10024>

- Zampatti BP, Bice CM & Jennings PR (2011a) *Fish assemblage structure, movement and recruitment in the Coorong and Lower Lakes from 2006 - 2010*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide. SARDI Publication No. F2011/000186-1. SARDI Research Report Series No. 569.
- Zampatti BP, Bice CM & Jennings PR (2011b) *Movements of female congolli (Pseudaphritis urvillii) in the Coorong and Lower Lakes of the River Murray*. SARDI Publication No. F2011/000333-1. SARDI Research Report Series No. 577. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Zampatti BP, Bice CM & Jennings PR (2012) *Fish assemblage response and fishway effectiveness at Goolwa, Tauwichee and Hunters Creek Barrages in 2010/11*. SARDI Publication No. F2011/000186-2. SARDI Research Report Series No. 605. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Zampatti BP, Bice CM, Wilson PJ & Ye Q (2014) *Population dynamics of Murray cod (Maccullochella peelii) in the South Australian reaches of the River Murray: A synthesis of data from 2002–2013*. South Australian Research and Development Institute (Aquatic Sciences), Adelaide. SARDI Publication No. F2014-000089-1. SARDI Research Report Series No. 761
- Zampatti RP & Leigh SJ (2013) Within-channel flows promote spawning and recruitment of golden perch, *Macquaria ambigua ambigua* - implications for environmental flow management in the River Murray, Australia. *Marine and Freshwater Research* 64(7), 618–630.  
<https://doi.org/10.1071/MF12321>
- Zampatti BP, Leigh SJ & Nicol JM (2008) *Chowilla icon site fish assemblage condition monitoring 2005 – 2008*. SARDI Aquatic Sciences Publication Number F2008/000907-01. SARDI Research Report Series Number 319, South Australian Research.
- Zampatti BP, Leigh SJ & Nicol JM (2011a) *Fish and aquatic macrophyte communities in the Chowilla anabranch system, South Australia*. A report on investigations from 2004 – 2007. SARDI Publication No. F2010/000719-1. SARDI Research Report Series No. 525. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.
- Zampatti B, Nichol J, Leigh S & Bice SC (2006) *2005 Progress Report for the Chowilla Fish and Aquatic Macrophyte Project*. SARDI Aquatic Sciences, Inland Waters Program.
- Zhang L, Chiew F & Hatton T (2024) Hydroclimate of the Murray-Darling Basin, in JC Radcliffe & TG Flapper (eds), *A thriving Murray-Darling Basin in 50 years: Actions in the face of climate change*, Australian Academy of Technological Sciences and Engineering, Canberra ACT.
- Zhang X, Church JA, Monselesan D & McInnes KL (2017) Sea level projections for the Australian region in the 21<sup>st</sup> century. *Geophysical Research Letters* 44, 8481–8491.  
<https://doi.org/10.1002/2017GL074176>
- Zukowski S & Walker KF (2009) Freshwater snails in competition: alien *Physa acuta* (Physidae) and native *Glyptophysa gibbosa* (Planorbidae) in the River Murray, South Australia. *Marine and Freshwater Research* 60, 999–1005. <https://doi.org/10.1071/MF08183>
- Zukowski S & Whiterod N (2022) *Platypus habitat suitability survey of the River Torrens*. Aquasave–Nature Glenelg Trust, Victor Harbor.
- Zukowski S, Whiterod N, Ellis I, Gilligan D, Kerezsy A, Lamin C, Lintermans M, Mueller S, Raadik TA & Stoessel D (2021) *Conservation translocation handbook for New South Wales threatened small-*

*bodied freshwater fishes*. A report to the New South Wales Department of Primary Industries Fisheries. Aquasave– Nature Glenelg Trust, Victor Harbor.

Zulfic D & Barnett S (2003) *Eastern Mount Lofty Ranges groundwater assessment, Report DWLBC 2003/25*. The Department of Water, Land and Biodiversity Conservation, South Australia. Adelaide.