## Pinkwood cool temperate rainforests of southeast NSW and far east Victoria (DRAFT) Helensburgh Stanwell Park Wollongong Crookwell **Bowral** Albion Park Bundanoon Binalong Kiama Goulburn Gunning Yass Nowra Shoalhaven St Georges Basin Canberra Bungendore Queanbeyan 🗀 Ulladulla Tuggeranong Bawley Point Kioloa Batemans Bay Broulee Tuross Head Dalmeny Cooma Narooma Berridale Cobargo Bermagui Bega **DRAFT for Consultation** distribution mapping: Indicative indicative distribution is based on geospatial mapping units (such as local and regionalscale vegetation mapping) that best represent Delegate the extent of this ecological community as described in the draft documentation. Ground truthing is required to verify if a particular site meets the diagnostic characteristics and minimum condition thresholds to be the described ecological community. Please note: the distribution mapping displayed at this resolution and scale is likely to give an artificial impression of larger intact Mallacoota Cann River areas than actually exist. Caveat: The information presented in this map has been provided by a range of groups and agencies. While every effort has been made to ensure accuracy and completeness, no guarantee is given, nor responsibility taken by the Commonwealth for errors or omissions, and the Commonwealth does not accept responsibility in respect of any information or advice given in relation to, or as a consequence of, anything containing herein. Indicative distribution mapping Contextual data Map units most likely to contain the Cities ecological community (over-represents the extent in some areas) Towns & Localities State Border Roads **Australian Government** This map was produced by the DCCEEW Geospatial Data Assets team Major Rivers Lakes/Reservoirs Department of Climate Change, Energy, Non-perennial Lakes the Environment and Water Conservation Areas Distribution data source: selected map units from: NSW State Vegetation Type Map (SVTM) mapping (PCTs 3054 and 4106 - PCTs 3028, 3046, 3036 and 3077 are included where they are associated with records of diagnostic tree species and occur above 400m asl); Victorian Ecological Vegetation Classes (EVC) and Rainforests of Victoria mapping (for Warm Temperate Rainforest in the Howe Range area); and SEAP modelled rainforest data (C4b). Refer to the draft Conservation Advice for further information. Geographic Coordinate System: GCS GDA 1994 Reference Scale: 1:1,800,000 (at A4 page size) © Copyright | Commonwealth of Australia, 2025.

Contextual data sources: DCCEEW; Geoscience Australia; PSMA Australia; Australian Bureau of Statistics; CSIRO.