

Stripe Payments Resources

This document describes each of the resources available in the Google Data Studio Connector for Stripe by Find My Insight. It lists all of the resources currently available with descriptions of fields and recommend fields that can you used as join keys for blending with other resources.



This document is Updated regularly so please check back.

Last Updated Wednesday, July 21, 2021

Resource Name	Balance		
Resource Description			
Field Name	Field Type	Data Type	Field Description
object	dimension	text	Value is balance
category	dimension	text	Possible values: available, pending, connect_reserved, instant_available, issuing
amount	dimension	number	Amount in cents
currency	dimension	text	Three-letter ISO currency code, in lowercase
source_types.bank_account	dimension	number	Amount for bank account
source_types.card	dimension	number	Amount for card
source_types.fpx	dimension	number	Amount for FPX
livemode	dimension	boolean	True in live mode or false in test mode

Resource Name	Balance Transactions		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is balance_transaction
amount	metric	number	Gross amount of the transaction, in cents
available_on	dimension	year_month_day_second	The date the transaction's net funds will become available in the Stripe balance
created	dimension	year_month_day_second	
currency	dimension	text	Three-letter ISO currency code, in lowercase
description	dimension	text	
exchange_rate	metric	number	Currency exchange rate
fee	metric	number	Fees (in cents) paid for this transaction
fee_details.application_fee.amount	metric	number	Amount of the fee, in cents
fee_details.application_fee.application	dimension	text	ID of the Connect application that earned the fee
fee_details.application_fee.currency	dimension	text	Three-letter ISO currency code, in lowercase
fee_details.application_fee.description	dimension	text	
fee_details.application_fee.type	dimension	text	application_fee
fee_details.stripe_fee.amount	metric	number	Amount of the fee, in cents
fee_details.stripe_fee.application	dimension	text	ID of the Connect application that earned the fee
fee_details.stripe_fee.currency	dimension	text	Three-letter ISO currency code, in lowercase
fee_details.stripe_fee.description	dimension	text	
fee_details.stripe_fee.type	dimension	text	stripe_fee
fee_details.tax.amount	metric	number	Amount of the fee, in cents
fee_details.tax.application	dimension	text	ID of the Connect application that earned the fee
fee_details.tax.currency	dimension	text	Three-letter ISO currency code, in lowercase
fee_details.tax.description	dimension	text	
fee_details.tax.type	dimension	text	tax
net	metric	number	Net amount of the transaction, in cents
reporting_category	dimension	text	
source	dimension	text	The Stripe object to which this transaction is related
status	dimension	text	Available or pending
type	dimension	text	Possible values: adjustment, advance, advance_funding and etc

Resource Name			
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is charge
amount	metric	number	Amount intended to be collected by this payment. positive integer or zero, in cents
amount_captured	metric	number	Amount in cents captured
amount_refunded	metric	number	Amount in cents refunded
application	dimension	text	ID of the Connect application that created the charge
application_fee	dimension	text	ID of the application fee (if any) for the charge
application_fee_amount	metric	number	The amount of the application fee (if any) requested for the charge
balance_transaction	dimension	text	ID of the balance transaction
billing_details.address.city	dimension	text	
billing_details.address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)
billing_details.address.line1	dimension	text	
billing_details.address.line2	dimension	text	
billing_details.address.postal_code	dimension	text	
billing_details.address.state	dimension	text	
billing_details.email	dimension	text	
billing_details.name	dimension	text	
billing_details.phone	dimension	text	
calculated_statement_descriptor	dimension	text	The full statement descriptor that is passed to card networks, and that is displayed on your customers' credit card and bank statements.
captured	dimension	boolean	If the charge was created without capturing, this Boolean represents whether it is still uncaptured or has since been captured
created	dimension	year_month_day_second	

currency	dimension	text	Three-letter ISO currency code, in lowercase
customer	dimension	text	ID of the customer
description	dimension	text	
disputed	dimension	boolean	Whether the charge has been disputed
failure_code	dimension	text	Error code explaining reason for charge failure if available
failure_message	dimension	text	
fraud_details.stripe_report	dimension	text	Assessments from Stripe. If set, the value is fraudulent
fraud_details.user_report	dimension	text	Assessments reported by you. If set, possible values of are safe and fraudulent
invoice	dimension	text	ID of the invoice this charge is for if one exists
livemode	dimension	boolean	
metadata	dimension	obj	
on_behalf_of	dimension	text	ID of the account (if any) the charge was made on behalf of without triggering an automatic transfer
order	dimension	text	ID of the order this charge is for if one exists
outcome.network_status	dimension	text	Possible values: approved_by_network, declined_by_network, not_sent_to_network, and reversed_after_approval
outcome.reason	dimension	text	
outcome.risk_level	dimension	text	Possible values: normal, elevated, highest, not_assessed and unknown
outcome.risk_score	metric	number	
outcome.rule	dimension	text	ID of the Radar rule that matched the payment, if applicable
outcome.seller_message	dimension	text	A human-readable description of the outcome type and reason, designed for you (the recipient of the payment), not your customer
outcome.type	dimension	text	Possible values: authorized, manual_review, issuer_declined, blocked and invalid
paid	dimension	boolean	true if the charge succeeded, or was successfully authorized for later capture
payment_intent	dimension	text	ID of the PaymentIntent associated with this charge, if one exists
payment_method	dimension	text	ID of the payment method used in this charge
payment_method_details.ach_credit_transfer.account_number	dimension	text	
payment_method_details.ach_credit_transfer.bank_name	dimension	text	
payment_method_details.ach_credit_transfer.routing_number	dimension	text	
payment_method_details.ach_credit_transfer.swift_code	dimension	text	
payment_method_details.ach_debit.account_holder_type	dimension	text	Possible values: individual or company
payment_method_details.ach_debit.bank_name	dimension	text	
payment_method_details.ach_debit.country	dimension	text	Two-letter ISO code
payment_method_details.ach_debit.fingerprint	dimension	text	
payment_method_details.ach_debit.last4	dimension	text	
payment_method_details.ach_debit.routing_number	dimension	text	
payment_method_details.afterpay_clearpay	dimension	obj	
payment_method_details.alipay.fingerprint	dimension	text	
payment_method_details.alipay.transaction_id	dimension	text	
payment_method_details.au_becs_debit.bsb_number	dimension	text	Bank-State-Branch number
payment_method_details.au_becs_debit.fingerprint	dimension	text	
payment_method_details.au_becs_debit.last4	dimension	text	Last four digits of the bank account number
payment_method_details.au_becs_debit.mandate	dimension	text	ID of the mandate
payment_method_details.bacs_debit.fingerprint	dimension	text	
payment_method_details.bacs_debit.last4	dimension	text	Last four digits of the bank account number
payment_method_details.bacs_debit.mandate	dimension	text	ID of the mandate
payment_method_details.bacs_debit.sort_code	dimension	text	
payment_method_details.bancontact.bank_code	dimension	text	
payment_method_details.bancontact.bank_name	dimension	text	
payment_method_details.bancontact.bic	dimension	text	Bank Identifier Code
payment_method_details.bancontact.generated_sepa_debit.generated_sepa_debit_mandate	dimension	text	ID of the SEPA Direct Debit PaymentMethod
payment_method_details.bancontact.iban_last4	dimension	text	Last four characters of the IBAN
payment_method_details.bancontact.preferred_language	dimension	text	Possible values: en, de, fr, or nl
payment_method_details.bancontact.verified_name	dimension	text	
payment_method_details.card.brand	dimension	text	Possible values: amex, diners, discover, jcb, mastercard, unionpay, visa, or unknown
payment_method_details.card.checks.address_line1_check	dimension	text	If a address line1 was provided, results of the check. Possible values: pass, fail, unavailable, or unchecked
payment_method_details.card.checks.address_postal_code_check	dimension	text	If a address postal code was provided, results of the check. Possible values: pass, fail, unavailable, or unchecked
payment_method_details.card.checks.cvc_check	dimension	text	If a CVC was provided, results of the check. Possible values: pass, fail, unavailable, or unchecked
payment_method_details.card.country	dimension	text	Two-letter ISO code
payment_method_details.card.exp_month	dimension	number	Two-digit number
payment_method_details.card.exp_year	dimension	number	Four-digit number
payment_method_details.card.fingerprint	dimension	text	
payment_method_details.card.funding	dimension	text	Possible values: credit, debit, prepaid, or unknown
payment_method_details.card.installments.plan.count	dimension	number	
payment_method_details.card.installments.plan.interval	dimension	text	
payment_method_details.card.installments.plan.type	dimension	text	
payment_method_details.card.last4	dimension	text	The last four digits of the card
payment_method_details.card.network	dimension	text	Possible values: amex, cartes_bancaires, diners, discover, interac, jcb, mastercard, unionpay, visa, or unknown
payment_method_details.card.three_d_secure.authentication_flow	dimension	text	Possible values: challenge, frictionless
payment_method_details.card.three_d_secure.result	dimension	text	The outcome of 3D Secure authentication. Possible values: authenticated, attempt_acknowledged, not_supported, failed, processing_error
payment_method_details.card.three_d_secure.result_reason	dimension	text	Additional information about result. Possible values: card_not_enrolled, network_not_supported, abandoned, canceled, rejected, bypassed, protocol_error

payment_method_details.card.three_d_secure.version	dimension	text	
payment_method_details.card.wallet.amex_express_checkout	dimension	obj	
payment_method_details.card.wallet.apple_pay	dimension	obj	
payment_method_details.card.wallet.dynamic_last4	dimension	text	(For tokenized numbers only.) The last four digits of the device account number
payment_method_details.card.wallet.google_pay	dimension	obj	
payment_method_details.card.wallet.masterpass.billing_address.city	dimension	text	
payment_method_details.card.wallet.masterpass.billing_address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)
payment_method_details.card.wallet.masterpass.billing_address.line1	dimension	text	
payment_method_details.card.wallet.masterpass.billing_address.line2	dimension	text	
payment_method_details.card.wallet.masterpass.billing_address.postal_code	dimension	text	
payment_method_details.card.wallet.masterpass.billing_address.state	dimension	text	
payment_method_details.card.wallet.masterpass.email	dimension	text	
payment_method_details.card.wallet.masterpass.name	dimension	text	
payment_method_details.card.wallet.masterpass.shipping_address.city	dimension	text	
payment_method_details.card.wallet.masterpass.shipping_address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)
payment_method_details.card.wallet.masterpass.shipping_address.line1	dimension	text	
payment_method_details.card.wallet.masterpass.shipping_address.line2	dimension	text	
payment_method_details.card.wallet.masterpass.shipping_address.postal_code	dimension	text	
payment_method_details.card.wallet.masterpass.shipping_address.state	dimension	text	
payment_method_details.card.wallet.samsung_pay	dimension	obj	
payment_method_details.card.wallet.type	dimension	text	Possible values: amex_express_checkout, apple_pay, google_pay, masterpass, samsung_pay, or visa_checkout
payment_method_details.card.wallet.visa_checkout.billing_address.city	dimension	text	
payment_method_details.card.wallet.visa_checkout.billing_address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)
payment_method_details.card.wallet.visa_checkout.billing_address.line1	dimension	text	
payment_method_details.card.wallet.visa_checkout.billing_address.line2	dimension	text	
payment_method_details.card.wallet.visa_checkout.billing_address.postal_code	dimension	text	
payment_method_details.card.wallet.visa_checkout.billing_address.state	dimension	text	
payment_method_details.card.wallet.visa_checkout.email	dimension	text	
payment_method_details.card.wallet.visa_checkout.name	dimension	text	
payment_method_details.card.wallet.visa_checkout.shipping_address.city	dimension	text	
payment_method_details.card.wallet.visa_checkout.shipping_address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)
payment_method_details.card.wallet.visa_checkout.shipping_address.line1	dimension	text	
payment_method_details.card.wallet.visa_checkout.shipping_address.line2	dimension	text	
payment_method_details.card.wallet.visa_checkout.shipping_address.postal_code	dimension	text	
payment_method_details.card.wallet.visa_checkout.shipping_address.state	dimension	text	
payment_method_details.card_present.brand	dimension	text	Possible values: amex, diners, discover, jcb, mastercard, unionpay, visa, or unknown
payment_method_details.card_present.cardholder_name	dimension	text	
payment_method_details.card_present.country	dimension	text	Two-letter ISO code
payment_method_details.card_present.emv_auth_data	dimension	text	Authorization response cryptogram
payment_method_details.card_present.exp_month	dimension	number	Two-digit number
payment_method_details.card_present.exp_year	dimension	number	Four-digit number
payment_method_details.card_present.fingerprint	dimension	text	
payment_method_details.card_present.funding	dimension	text	Possible values: credit, debit, prepaid, or unknown
payment_method_details.card_present.generated_card	dimension	text	ID of a card PaymentMethod
payment_method_details.card_present.last4	dimension	text	The last four digits of the card
payment_method_details.card_present.network	dimension	text	Possible values: amex, cartes_bancaires, diners, discover, interac, jcb, mastercard, unionpay, visa, or unknown
payment_method_details.card_present.read_method	dimension	text	Possible values: contact_emv, contactless_emv, magnetic_stripe_track2, magnetic_stripe_fallback, contactless_magstripe_mode
payment_method_details.card_present.receipt.account_type	dimension	text	Possible values: credit, checking, prepaid, or unknown
payment_method_details.card_present.receipt.application_cryptogram	dimension	text	EMV tag 9F26
payment_method_details.card_present.receipt.application_preferred_name	dimension	text	
payment_method_details.card_present.receipt.authorization_code	dimension	text	
payment_method_details.card_present.receipt.authorization_response_code	dimension	text	EMV tag 8A
payment_method_details.card_present.receipt.cardholder_verification_method	dimension	text	
payment_method_details.card_present.receipt.dedicated_file_name	dimension	text	EMV tag 84
payment_method_details.card_present.receipt.terminal_verification_results	dimension	text	The outcome of a series of EMV functions performed by the card reader
payment_method_details.card_present.receipt.transaction_status_information	dimension	text	
payment_method_details.eps.bank	dimension	text	
payment_method_details.eps.verified_name	dimension	text	

payment_method_details.fpx.bank	dimension	text	Possible values: affin_bank, alliance_bank, ambank, bank_islam, bank_muamalat, bank_rakyat, bsn, cimb, hong_leong_bank, hsbc, kfh, maybank2u, ocbc, public_bank, rhb, standard_chartered, uob, deutsche_bank, maybank2e, or pb_enterprise
payment_method_details.fpx.transaction_id	dimension	text	
payment_method_details.giropay.bank_code	dimension	text	
payment_method_details.giropay.bank_name	dimension	text	
payment_method_details.giropay.bic	dimension	text	Bank Identifier Code
payment_method_details.giropay.verified_name	dimension	text	
payment_method_details.grabpay.transaction_id	dimension	text	
payment_method_details.ideal.bank	dimension	text	Possible values: abn_amro, asn_bank, bunq, handelsbanken, ing, knab, moneyou, rabobank, regiobank, revolut, sns_bank, triodos_bank, or van_lanscot
payment_method_details.ideal.bic	dimension	text	Bank Identifier Code
payment_method_details.ideal.generated_sepa_debit	dimension	text	ID of the SEPA Direct Debit PaymentMethod
payment_method_details.ideal.generated_sepa_debit_mandate	dimension	text	
payment_method_details.ideal.iban_last4	dimension	text	Last four characters of the IBAN
payment_method_details.ideal.verified_name	dimension	text	
payment_method_details.interac_present.brand	dimension	text	Possible values: interac, mastercard or visa
payment_method_details.interac_present.cardholder_name	dimension	text	
payment_method_details.interac_present.country	dimension	text	Two-letter ISO code
payment_method_details.interac_present.emv_auth_data	dimension	text	Authorization response cryptogram
payment_method_details.interac_present.exp_month	dimension	number	Two-digit number
payment_method_details.interac_present.exp_year	dimension	number	Four-digit number
payment_method_details.interac_present.fingerprint	dimension	text	
payment_method_details.interac_present.funding	dimension	text	Possible values: credit, debit, prepaid, or unknown
payment_method_details.interac_present.generated_card	dimension	text	ID of a card PaymentMethod
payment_method_details.interac_present.last4	dimension	text	The last four digits of the card
payment_method_details.interac_present.network	dimension	text	Possible values: amex, cartes_bancaires, diners, discover, interac, jcb, mastercard, unionpay, visa, or unknown
payment_method_details.interac_present.preferred_locales	dimension	array	
payment_method_details.interac_present.read_method	dimension	text	Possible values: contact_emv, contactless_emv, magnetic_stripe_track2, magnetic_stripe_fallback, contactless_magstripe_mode
payment_method_details.interac_present.receipt.account_type	dimension	text	Possible values: checking, savings, unknown
payment_method_details.interac_present.receipt.application_cryptogram	dimension	text	EMV tag 9F26
payment_method_details.interac_present.receipt.application_preferred_name	dimension	text	
payment_method_details.interac_present.receipt.authorization_code	dimension	text	
payment_method_details.interac_present.receipt.authorization_response_code	dimension	text	EMV tag 8A
payment_method_details.interac_present.receipt.cardholder_verification_method	dimension	text	
payment_method_details.interac_present.receipt.dedicated_file_name	dimension	text	EMV tag 84
payment_method_details.interac_present.receipt.terminal_verification_results	dimension	text	The outcome of a series of EMV functions performed by the card reader
payment_method_details.interac_present.receipt.transaction_status_information	dimension	text	
payment_method_details.klarna	dimension	obj	
payment_method_details.multibanco.entity	dimension	text	Entity number associated with this Multibanco payment
payment_method_details.multibanco.reference	dimension	text	
payment_method_details.oxo.number	dimension	text	
payment_method_details.p24.bank	dimension	text	
payment_method_details.p24.reference	dimension	text	
payment_method_details.p24.verified_name	dimension	text	
payment_method_details.sepa_debit.bank_code	dimension	text	
payment_method_details.sepa_debit.branch_code	dimension	text	
payment_method_details.sepa_debit.country	dimension	text	Two-letter ISO code
payment_method_details.sepa_debit.fingerprint	dimension	text	
payment_method_details.sepa_debit.last4	dimension	text	Last four characters of the IBAN
payment_method_details.sepa_debit.mandate	dimension	text	ID of the mandate used to make this payment
payment_method_details.sofort.bank_code	dimension	text	
payment_method_details.sofort.bank_name	dimension	text	
payment_method_details.sofort.bic	dimension	text	Bank Identifier Code
payment_method_details.sofort.country	dimension	text	Two-letter ISO code
payment_method_details.sofort.generated_sepa_debit	dimension	text	
payment_method_details.sofort.generated_sepa_debit_mandate	dimension	text	
payment_method_details.sofort.iban_last4	dimension	text	Last four characters of the IBAN
payment_method_details.sofort.preferred_language	dimension	text	Possible values: de, en, es, fr, it, nl, or pl
payment_method_details.sofort.verified_name	dimension	text	
payment_method_details.stripe_account	dimension	obj	
payment_method_details.type	dimension	text	Possible values: ach_credit_transfer, ach_debit, alipay, au_becs_debit, bancontact, card, card_present, eps, giropay, ideal, klarna, multibanco, p24, sepa_debit, sofort, stripe_account, or wechat
payment_method_details.wechat	dimension	obj	
receipt_email	dimension	text	
receipt_number	dimension	text	The transaction number that appears on email receipts sent for this charge
receipt_url	dimension	text	
refunded	dimension	boolean	Whether the charge has been fully refunded. If the charge is only partially refunded, this attribute will still be false
review	dimension	text	ID of the review associated with this charge if one exists
shipping.address.city	dimension	text	
shipping.address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)
shipping.address.line1	dimension	text	

shipping.address.line2	dimension	text	
shipping.address.postal_code	dimension	text	
shipping.address.state	dimension	text	
shipping.carrier	dimension	text	The delivery service
shipping.name	dimension	text	
shipping.phone	dimension	text	
shipping.tracking_number	dimension	text	
source.transfer	dimension	text	The transfer ID which created this charge
statement.descriptor	dimension	text	The complete description of a charge on your customers' statements
statement.descriptor.suffix	dimension	text	
status	dimension	text	Possible values: succeeded, pending, or failed
transfer	dimension	text	ID of the transfer
transfer.data.amount	metric	number	
transfer.data.destination	dimension	text	ID of an existing, connected Stripe account to transfer funds to if transfer_data was specified in the charge request
transfer.group	dimension	text	A string that identifies this transaction as part of a group

Resource Name	Customers		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is customer
address.city	dimension	text	
address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)
address.line1	dimension	text	
address.line2	dimension	text	
address.postal_code	dimension	text	
address.state	dimension	text	
balance	metric	number	
created	dimension	year_month_day_second	
currency	dimension	text	Three-letter ISO currency code, in lowercase
default_source	dimension	text	ID of the default payment source for the customer
delinquent	dimension	boolean	
description	dimension	text	
discount.id	dimension	text	
email	dimension	text	
invoice.prefix	dimension	text	
invoice.settings.default_payment_method	dimension	text	
invoice.settings.footer	dimension	text	
livemode	dimension	boolean	True in live mode or false in test mode
metadata	dimension	obj	
name	dimension	text	
next_invoice_sequence	dimension	number	
phone	dimension	text	
preferred_locales	dimension	array	
shipping.address.city	dimension	text	
shipping.address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)
shipping.address.line1	dimension	text	
shipping.address.line2	dimension	text	
shipping.address.postal_code	dimension	text	
shipping.address.state	dimension	text	
shipping.name	dimension	text	
shipping.phone	dimension	text	
tax_exempt	dimension	text	

Resource Name	Disputes		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is dispute
amount	metric	number	
charge	dimension	text	ID of the charge that was disputed
created	dimension	year_month_day_second	
currency	dimension	text	Three-letter ISO currency code, in lowercase
evidence.access_activity_log	dimension	text	Any server or activity logs showing proof that the customer accessed or downloaded the purchased digital product
evidence.billing_address	dimension	text	
evidence.cancellation_policy	dimension	text	(ID of a file upload) Your subscription cancellation policy, as shown to the customer
evidence.cancellation_policy_disclosure	dimension	text	An explanation of how and when the customer was shown your refund policy prior to purchase
evidence.cancellation_rebuttal	dimension	text	A justification for why the customer's subscription was not canceled
evidence.customer_communication	dimension	text	(ID of a file upload) Any communication with the customer that you feel is relevant to your case
evidence.customer_email_address	dimension	text	
evidence.customer_name	dimension	text	
evidence.customer_purchase_ip	dimension	text	
evidence.customer_signature	dimension	text	(ID of a file upload) A relevant document or contract showing the customer's signature
evidence.duplicate_charge_documentation	dimension	text	(ID of a file upload) Documentation for the prior charge that can uniquely identify the charge
evidence.duplicate_charge_explanation	dimension	text	An explanation of the difference between the disputed charge versus the prior charge that appears to be a duplicate
evidence.duplicate_charge_id	dimension	text	The Stripe ID for the prior charge which appears to be a duplicate of the disputed charge

evidence.product_description	dimension	text	
evidence.receipt	dimension	text	(ID of a file upload) Any receipt or message sent to the customer notifying them of the charge
evidence.refund_policy	dimension	text	(ID of a file upload) Your refund policy, as shown to the customer
evidence.refund_policy_disclosure	dimension	text	Documentation demonstrating that the customer was shown your refund policy prior to purchase
evidence.refund_refusal_explanation	dimension	text	A justification for why the customer is not entitled to a refund
evidence.service_date	dimension	text	The date on which the customer received or began receiving the purchased service, in a clear human-readable format
evidence.service_documentation	dimension	text	(ID of a file upload) Documentation showing proof that a service was provided to the customer
evidence.shipping_address	dimension	text	
evidence.shipping_carrier	dimension	text	The delivery service
evidence.shipping_date	dimension	text	The date on which a physical product began its route to the shipping address, in a clear human-readable format
evidence.shipping_documentation	dimension	text	(ID of a file upload) Documentation showing proof that a product was shipped to the customer at the same address the customer provided to you
evidence.shipping_tracking_number	dimension	text	
evidence.uncategorized_file	dimension	text	(ID of a file upload) Any additional evidence or statements
evidence.uncategorized_text	dimension	text	Any additional evidence or statements
evidence_details.due_by	dimension	year_month_day_second	Date by which evidence must be submitted in order to successfully challenge dispute
evidence_details.has_evidence	dimension	boolean	Whether evidence has been staged for this dispute
evidence_details.past_due	dimension	boolean	Whether the last evidence submission was submitted past the due date
evidence_details.submission_count	metric	number	The number of times evidence has been submitted. Typically, you may only submit evidence once
is_charge_refundable	dimension	boolean	If true, it is still possible to refund the disputed payment
livemode	dimension	boolean	
metadata	dimension	obj	
payment_intent	dimension	text	ID of the PaymentIntent that was disputed
reason	dimension	text	Possible values: bank_cannot_process, check_returned, credit_not_processed, customer_initiated, debit_not_authorized, duplicate, fraudulent, general, incorrect_account_details, insufficient_funds, product_not_received, product_unacceptable, subscription_canceled, or unrecognized
status	dimension	text	Possible values: warning_needs_response, warning_under_review, warning_closed, needs_response, under_review, charge_refunded, won, or lost

Resource Name	Events			
Resource Description	Field Name	Field Type	Data Type	Field Description
	id	dimension	text	
	object	dimension	text	Value is event
	account	dimension	text	
	api_version	dimension	text	
	created	dimension	year_month_day_second	
	livemode	dimension	boolean	
	data.object.id	dimension	text	
	data.object.object	dimension	text	
	pending_webhooks	metric	number	
	request.id	dimension	text	
	request.idempotency_key	dimension	text	
	type	dimension	text	Description of the event (e.g., invoice.created or charge.refunded)

Resource Name	Files			
Resource Description	Field Name	Field Type	Data Type	Field Description
	id	dimension	text	
	object	dimension	text	Value is file
	created	dimension	year_month_day_second	
	expires_at	dimension	year_month_day_second	
	filename	dimension	text	
	purpose	dimension	text	Possible values: account_requirement, additional_verification, business_icon, business_logo, customer_signature, dispute_evidence, identity_document, pci_document, tax_document_user_upload
	size	metric	number	The size in bytes of the file
	title	dimension	text	
	type	dimension	text	
	url	dimension	text	The URL from which the file can be downloaded using your live secret API key

Resource Name	file links			
Resource Description	Field Name	Field Type	Data Type	Field Description
	id	dimension	text	
	object	dimension	text	Value is file_link
	created	dimension	year_month_day_second	
	expired	dimension	boolean	
	expires_at	dimension	year_month_day_second	
	file	dimension	text	
	livemode	dimension	boolean	
	metadata	dimension	obj	

url	dimension	text	The publicly accessible URL to download the file
-----	-----------	------	--

Resource Name	Mandates		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is mandate
customer_acceptance.accepted_at	dimension	year_month_day_second	
customer_acceptance.offline	dimension	obj	If this is a Mandate accepted offline, this hash contains details about the offline acceptance
customer_acceptance.online.ip_address	dimension	text	The IP address from which the Mandate was accepted online by the customer
customer_acceptance.online.user_agent	dimension	text	The user agent of the browser from which the Mandate was accepted online by the customer
customer_acceptance.type	dimension	text	Possible values: online or offline
livemode	dimension	boolean	
multi_use	dimension	obj	
payment_method	dimension	text	ID of the payment method
payment_method_details.acss_debit.mandate_options.interval_description	dimension	text	
payment_method_details.acss_debit.mandate_options.payment_schedule	dimension	text	Possible values: interval, sporadic, combined
payment_method_details.acss_debit.mandate_options.transaction_type	dimension	text	Possible values: personal, business
payment_method_details.au_becs_debit.url	dimension	text	The URL of the mandate. This URL generally contains sensitive information about the customer and should be shared with them exclusively
payment_method_details.bacs_debit.network_status	dimension	text	The status of the mandate on the Bacs network. Possible values: one of pending, revoked, refused, or accepted
payment_method_details.bacs_debit.reference	dimension	text	The unique reference identifying the mandate on the Bacs network
payment_method_details.bacs_debit.url	dimension	text	The URL that will contain the mandate that the customer has signed
payment_method_details.card	dimension	text	If this mandate is associated with a card payment method, this hash contains mandate information specific to the card payment method
payment_method_details.sepa_debit.reference	dimension	text	The unique reference of the mandate
payment_method_details.sepa_debit.url	dimension	text	The URL of the mandate. This URL generally contains sensitive information about the customer and should be shared with them exclusively
payment_method_details.type	dimension	text	
single_use.amount	dimension	number	
single_use.currency	dimension	text	
status	dimension	text	Possible values: active, inactive, pending
type	dimension	text	Possible values: multi_use, single_use

Resource Name	Products		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is product
active	dimension	boolean	
created	dimension	year_month_day_second	
description	dimension	text	
images	dimension	array	
livemode	dimension	boolean	
metadata	dimension	obj	
name	dimension	text	
package_dimensions.height	dimension	text	in inches
package_dimensions.length	dimension	text	in inches
package_dimensions.weight	dimension	text	in ounces
package_dimensions.width	dimension	text	in inches
shippable	dimension	boolean	
statement_descriptor	dimension	text	Extra information about a product which will appear on your customer's credit card statement
unit_label	dimension	text	
updated	dimension	year_month_day_second	
url	dimension	text	A URL of a publicly-accessible webpage for this product

Resource Name	Prices		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is price
active	dimension	boolean	
billing_scheme	dimension	text	Possible values: per_unit or tiered
created	dimension	year_month_day_second	
currency	dimension	text	Three-letter ISO currency code
livemode	dimension	boolean	
lookup_key	dimension	text	
metadata	dimension	obj	
nickname	dimension	text	
product	dimension	text	The ID of the product this price is associated with
recurring.aggregate_usage	dimension	text	Specifies a usage aggregation strategy for prices of usage_type=metered. Possible values: sum, last_during_period, last_ever, max
recurring.interval	dimension	text	Possible values: day, week, month or year
recurring.interval_count	metric	number	The number of intervals between subscription billings

recurring.usage_type	dimension	text	Configures how the quantity per period should be determined. Possible values: metered or licensed
tiers_mode	dimension	text	Possible values: graduated or volume
transform_quantity.divide_by	metric	number	Divide usage by this number
transform_quantity.round	dimension	text	After division, either round up or down. Possible values: up or down
type	dimension	text	Possible values: one_time or recurring
unit_amount	metric	number	The unit amount in cents to be charged, represented as a whole integer if possible. Only set if billing_scheme=per_unit
unit_amount_decimal	dimension	text	The unit amount in cents to be charged, represented as a decimal string with at most 12 decimal places. Only set if billing_scheme=per_unit

Resource Name	Payment Intents		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	
amount	metric	number	
amount_capturable	metric	number	
amount_received	metric	number	
application	dimension	text	
application_fee_amount	metric	number	
anceled_at	dimension	year_month_day_second	
cancellation_reason	dimension	text	
capture_method	dimension	text	
client_secret	dimension	text	
confirmation_method	dimension	text	
created	dimension	year_month_day_second	
currency	dimension	text	
customer	dimension	text	
description	dimension	text	
invoice	dimension	text	
last_payment_error.charge	dimension	text	
last_payment_error.code	dimension	text	
last_payment_error.decline_code	dimension	text	
last_payment_error.doc_url	dimension	text	
last_payment_error.message	dimension	text	
last_payment_error.param	dimension	text	
last_payment_error.payment_method.id	dimension	text	
last_payment_error.payment_method.object	dimension	text	
last_payment_error.payment_method.created	dimension	year_month_day_second	
last_payment_error.payment_method.customer	dimension	text	
last_payment_error.payment_method.livemode	dimension	boolean	
last_payment_error.payment_method.metadata	dimension	obj	
last_payment_error.payment_method.billing_details.address.city	dimension	text	
last_payment_error.payment_method.billing_details.address.country	dimension	text	
last_payment_error.payment_method.billing_details.address.line1	dimension	text	
last_payment_error.payment_method.billing_details.address.line2	dimension	text	
last_payment_error.payment_method.billing_details.address.postal_code	dimension	text	
last_payment_error.payment_method.billing_details.address.state	dimension	text	
last_payment_error.payment_method.billing_details.email	dimension	text	
last_payment_error.payment_method.billing_details.name	dimension	text	
last_payment_error.payment_method.billing_details.phone	dimension	text	
last_payment_error.payment_method.acss_debit.bank_name	dimension	text	
last_payment_error.payment_method.acss_debit.fingerprint	dimension	text	
last_payment_error.payment_method.acss_debit.institution_number	dimension	text	
last_payment_error.payment_method.acss_debit.last4	dimension	text	
last_payment_error.payment_method.acss_debit.transit_number	dimension	text	
last_payment_error.payment_method.afterpay_clearpay	dimension	obj	
last_payment_error.payment_method.alipay	dimension	obj	
last_payment_error.payment_method.au_becs_debit.bsb_number	dimension	text	
last_payment_error.payment_method.au_becs_debit.fingerprint	dimension	text	
last_payment_error.payment_method.au_becs_debit.last4	dimension	text	
last_payment_error.payment_method.bacs_debit.fingerprint	dimension	text	
last_payment_error.payment_method.bacs_debit.last4	dimension	text	
last_payment_error.payment_method.bacs_debit.sort_code	dimension	text	
last_payment_error.payment_method.bancontact	dimension	obj	
last_payment_error.payment_method.card.brand	dimension	text	
last_payment_error.payment_method.card.checks.address_line1_check	dimension	text	
last_payment_error.payment_method.card.checks.address_postal_code_check	dimension	text	
last_payment_error.payment_method.card.checks.cvc_check	dimension	text	
last_payment_error.payment_method.card.country	dimension	text	
last_payment_error.payment_method.card.exp_month	dimension	number	
last_payment_error.payment_method.card.exp_year	dimension	number	
last_payment_error.payment_method.card.fingerprint	dimension	text	
last_payment_error.payment_method.card.funding	dimension	text	
last_payment_error.payment_method.card.generated_from.charge	dimension	text	

last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.brand	dimension	text	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.cardholder_name	dimension	text	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.country	dimension	text	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.emv_auth_data	dimension	text	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.exp_month	dimension	number	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.exp_year	dimension	number	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.fingerprint	dimension	text	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.funding	dimension	text	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.generated_card	dimension	text	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.last4	dimension	text	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.network	dimension	text	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.read_method	dimension	text	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.account_type	dimension	text	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.application_cryptogram	dimension	text	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.application_preferred_name	dimension	text	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.authorization_code	dimension	text	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.authorization_response_code	dimension	text	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.cardholder_verification_method	dimension	text	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.dedicated_file_name	dimension	text	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.terminal_verification_results	dimension	text	
last_payment_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.transaction_status_information	dimension	text	
last_payment_error.payment_method.card.generated_from.payment_method_details.type	dimension	text	
last_payment_error.payment_method.card.generated_from.setup_attempt	dimension	text	
last_payment_error.payment_method.card.last4	dimension	text	
last_payment_error.payment_method.card.networks.available	dimension	text	
last_payment_error.payment_method.card.networks.preferred	dimension	text	
last_payment_error.payment_method.card.three_d_secure_usage.supported	dimension	boolean	
last_payment_error.payment_method.card.wallet.amex_express_checkout	dimension	obj	
last_payment_error.payment_method.card.wallet.apple_pay	dimension	obj	
last_payment_error.payment_method.card.wallet.dynamic_last4	dimension	text	
last_payment_error.payment_method.card.wallet.google_pay	dimension	obj	
last_payment_error.payment_method.card.wallet.masterpass.billing_address.city	dimension	text	
last_payment_error.payment_method.card.wallet.masterpass.billing_address.country	dimension	text	
last_payment_error.payment_method.card.wallet.masterpass.billing_address.line1	dimension	text	
last_payment_error.payment_method.card.wallet.masterpass.billing_address.line2	dimension	text	
last_payment_error.payment_method.card.wallet.masterpass.billing_address.postal_code	dimension	text	
last_payment_error.payment_method.card.wallet.masterpass.billing_address.state	dimension	text	
last_payment_error.payment_method.card.wallet.masterpass.email	dimension	text	
last_payment_error.payment_method.card.wallet.masterpass.name	dimension	text	
last_payment_error.payment_method.card.wallet.masterpass.shipping_address.city	dimension	text	
last_payment_error.payment_method.card.wallet.masterpass.shipping_address.country	dimension	text	
last_payment_error.payment_method.card.wallet.masterpass.shipping_address.line1	dimension	text	
last_payment_error.payment_method.card.wallet.masterpass.shipping_address.line2	dimension	text	
last_payment_error.payment_method.card.wallet.masterpass.shipping_address.postal_code	dimension	text	
last_payment_error.payment_method.card.wallet.masterpass.shipping_address.state	dimension	text	
last_payment_error.payment_method.card.wallet.samsung_pay	dimension	obj	
last_payment_error.payment_method.card.wallet.type	dimension	text	
last_payment_error.payment_method.card.wallet.visa_checkout.billing_address.city	dimension	text	
last_payment_error.payment_method.card.wallet.visa_checkout.billing_address.country	dimension	text	
last_payment_error.payment_method.card.wallet.visa_checkout.billing_address.line1	dimension	text	

last_payment_error.payment_method.card.wallet.visa_checkout.billing_address.line2	dimension	text	
last_payment_error.payment_method.card.wallet.visa_checkout.billing_address.postal_code	dimension	text	
last_payment_error.payment_method.card.wallet.visa_checkout.billing_address.state	dimension	text	
last_payment_error.payment_method.card.wallet.visa_checkout.email	dimension	text	
last_payment_error.payment_method.card.wallet.visa_checkout.name	dimension	text	
last_payment_error.payment_method.card.wallet.visa_checkout.shipping_address.city	dimension	text	
last_payment_error.payment_method.card.wallet.visa_checkout.shipping_address.country	dimension	text	
last_payment_error.payment_method.card.wallet.visa_checkout.shipping_address.line1	dimension	text	
last_payment_error.payment_method.card.wallet.visa_checkout.shipping_address.line2	dimension	text	
last_payment_error.payment_method.card.wallet.visa_checkout.shipping_address.postal_code	dimension	text	
last_payment_error.payment_method.card.wallet.visa_checkout.shipping_address.state	dimension	text	
last_payment_error.payment_method.card_present	dimension	obj	
last_payment_error.payment_method.eps.bank	dimension	text	
last_payment_error.payment_method.fpx.bank	dimension	text	
last_payment_error.payment_method.giropay	dimension	obj	
last_payment_error.payment_method.grabpay	dimension	obj	
last_payment_error.payment_method.ideal.bank	dimension	text	
last_payment_error.payment_method.ideal.bic	dimension	text	
last_payment_error.payment_method.interac_present	dimension	obj	
last_payment_error.payment_method.oxo	dimension	obj	
last_payment_error.payment_method.p24.bank	dimension	text	
last_payment_error.payment_method.sepa_debit.bank_code	dimension	text	
last_payment_error.payment_method.sepa_debit.branch_code	dimension	text	
last_payment_error.payment_method.sepa_debit.country	dimension	text	
last_payment_error.payment_method.sepa_debit.fingerprint	dimension	text	
last_payment_error.payment_method.sepa_debit.generated_from.charge	dimension	text	
last_payment_error.payment_method.sepa_debit.generated_from.setup_attempt	dimension	text	
last_payment_error.payment_method.sepa_debit.last4	dimension	text	
last_payment_error.payment_method.sofort.country	dimension	text	
last_payment_error.payment_method.type	dimension	text	
last_payment_error.payment_method_type	dimension	text	
last_payment_error.type	dimension	text	
livemode	dimension	boolean	
metadata	dimension	obj	
next_action.alipay_handle_redirect.native_data	dimension	text	
next_action.alipay_handle_redirect.native_url	dimension	text	
next_action.alipay_handle_redirect.return_url	dimension	text	
next_action.alipay_handle_redirect.url	dimension	text	
next_action.oxo_display_details.expires_after	dimension	year_month_day_second	
next_action.oxo_display_details.hosted_voucher_url	dimension	text	
next_action.oxo_display_details.number	dimension	text	
next_action.redirect_to_url.return_url	dimension	text	
next_action.redirect_to_url.url	dimension	text	
next_action.type	dimension	text	
next_action.use_stripe_sdk	dimension	obj	
next_action.verify_with_microdeposits.arrival_date	dimension	year_month_day_second	
next_action.verify_with_microdeposits.hosted_verification_url	dimension	text	
on_behalf_of	dimension	text	
payment_method	dimension	text	
payment_method_options.acss_debit.mandate_options.custom_mandate_url	dimension	text	
payment_method_options.acss_debit.mandate_options.interval_description	dimension	text	
payment_method_options.acss_debit.mandate_options.payment_schedule	dimension	text	
payment_method_options.acss_debit.mandate_options.transaction_type	dimension	text	
payment_method_options.acss_debit.verification_method	dimension	text	
payment_method_options.alipay	dimension	obj	
payment_method_options.bancontact.preferred_language	dimension	text	
payment_method_options.card.installments.enabled	dimension	boolean	
payment_method_options.card.installments.plan.count	metric	number	
payment_method_options.card.installments.plan.interval	dimension	text	
payment_method_options.card.installments.plan.type	dimension	text	
payment_method_options.card.network	dimension	text	
payment_method_options.card.request_three_d_secure	dimension	text	
payment_method_options.oxo.expires_after_days	metric	number	
payment_method_options.p24	dimension	obj	
payment_method_options.sepa_debit.mandate_options	dimension	obj	
payment_method_options.sofort.preferred_language	dimension	text	
payment_method_types	dimension	array	
receipt_email	dimension	text	
review	dimension	text	
setup_future_usage	dimension	text	
shipping.address.city	dimension	text	
shipping.address.country	dimension	text	

shipping.address.line1	dimension	text	
shipping.address.line2	dimension	text	
shipping.address.postal_code	dimension	text	
shipping.address.state	dimension	text	
shipping.carrier	dimension	text	
shipping.name	dimension	text	
shipping.phone	dimension	text	
shipping.tracking_number	dimension	text	
statement_descriptor	dimension	text	
statement_descriptor_suffix	dimension	text	
status	dimension	text	
transfer_data.amount	metric	number	
transfer_data.destination	dimension	text	
transfer_group	dimension	text	

Resource Name	Setup Intents		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is setup_intent
application	dimension	text	ID of the Connect application that created the SetupIntent
cancellation_reason	dimension	text	Possible values: abandoned, requested_by_customer, or duplicate
client_secret	dimension	text	The client secret of this SetupIntent. Used for client-side retrieval using a publishable key
created	dimension	year_month_day_second	
customer	dimension	text	ID of the Customer this SetupIntent belongs to, if one exists
description	dimension	text	
last_setup_error.code	dimension	text	For some errors that could be handled programmatically, a short string indicating the error code reported
last_setup_error.decline_code	dimension	text	For card errors resulting from a card issuer decline, a short string indicating the card issuer's reason for the decline if they provide one
last_setup_error.doc_url	dimension	text	A URL to more information about the error code reported
last_setup_error.message	dimension	text	A human-readable message providing more details about the error. For card errors, these messages can be shown to your users
last_setup_error.param	dimension	text	If the error is parameter-specific, the parameter related to the error. For example, you can use this to display a message near the correct form field
last_setup_error.payment_method.id	dimension	text	ID of the PaymentMethod
last_setup_error.payment_method.object	dimension	text	Value is payment_method
last_setup_error.payment_method.created	dimension	year_month_day_second	
last_setup_error.payment_method.customer	dimension	text	ID of the Customer
last_setup_error.payment_method.livemode	dimension	boolean	
last_setup_error.payment_method.metadata	dimension	obj	
last_setup_error.payment_method.billing_details.address.city	dimension	text	
last_setup_error.payment_method.billing_details.address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)
last_setup_error.payment_method.billing_details.address.line1	dimension	text	
last_setup_error.payment_method.billing_details.address.line2	dimension	text	
last_setup_error.payment_method.billing_details.address.postal_code	dimension	text	
last_setup_error.payment_method.billing_details.address.state	dimension	text	
last_setup_error.payment_method.billing_details.email	dimension	text	
last_setup_error.payment_method.billing_details.name	dimension	text	
last_setup_error.payment_method.billing_details.phone	dimension	text	
last_setup_error.payment_method.acss_debit.bank_name	dimension	text	Name of the bank associated with the bank account
last_setup_error.payment_method.acss_debit.fingerprint	dimension	text	Uniquely identifies this particular bank account
last_setup_error.payment_method.acss_debit.institution_number	dimension	text	Institution number of the bank account
last_setup_error.payment_method.acss_debit.last4	dimension	text	Last four digits of the bank account number
last_setup_error.payment_method.acss_debit.transit_number	dimension	text	Transit number of the bank account
last_setup_error.payment_method.afterpay_clearpay	dimension	obj	
last_setup_error.payment_method.alipay	dimension	obj	
last_setup_error.payment_method.au_becs_debit.bsb_number	dimension	text	Six-digit number identifying bank and branch associated with this bank account
last_setup_error.payment_method.au_becs_debit.fingerprint	dimension	text	Uniquely identifies this particular bank account
last_setup_error.payment_method.au_becs_debit.last4	dimension	text	Last four digits of the bank account number
last_setup_error.payment_method.bacs_debit.fingerprint	dimension	text	Uniquely identifies this particular bank account
last_setup_error.payment_method.bacs_debit.last4	dimension	text	Last four digits of the bank account number
last_setup_error.payment_method.bacs_debit.sort_code	dimension	text	Sort code of the bank account. (e.g., 10-20-30)
last_setup_error.payment_method.bancontact	dimension	obj	
last_setup_error.payment_method.card.brand	dimension	text	Card brand. Possible values: amex, diners, discover, jcb, mastercard, unionpay, visa, or unknown
last_setup_error.payment_method.card.checks.address_line1_check	dimension	text	If a address line1 was provided, results of the check, possible values: pass, fail, unavailable, or unchecked
last_setup_error.payment_method.card.checks.address_postal_code_check	dimension	text	If a address postal code was provided, results of the check, possible values: pass, fail, unavailable, or unchecked
last_setup_error.payment_method.card.checks.cvc_check	dimension	text	If a CVC was provided, results of the check, possible values: pass, fail, unavailable, or unchecked
last_setup_error.payment_method.card.country	dimension	text	Two-letter ISO code
last_setup_error.payment_method.card.exp_month	dimension	number	Two-digit number representing the card's expiration month
last_setup_error.payment_method.card.exp_year	dimension	number	Four-digit number representing the card's expiration year
last_setup_error.payment_method.card.fingerprint	dimension	text	
last_setup_error.payment_method.card.funding	dimension	text	Card funding type. Possible values: credit, debit, prepaid, or unknown
last_setup_error.payment_method.card.generated_from.charge	dimension	text	The charge that created this object
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.brand	dimension	text	Possible values: amex, diners, discover, jcb, mastercard, unionpay, visa, or unknown

last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.cardholder_name	dimension	text	
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.country	dimension	text	Two-letter ISO code
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.emv_auth_data	dimension	text	Authorization response cryptogram
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.exp_month	dimension	number	Two-digit number representing the card's expiration month
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.exp_year	dimension	number	Four-digit number representing the card's expiration year
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.fingerprint	dimension	text	
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.funding	dimension	text	Card funding type. Possible values: credit, debit, prepaid, or unknown.
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.generated_card	dimension	text	ID of a card PaymentMethod generated from the card_present PaymentMethod that may be attached to a Customer for future transactions. Only present if it was possible to generate a card PaymentMethod
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.last4	dimension	text	The last four digits of the card
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.network	dimension	text	Identifies which network this charge was processed on. Possible values: amex, cartes_bancaires, diners, discover, interac, jcb, mastercard, unionpay, visa, or unknown
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.read_method	dimension	text	How card details were read in this transaction. Possible values: contact_emv, contactless_emv, magnetic_stripe_track2, magnetic_stripe_fallback, contactless_magstripe_mode
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.account_type	dimension	text	The type of account being debited or credited. Possible values: credit, checking, prepaid, unknown
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.application_cryptogram	dimension	text	EMV tag 9F26, cryptogram generated by the integrated circuit chip
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.application_preferred_name	dimension	text	Mnemonic of the Application Identifier
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.authorization_code	dimension	text	Identifier for this transaction
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.authorization_response_code	dimension	text	EMV tag 8A. A code returned by the card issuer
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.cardholder_verification_method	dimension	text	How the cardholder verified ownership of the card
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.dedicated_file_name	dimension	text	EMV tag 84. Similar to the application identifier stored on the integrated circuit chip
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.terminal_verification_results	dimension	text	The outcome of a series of EMV functions performed by the card reader
last_setup_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.transaction_status_information	dimension	text	An indication of various EMV functions performed during the transaction
last_setup_error.payment_method.card.generated_from.payment_method_details.type	dimension	text	The type of payment method transaction-specific details from the transaction that generated this card payment method. Always card_present
last_setup_error.payment_method.card.generated_from.setup_attempt	dimension	text	The ID of the SetupAttempt that generated this PaymentMethod, if any
last_setup_error.payment_method.card.last4	dimension	text	The last four digits of the card
last_setup_error.payment_method.card.networks.available	dimension	text	All available networks for the card
last_setup_error.payment_method.card.networks.preferred	dimension	text	The preferred network for the card
last_setup_error.payment_method.card.three_d_secure_usage_supported	dimension	boolean	Whether 3D Secure is supported on this card
last_setup_error.payment_method.card.wallet.amex_express_checkout	dimension	obj	If this is a amex_express_checkout card wallet, this hash contains details about the wallet
last_setup_error.payment_method.card.wallet.apple_pay	dimension	obj	If this is a apple_pay card wallet, this hash contains details about the wallet
last_setup_error.payment_method.card.wallet.dynamic_last4	dimension	text	(For tokenized numbers only.) The last four digits of the device account number
last_setup_error.payment_method.card.wallet.google_pay	dimension	obj	If this is a google_pay card wallet, this hash contains details about the wallet
last_setup_error.payment_method.card.wallet.masterpass.billing_address.city	dimension	text	City, district, suburb, town, or village
last_setup_error.payment_method.card.wallet.masterpass.billing_address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)
last_setup_error.payment_method.card.wallet.masterpass.billing_address.line1	dimension	text	Address line 1 (e.g., street, PO Box, or company name)
last_setup_error.payment_method.card.wallet.masterpass.billing_address.line2	dimension	text	Address line 2 (e.g., apartment, suite, unit, or building)
last_setup_error.payment_method.card.wallet.masterpass.billing_address.postal_code	dimension	text	ZIP or postal code
last_setup_error.payment_method.card.wallet.masterpass.billing_address.state	dimension	text	State, county, province, or region
last_setup_error.payment_method.card.wallet.masterpass.email	dimension	text	Owner's verified email. Values are verified or provided by the wallet directly (if supported) at the time of authorization or settlement
last_setup_error.payment_method.card.wallet.masterpass.name	dimension	text	Owner's verified full name. Values are verified or provided by the wallet directly (if supported) at the time of authorization or settlement
last_setup_error.payment_method.card.wallet.masterpass.shipping_address.city	dimension	text	City, district, suburb, town, or village
last_setup_error.payment_method.card.wallet.masterpass.shipping_address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)
last_setup_error.payment_method.card.wallet.masterpass.shipping_address.line1	dimension	text	Address line 1 (e.g., street, PO Box, or company name)
last_setup_error.payment_method.card.wallet.masterpass.shipping_address.line2	dimension	text	Address line 2 (e.g., apartment, suite, unit, or building)
last_setup_error.payment_method.card.wallet.masterpass.shipping_address.postal_code	dimension	text	ZIP or postal code
last_setup_error.payment_method.card.wallet.masterpass.shipping_address.state	dimension	text	State, county, province, or region

last_setup_error.payment_method.card.wallet.samsung_pay	dimension	obj	If this is a samsung_pay card wallet, this hash contains details about the wallet
last_setup_error.payment_method.card.wallet.type	dimension	text	The type of the card wallet, possible values: amex_express_checkout, apple_pay, google_pay, masterpass, samsung_pay, or visa_checkout. An additional hash is included on the Wallet subhash with a name matching this value. It contains additional information specific to the card wallet type
last_setup_error.payment_method.card.wallet.visa_checkout.billing_address.city	dimension	text	City, district, suburb, town, or village
last_setup_error.payment_method.card.wallet.visa_checkout.billing_address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)
last_setup_error.payment_method.card.wallet.visa_checkout.billing_address.line1	dimension	text	Address line 1 (e.g., street, PO Box, or company name)
last_setup_error.payment_method.card.wallet.visa_checkout.billing_address.line2	dimension	text	Address line 2 (e.g., apartment, suite, unit, or building)
last_setup_error.payment_method.card.wallet.visa_checkout.billing_address.postal_code	dimension	text	ZIP or postal code
last_setup_error.payment_method.card.wallet.visa_checkout.billing_address.state	dimension	text	State, county, province, or region
last_setup_error.payment_method.card.wallet.visa_checkout.email	dimension	text	Owner's verified email. Values are verified or provided by the wallet directly (if supported) at the time of authorization or settlement
last_setup_error.payment_method.card.wallet.visa_checkout.name	dimension	text	Owner's verified full name. Values are verified or provided by the wallet directly (if supported) at the time of authorization or settlement
last_setup_error.payment_method.card.wallet.visa_checkout.shipping_address.city	dimension	text	City, district, suburb, town, or village
last_setup_error.payment_method.card.wallet.visa_checkout.shipping_address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)
last_setup_error.payment_method.card.wallet.visa_checkout.shipping_address.line1	dimension	text	Address line 1 (e.g., street, PO Box, or company name)
last_setup_error.payment_method.card.wallet.visa_checkout.shipping_address.line2	dimension	text	Address line 2 (e.g., apartment, suite, unit, or building)
last_setup_error.payment_method.card.wallet.visa_checkout.shipping_address.postal_code	dimension	text	ZIP or postal code
last_setup_error.payment_method.card.wallet.visa_checkout.shipping_address.state	dimension	text	State, county, province, or region
last_setup_error.payment_method.card_present	dimension	obj	
last_setup_error.payment_method.eps.bank	dimension	text	The customer's bank. Possible values: arzte_und_apotheker_bank, austrian_anadi_bank_ag, bank_austria, bankhaus_carl_spangler, bankhaus_schelhammer_und_schattera_ag, bawag_psk_ag, bks_bank_ag, brull_kallmus_bank_ag, btv_vier_lander_bank, capital_bank_grawe_gruppe_ag, dolomitenbank, easybank_ag, erste_bank_und_sparkassen, hypo_alpeadriabank_international_ag, hypo_noe_lb_fur_niederosterreich_u_wien, hypo_oberosterreich_salzburg_steiermark, hypo_tirol_bank_ag, hypo_vorarlberg_bank_ag, hypo_bank_burgenland_aktiengesellschaft, marchfelder_bank, oberbank_ag, raiffeisen_bankengruppe_osterreich, schoellerbank_ag, sparda_bank_wien, volksbank_gruppe, volkskreditbank_ag, or vr_bank_braunau
last_setup_error.payment_method.fpx.bank	dimension	text	The customer's bank, if provided. Possible values: affin_bank, alliance_bank, ambank, bank_islam, bank_muamalat, bank_rakyat, bsn, cimb, hong_leong_bank, hsb, kfh, maybank2u, ocbc, public_bank, rhib, standard_chartered, uob, deutsche_bank, maybank2e, or pb_enterprise
last_setup_error.payment_method.giropay	dimension	obj	
last_setup_error.payment_method.grabpay	dimension	obj	
last_setup_error.payment_method.ideal.bank	dimension	text	The customer's bank, if provided. Possible values: abn_amro, asn_bank, bunq, handelsbanken, ing, knab, moneyou, rabobank, regiobank, revolut, sns_bank, triodos_bank, or van_lanschot.
last_setup_error.payment_method.ideal.bic	dimension	text	The Bank Identifier Code of the customer's bank, if the bank was provided
last_setup_error.payment_method.interac_present	dimension	obj	
last_setup_error.payment_method.oxxo	dimension	obj	
last_setup_error.payment_method.p24.bank	dimension	text	
last_setup_error.payment_method.sepa_debit.bank_code	dimension	text	Bank code of bank associated with the bank account
last_setup_error.payment_method.sepa_debit.branch_code	dimension	text	Branch code of bank associated with the bank account
last_setup_error.payment_method.sepa_debit.country	dimension	text	Two-letter ISO code
last_setup_error.payment_method.sepa_debit.fingerprint	dimension	text	Uniquely identifies this particular bank account
last_setup_error.payment_method.sepa_debit.generated_from.charge	dimension	text	The ID of the Charge that generated this PaymentMethod, if any
last_setup_error.payment_method.sepa_debit.generated_from.setup_attempt	dimension	text	The ID of the SetupAttempt that generated this PaymentMethod, if any
last_setup_error.payment_method.sepa_debit.last4	dimension	text	Last four characters of the IBAN
last_setup_error.payment_method.sofort.country	dimension	text	Two-letter ISO code
last_setup_error.payment_method.type	dimension	text	Possible values: acss_debit, afterpay_clearpay, alipay, au_becs_debit, bacs_debit, bancontact, card, card_present, eps, fpx, giropay, grabpay, ideal, interac_present, oxoxo, p24, sepa_debit, sofor
last_setup_error.payment_method_type	dimension	text	If the error is specific to the type of payment method, the payment method type that had a problem. This field is only populated for invoice-related errors
last_setup_error.type	dimension	text	Possible values: api_connection_error, api_error, authentication_error, card_error, idempotency_error, invalid_request_error, or rate_limit_error
latest_attempt	dimension	text	The most recent SetupAttempt for this SetupIntent
livemode	dimension	boolean	
mandate	dimension	text	ID of the multi use Mandate generated by the SetupIntent
metadata	dimension	obj	
next_action.redirect_to_url.return_url	dimension	text	If the customer does not exit their browser while authenticating, they will be redirected to this specified URL after completion

next_action.redirect_to_url.url	dimension	text	The URL you must redirect your customer to in order to authenticate
next_action.type	dimension	text	Possible values: redirect_to_url, use_stripe_sdk, alipay_handle_redirect, or oxo_display_details
next_action.use_stripe_sdk	dimension	obj	
next_action.verify_with_microdeposits.arrival_date	dimension	year_month_day_second	The timestamp when the microdeposits are expected to land
next_action.verify_with_microdeposits.hosted_verification_url	dimension	text	The URL for the hosted verification page, which allows customers to verify their bank account
on_behalf_of	dimension	text	The account (if any) for which the setup is intended
payment_method	dimension	text	ID of the payment method used with this SetupIntent
payment_method_options.acss_debit.currency	dimension	text	Possible values: cad, usd
payment_method_options.acss_debit.mandate_options.custom_mandate_url	dimension	text	
payment_method_options.acss_debit.mandate_options.interval_description	dimension	text	
payment_method_options.acss_debit.mandate_options.payment_schedule	dimension	text	Possible values: interval, sporadic, combined
payment_method_options.acss_debit.mandate_options.transaction_type	dimension	text	Possible values: personal, business
payment_method_options.acss_debit.verification_method	dimension	text	Possible values: automatic, instant, microdeposits
payment_method_options.card.request_three_d_secure	dimension	text	
payment_method_options.sepa_debit.mandate_options	dimension	obj	
payment_method_types	dimension	array	The list of payment method types (e.g. card) that this SetupIntent is allowed to set up
single_use_mandate	dimension	text	ID of the single_use Mandate generated by the SetupIntent
status	dimension	text	Possible values: requires_payment_method, requires_confirmation, requires_action, processing, canceled, or succeeded
usage	dimension	text	Possible values: on_session, off_session

Resource Name	Set up Intents		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is setup_attempt
application	dimension	text	The value of application on the SetupIntent at the time of this confirmation
created	dimension	year_month_day_second	
customer	dimension	text	ID of customer on the SetupIntent at the time of this confirmation
livemode	dimension	boolean	
on_behalf_of	dimension	text	The account (if any) on the SetupIntent at the time of this confirmation
payment_method	dimension	text	ID of the payment method used with this SetupAttempt
payment_method_details.acss_debit	dimension	obj	
payment_method_details.au_becs_debit	dimension	obj	
payment_method_details.bacs_debit	dimension	obj	
payment_method_details.bancontact.bank_code	dimension	text	
payment_method_details.bancontact.bank_name	dimension	text	
payment_method_details.bancontact.bic	dimension	text	Bank Identifier Code
payment_method_details.bancontact.generated_sepa_debit	dimension	text	The ID of the SEPA Direct Debit PaymentMethod which was generated by this SetupAttempt
payment_method_details.bancontact.generated_sepa_debit_mandate	dimension	text	
payment_method_details.bancontact.iban_last4	dimension	text	
payment_method_details.bancontact.preferred_language	dimension	text	Possible values: en, de, fr, or nl
payment_method_details.bancontact.verified_name	dimension	text	Owner's verified full name
payment_method_details.card.three_d_secure.authentication_flow	dimension	text	For authenticated transactions: how the customer was authenticated by the issuing bank. Possible values: challenge, frictionless
payment_method_details.card.three_d_secure.result	dimension	text	Indicates the outcome of 3D Secure authentication. Possible values: authenticated, attempt_acknowledged, not_supported, failed, processing_error
payment_method_details.card.three_d_secure.result_reason	dimension	text	Additional information about why 3D Secure succeeded or failed based on the result. Possible values: card_not_enrolled, network_not_supported, abandoned, canceled, rejected, bypassed, protocol_error
payment_method_details.card.three_d_secure.version	dimension	text	The version of 3D Secure that was used. Possible values: 1.0.2, 2.1.0, 2.2.0
payment_method_details.card_present.generated_card	dimension	text	The ID of the Card PaymentMethod which was generated by this SetupAttempt
payment_method_details.ideal.bank	dimension	text	The customer's bank. Can be one of abn_amro, asn_bank, bunq, handelsbanken, ing, knab, moneyou, rabobank, regiobank, revolut, sns_bank, triodos_bank, or van_lanschot
payment_method_details.ideal.bic	dimension	text	The Bank Identifier Code
payment_method_details.ideal.generated_sepa_debit	dimension	text	The ID of the SEPA Direct Debit PaymentMethod which was generated by this SetupAttempt
payment_method_details.ideal.generated_sepa_debit_mandate	dimension	text	The mandate for the SEPA Direct Debit PaymentMethod which was generated by this SetupAttempt
payment_method_details.ideal.iban_last4	dimension	text	
payment_method_details.ideal.verified_name	dimension	text	Owner's verified full name
payment_method_details.sepa_debit	dimension	obj	
payment_method_details.sofort.bank_code	dimension	text	
payment_method_details.sofort.bank_name	dimension	text	
payment_method_details.sofort.bic	dimension	text	Bank Identifier Code
payment_method_details.sofort.generated_sepa_debit	dimension	text	The ID of the SEPA Direct Debit PaymentMethod which was generated by this SetupAttempt
payment_method_details.sofort.generated_sepa_debit_mandate	dimension	text	The mandate for the SEPA Direct Debit PaymentMethod which was generated by this SetupAttempt
payment_method_details.sofort.iban_last4	dimension	text	
payment_method_details.sofort.preferred_language	dimension	text	Preferred language of the Sofort authorization page that the customer is redirected to. Possible values: one of en, de, fr, or nl

payment_method_details.sofort.verified_name	dimension	text	Owner's verified full name
payment_method_details.type	dimension	text	
setup_error.code	dimension	text	For some errors that could be handled programmatically, a short string indicating the error code reported
setup_error.decline_code	dimension	text	For card errors resulting from a card issuer decline, a short string indicating the card issuer's reason for the decline if they provide one
setup_error.doc_url	dimension	text	A URL to more information about the error code reported
setup_error.message	dimension	text	A human-readable message providing more details about the error. For card errors, these messages can be shown to your users
setup_error.param	dimension	text	If the error is parameter-specific, the parameter related to the error. For example, you can use this to display a message near the correct form field
setup_error.payment_method.id	dimension	text	ID of the PaymentMethod
setup_error.payment_method.object	dimension	text	Value is payment_method
setup_error.payment_method.billing_details.address.city	dimension	text	
setup_error.payment_method.billing_details.address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)
setup_error.payment_method.billing_details.address.line1	dimension	text	
setup_error.payment_method.billing_details.address.line2	dimension	text	
setup_error.payment_method.billing_details.address.postal_code	dimension	text	
setup_error.payment_method.billing_details.address.state	dimension	text	
setup_error.payment_method.billing_details.email	dimension	text	
setup_error.payment_method.billing_details.name	dimension	text	
setup_error.payment_method.billing_details.phone	dimension	text	
setup_error.payment_method.created	dimension	year_month_day_second	
setup_error.payment_method.customer	dimension	text	ID of the customer
setup_error.payment_method.livemode	dimension	boolean	
setup_error.payment_method.metadata	dimension	obj	
setup_error.payment_method.type	dimension	text	Possible values: acss_debit, afterpay_clearpay, alipay, au_becs_debit, bacs_debit, bancontact, card, card_present, eps, fpx, giropay, grabpay, ideal, interac_present, oxo, p24, sepa_debit, sofr
setup_error.payment_method.acss_debit.bank_name	dimension	text	
setup_error.payment_method.acss_debit.fingerprint	dimension	text	
setup_error.payment_method.acss_debit.institution_number	dimension	text	
setup_error.payment_method.acss_debit.last4	dimension	text	
setup_error.payment_method.acss_debit.transit_number	dimension	text	
setup_error.payment_method.afterpay_clearpay	dimension	text	
setup_error.payment_method.alipay	dimension	text	
setup_error.payment_method.au_becs_debit.bsb_number	dimension	text	
setup_error.payment_method.au_becs_debit.fingerprint	dimension	text	
setup_error.payment_method.au_becs_debit.last4	dimension	text	
setup_error.payment_method.bacs_debit.fingerprint	dimension	text	
setup_error.payment_method.bacs_debit.last4	dimension	text	
setup_error.payment_method.bacs_debit.sort_code	dimension	text	
setup_error.payment_method.bancontact	dimension	text	
setup_error.payment_method.card.brand	dimension	text	
setup_error.payment_method.card.checks.address_line1_check	dimension	text	
setup_error.payment_method.card.checks.address_postal_code_check	dimension	text	
setup_error.payment_method.card.checks.cvc_check	dimension	text	
setup_error.payment_method.card.country	dimension	text	
setup_error.payment_method.card.exp_month	dimension	text	
setup_error.payment_method.card.exp_year	dimension	text	
setup_error.payment_method.card.fingerprint	dimension	text	
setup_error.payment_method.card.funding	dimension	text	
setup_error.payment_method.card.generated_from.charge	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.brand	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.cardholder_name	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.country	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.emv_auth_data	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.exp_month	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.exp_year	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.fingerprint	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.funding	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.generated_card	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.last4	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.network	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.read_method	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.account_type	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.application_cryptogram	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.application_preferred_name	dimension	text	

setup_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.authorization_code	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.authorization_response_code	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.cardholder_verification_method	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.dedicated_file_name	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.terminal_verification_results	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.card_present.receipt.transaction_status_information	dimension	text	
setup_error.payment_method.card.generated_from.payment_method_details.type	dimension	text	
setup_error.payment_method.card.generated_from.setup_attempt	dimension	text	
setup_error.payment_method.card.last4	dimension	text	
setup_error.payment_method.card.networks.available	dimension	text	
setup_error.payment_method.card.networks.preferred	dimension	text	
setup_error.payment_method.card.three_d_secure_usage_supported	dimension	text	
setup_error.payment_method.card.wallet.amex_express_checkout	dimension	text	
setup_error.payment_method.card.wallet.apple_pay	dimension	text	
setup_error.payment_method.card.wallet.dynamic_last4	dimension	text	
setup_error.payment_method.card.wallet.google_pay	dimension	text	
setup_error.payment_method.card.wallet.masterpass.billing_address.city	dimension	text	
setup_error.payment_method.card.wallet.masterpass.billing_address.country	dimension	text	
setup_error.payment_method.card.wallet.masterpass.billing_address.line1	dimension	text	
setup_error.payment_method.card.wallet.masterpass.billing_address.line2	dimension	text	
setup_error.payment_method.card.wallet.masterpass.billing_address.postal_code	dimension	text	
setup_error.payment_method.card.wallet.masterpass.billing_address.state	dimension	text	
setup_error.payment_method.card.wallet.masterpass.email	dimension	text	
setup_error.payment_method.card.wallet.masterpass.name	dimension	text	
setup_error.payment_method.card.wallet.masterpass.shipping_address.city	dimension	text	
setup_error.payment_method.card.wallet.masterpass.shipping_address.country	dimension	text	
setup_error.payment_method.card.wallet.masterpass.shipping_address.line1	dimension	text	
setup_error.payment_method.card.wallet.masterpass.shipping_address.line2	dimension	text	
setup_error.payment_method.card.wallet.masterpass.shipping_address.postal_code	dimension	text	
setup_error.payment_method.card.wallet.masterpass.shipping_address.state	dimension	text	
setup_error.payment_method.card.wallet.samsung_pay	dimension	text	
setup_error.payment_method.card.wallet.type	dimension	text	
setup_error.payment_method.card.wallet.visa_checkout.billing_address.city	dimension	text	
setup_error.payment_method.card.wallet.visa_checkout.billing_address.country	dimension	text	
setup_error.payment_method.card.wallet.visa_checkout.billing_address.line1	dimension	text	
setup_error.payment_method.card.wallet.visa_checkout.billing_address.line2	dimension	text	
setup_error.payment_method.card.wallet.visa_checkout.billing_address.postal_code	dimension	text	
setup_error.payment_method.card.wallet.visa_checkout.billing_address.state	dimension	text	
setup_error.payment_method.card.wallet.visa_checkout.email	dimension	text	
setup_error.payment_method.card.wallet.visa_checkout.name	dimension	text	
setup_error.payment_method.card.wallet.visa_checkout.shipping_address.city	dimension	text	
setup_error.payment_method.card.wallet.visa_checkout.shipping_address.country	dimension	text	
setup_error.payment_method.card.wallet.visa_checkout.shipping_address.line1	dimension	text	
setup_error.payment_method.card.wallet.visa_checkout.shipping_address.line2	dimension	text	
setup_error.payment_method.card.wallet.visa_checkout.shipping_address.postal_code	dimension	text	
setup_error.payment_method.card.wallet.visa_checkout.shipping_address.state	dimension	text	
setup_error.payment_method.card_present	dimension	text	
setup_error.payment_method.eps.bank	dimension	text	
setup_error.payment_method.fpx.bank	dimension	text	
setup_error.payment_method.giropay	dimension	text	
setup_error.payment_method.grabpay	dimension	text	
setup_error.payment_method.ideal.bank	dimension	text	
setup_error.payment_method.ideal.bic	dimension	text	
setup_error.payment_method.interac_present	dimension	text	
setup_error.payment_method.oxxo	dimension	text	
setup_error.payment_method.p24.bank	dimension	text	
setup_error.payment_method.sepa_debit.bank_code	dimension	text	

setup_error.payment_method.sepa_debit.branch_code	dimension	text	
setup_error.payment_method.sepa_debit.country	dimension	text	
setup_error.payment_method.sepa_debit.fingerprint	dimension	text	
setup_error.payment_method.sepa_debit.generated_from.charge	dimension	text	
setup_error.payment_method.sepa_debit.generated_from.setup_attempt	dimension	text	
setup_error.payment_method.sepa_debit.last4	dimension	text	
setup_error.payment_method.sofort.country	dimension	text	
setup_error.payment_method_type	dimension	text	If the error is specific to the type of payment method, the payment method type that had a problem. This field is only populated for invoice-related errors
setup_error.type	dimension	text	Possible values: api_connection_error, api_error, authentication_error, card_error, idempotency_error, invalid_request_error, or rate_limit_error
setup_intent	dimension	text	ID of the SetupIntent that this attempt belongs to
status	dimension	text	Possible values: requires_confirmation, requires_action, processing, succeeded, failed, or abandoned
usage	dimension	text	Possible values: off_session or on_session

Resource Name	Payouts		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is payout
amount	metric	number	
arrival_date	dimension	year_month_day_second	
automatic	dimension	boolean	
balance_transaction	dimension	text	ID of the balance transaction that describes the impact of this payout on your account balance
created	dimension	year_month_day_second	
currency	dimension	text	
description	dimension	text	
destination	dimension	text	ID of the bank account or card the payout was sent to
failure_balance_transaction	dimension	text	If the payout failed or was canceled, this will be the ID of the balance transaction that reversed the initial balance transaction, and puts the funds from the failed payout back in your balance
failure_code	dimension	text	
failure_message	dimension	text	
livemode	dimension	text	
metadata	dimension	obj	
method	dimension	text	Possible values: standard or instant
original_payout	dimension	text	If the payout reverses another, this is the ID of the original payout
reversed_by	dimension	text	If the payout was reversed, this is the ID of the payout that reverses this payout
source_type	dimension	text	Possible values: card, fpx, or bank_account
statement_descriptor	dimension	text	Extra information about a payout to be displayed on the user's bank statement
status	dimension	text	Possible values: paid, pending, in_transit, canceled or failed
type	dimension	text	Possible values: bank_account or card

Resource Name	Refunds		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is refund
amount	metric	number	
balance_transaction	dimension	text	Balance transaction that describes the impact on your account balance
charge	dimension	text	ID of the charge that was refunded
created	dimension	year_month_day_second	
currency	dimension	text	
description	dimension	obj	
failure_balance_transaction	dimension	text	If the refund failed, this balance transaction describes the adjustment made on your account balance that reverses the initial balance transaction
failure_reason	dimension	obj	Possible values: lost_or_stolen_card, expired_or_canceled_card, or unknown
metadata	dimension	obj	
payment_intent	dimension	text	ID of the PaymentIntent that was refunded
reason	dimension	text	Reason for the refund, either user-provided (duplicate, fraudulent, or requested_by_customer) or generated by Stripe internally (expired_uncaptured_charge)
receipt_number	dimension	text	This is the transaction number that appears on email receipts sent for this refund
source_transfer_reversal	dimension	text	The transfer reversal that is associated with the refund. Only present if the charge came from another Stripe account
status	dimension	text	Possible values: pending, succeeded, or failed
transfer_reversal	dimension	text	If the accompanying transfer was reversed, the transfer reversal object. Only applicable if the charge was created using the destination parameter

Resource Name	Payment Methods		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is payment_method
billing_details.address.city	dimension	text	
billing_details.address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)

billing_details.address.line1	dimension	text	
billing_details.address.line2	dimension	text	
billing_details.address.postal_code	dimension	text	
billing_details.address.state	dimension	text	
billing_details.email	dimension	text	
billing_details.name	dimension	text	
billing_details.phone	dimension	text	
created	dimension	year_month_day_second	
customer	dimension	text	The ID of the Customer to which this PaymentMethod is saved
livemode	dimension	boolean	
metadata	dimension	obj	
type	dimension	text	Possible values: acss_debit, afterpay_clearpay, alipay, au_becs_debit, bacs_debit, bancontact, card, card_present, eps, fpx, giropay, grabpay, ideal, interac_present, oxo, p24, sepa_debit, sofor
acss_debit.bank_name	dimension	text	Name of the bank associated with the bank account
acss_debit.fingerprint	dimension	text	Uniquely identifies this particular bank account
acss_debit.institution_number	dimension	text	Institution number of the bank account
acss_debit.last4	dimension	text	Last four digits of the bank account number
acss_debit.transit_number	dimension	text	Transit number of the bank account
afterpay_clearpay	dimension	obj	
alipay	dimension	obj	
au_becs_debit.bsb_number	dimension	text	Six-digit number identifying bank and branch associated with this bank account
au_becs_debit.fingerprint	dimension	text	Uniquely identifies this particular bank account
au_becs_debit.last4	dimension	text	Last four digits of the bank account number
bacs_debit.fingerprint	dimension	text	Uniquely identifies this particular bank account
bacs_debit.last4	dimension	text	Last four digits of the bank account number
bacs_debit.sort_code	dimension	text	Sort code of the bank account. (e.g., 10-20-30)
bancontact	dimension	obj	
card.brand	dimension	text	Card brand. Possible values: amex, diners, discover, jcb, mastercard, unionpay, visa, or unknown
card.checks.address_line1_check	dimension	text	If a address line1 was provided, results of the check, possible values: pass, fail, unavailable, or unchecked
card.checks.address_postal_code_check	dimension	text	If a address postal code was provided, results of the check, possible values: pass, fail, unavailable, or unchecked
card.checks.cvc_check	dimension	text	If a CVC was provided, results of the check, possible values: pass, fail, unavailable, or unchecked
card.country	dimension	text	Two-letter ISO code
card.exp_month	dimension	number	Two-digit number representing the card's expiration month
card.exp_year	dimension	number	Four-digit number representing the card's expiration year
card.fingerprint	dimension	text	
card.funding	dimension	text	Card funding type. Possible values: credit, debit, prepaid, or unknown
card.generated_from.charge	dimension	text	The charge that created this object
card.generated_from.payment_method_details.card_present.brand	dimension	text	Possible values: amex, diners, discover, jcb, mastercard, unionpay, visa, or unknown
card.generated_from.payment_method_details.card_present.cardholder_name	dimension	text	
card.generated_from.payment_method_details.card_present.country	dimension	text	Two-letter ISO code
card.generated_from.payment_method_details.card_present.emv_auth_data	dimension	text	Authorization response cryptogram
card.generated_from.payment_method_details.card_present.exp_month	dimension	number	Two-digit number representing the card's expiration month
card.generated_from.payment_method_details.card_present.exp_year	dimension	number	Four-digit number representing the card's expiration year
card.generated_from.payment_method_details.card_present.fingerprint	dimension	text	
card.generated_from.payment_method_details.card_present.funding	dimension	text	Card funding type. Possible values: credit, debit, prepaid, or unknown.
card.generated_from.payment_method_details.card_present.generated_card	dimension	text	ID of a card PaymentMethod generated from the card_present PaymentMethod that may be attached to a Customer for future transactions. Only present if it was possible to generate a card PaymentMethod
card.generated_from.payment_method_details.card_present.last4	dimension	text	The last four digits of the card
card.generated_from.payment_method_details.card_present.network	dimension	text	Identifies which network this charge was processed on. Possible values: amex, cartes_bancaires, diners, discover, interac, jcb, mastercard, unionpay, visa, or unknown
card.generated_from.payment_method_details.card_present.read_method	dimension	text	How card details were read in this transaction. Possible values: contact_emv, contactless_emv, magnetic_stripe_track2, magnetic_stripe_fallback, contactless_magstripe_mode
card.generated_from.payment_method_details.card_present.receipt_account_type	dimension	text	The type of account being debited or credited. Possible values: credit, checking, prepaid, unknown
card.generated_from.payment_method_details.card_present.receipt_application_cryptogram	dimension	text	EMV tag 9F26, cryptogram generated by the integrated circuit chip
card.generated_from.payment_method_details.card_present.receipt_application_preferred_name	dimension	text	Mnemonic of the Application Identifier
card.generated_from.payment_method_details.card_present.receipt_authorization_code	dimension	text	Identifier for this transaction
card.generated_from.payment_method_details.card_present.receipt_authorization_response_code	dimension	text	EMV tag 8A. A code returned by the card issuer
card.generated_from.payment_method_details.card_present.receipt_cardholder_verification_method	dimension	text	How the cardholder verified ownership of the card
card.generated_from.payment_method_details.card_present.receipt_dedicated_file_name	dimension	text	EMV tag 84. Similar to the application identifier stored on the integrated circuit chip
card.generated_from.payment_method_details.card_present.receipt_terminal_verification_results	dimension	text	The outcome of a series of EMV functions performed by the card reader
card.generated_from.payment_method_details.card_present.receipt_transaction_status_information	dimension	text	An indication of various EMV functions performed during the transaction
card.generated_from.payment_method_details.type	dimension	text	The type of payment method transaction-specific details from the transaction that generated this card payment method. Always card_present

card.generated_from.setup_attempt	dimension	text	The ID of the SetupAttempt that generated this PaymentMethod, if any
card.last4	dimension	text	The last four digits of the card
card.networks.available	dimension	text	All available networks for the card
card.networks.preferred	dimension	text	The preferred network for the card
card.three_d_secure_usage.supported	dimension	boolean	Whether 3D Secure is supported on this card
card.wallet.amex_express_checkout	dimension	obj	If this is a amex_express_checkout card wallet, this hash contains details about the wallet
card.wallet.apple_pay	dimension	obj	If this is a apple_pay card wallet, this hash contains details about the wallet
card.wallet.dynamic_last4	dimension	text	(For tokenized numbers only.) The last four digits of the device account number
card.wallet.google_pay	dimension	obj	If this is a google_pay card wallet, this hash contains details about the wallet
card.wallet.masterpass.billing_address.city	dimension	text	City, district, suburb, town, or village
card.wallet.masterpass.billing_address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)
card.wallet.masterpass.billing_address.line1	dimension	text	Address line 1 (e.g., street, PO Box, or company name)
card.wallet.masterpass.billing_address.line2	dimension	text	Address line 2 (e.g., apartment, suite, unit, or building)
card.wallet.masterpass.billing_address.postal_code	dimension	text	ZIP or postal code
card.wallet.masterpass.billing_address.state	dimension	text	State, county, province, or region
card.wallet.masterpass.email	dimension	text	Owner's verified email. Values are verified or provided by the wallet directly (if supported) at the time of authorization or settlement
card.wallet.masterpass.name	dimension	text	Owner's verified full name. Values are verified or provided by the wallet directly (if supported) at the time of authorization or settlement
card.wallet.masterpass.shipping_address.city	dimension	text	City, district, suburb, town, or village
card.wallet.masterpass.shipping_address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)
card.wallet.masterpass.shipping_address.line1	dimension	text	Address line 1 (e.g., street, PO Box, or company name)
card.wallet.masterpass.shipping_address.line2	dimension	text	Address line 2 (e.g., apartment, suite, unit, or building)
card.wallet.masterpass.shipping_address.postal_code	dimension	text	ZIP or postal code
card.wallet.masterpass.shipping_address.state	dimension	text	State, county, province, or region
card.wallet.samsung_pay	dimension	obj	If this is a samsung_pay card wallet, this hash contains details about the wallet
card.wallet.type	dimension	text	The type of the card wallet, possible values: amex_express_checkout, apple_pay, google_pay, masterpass, samsung_pay, or visa_checkout. An additional hash is included on the Wallet subhash with a name matching this value. It contains additional information specific to the card wallet type
card.wallet.visa_checkout.billing_address.city	dimension	text	City, district, suburb, town, or village
card.wallet.visa_checkout.billing_address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)
card.wallet.visa_checkout.billing_address.line1	dimension	text	Address line 1 (e.g., street, PO Box, or company name)
card.wallet.visa_checkout.billing_address.line2	dimension	text	Address line 2 (e.g., apartment, suite, unit, or building)
card.wallet.visa_checkout.billing_address.postal_code	dimension	text	ZIP or postal code
card.wallet.visa_checkout.billing_address.state	dimension	text	State, county, province, or region
card.wallet.visa_checkout.email	dimension	text	Owner's verified email. Values are verified or provided by the wallet directly (if supported) at the time of authorization or settlement
card.wallet.visa_checkout.name	dimension	text	Owner's verified full name. Values are verified or provided by the wallet directly (if supported) at the time of authorization or settlement
card.wallet.visa_checkout.shipping_address.city	dimension	text	City, district, suburb, town, or village
card.wallet.visa_checkout.shipping_address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)
card.wallet.visa_checkout.shipping_address.line1	dimension	text	Address line 1 (e.g., street, PO Box, or company name)
card.wallet.visa_checkout.shipping_address.line2	dimension	text	Address line 2 (e.g., apartment, suite, unit, or building)
card.wallet.visa_checkout.shipping_address.postal_code	dimension	text	ZIP or postal code
card.wallet.visa_checkout.shipping_address.state	dimension	text	State, county, province, or region
card_present	dimension	obj	
eps.bank	dimension	text	The customer's bank. Possible values: arzte_und_apotheker_bank, austrian_anadi_bank_ag, bank_austria, bankhaus_carl_spangler, bankhaus_schelhammer_und_schattera_ag, bawag_psk_ag, bks_bank_ag, brull_kallmus_bank_ag, btv_vier_lander_bank, capital_bank_grawe_gruppe_ag, dolomitenbank, easybank_ag, erste_bank_und_sparkassen, hypo_alpeadriabank_international_ag, hypo_noe_lb_fur_niederosterreich_u_wien, hypo_oberosterreich_salzburg_steiermark, hypo_tirol_bank_ag, hypo_vorarlberg_bank_ag, hypo_bank_burgenland_aktiengesellschaft, marchfelder_bank, oberbank_ag, raiffeisen_bankengruppe_osterreich, schoellerbank_ag, sparda_bank_wien, volksbank_gruppe, volkskreditbank_ag, or vr_bank_braunau
fpx.bank	dimension	text	The customer's bank, if provided. Possible values: affin_bank, alliance_bank, ambank, bank_islam, bank_muamalat, bank_rakyat, bsn, cimb, hong_leong_bank, hsbc, kfh, maybank2u, ocbc, public_bank, rrb, standard_chartered, uob, deutsche_bank, maybank2e, or pb_enterprise
giropay	dimension	obj	
grabpay	dimension	obj	
ideal.bank	dimension	text	The customer's bank, if provided. Possible values: abn_amro, asn_bank, bunq, handelsbanken, ing, knab, moneyou, rabobank, regiobank, revolut, sns_bank, triodos_bank, or van_lanschot.
ideal.bic	dimension	text	The Bank Identifier Code of the customer's bank, if the bank was provided
interac_present	dimension	obj	
oxxo	dimension	obj	
p24.bank	dimension	text	
sepa_debit.bank_code	dimension	text	Bank code of bank associated with the bank account
sepa_debit.branch_code	dimension	text	Branch code of bank associated with the bank account

sepa_debit.country	dimension	text	Two-letter ISO code
sepa_debit.fingerprint	dimension	text	Uniquely identifies this particular bank account
sepa_debit.generated_from.charge	dimension	text	The ID of the Charge that generated this PaymentMethod, if any
sepa_debit.generated_from.setup_attempt	dimension	text	The ID of the SetupAttempt that generated this PaymentMethod, if any
sepa_debit.last4	dimension	text	Last four characters of the IBAN
sofort.country	dimension	text	Two-letter ISO code

Resource Name	Bank Accounts		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is bank_account
account	dimension	text	The ID of the account that the bank account is associated with
account_holder_name	dimension	text	
account_holder_type	dimension	text	Possible values: individual or company
available_payout_methods	dimension	array	
bank_name	dimension	text	
country	dimension	text	
currency	dimension	text	
customer	dimension	text	The ID of the customer
fingerprint	dimension	text	
last4	dimension	text	The last four digits of the bank account number
metadata	dimension	obj	
routing_number	dimension	text	The routing transit number for the bank account
status	dimension	text	Possible values are new, validated, verified, verification_failed

Resource Name	Cards		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is card
account	dimension	text	ID of the account this card belongs to
address_city	dimension	text	
address_country	dimension	text	
address_line1	dimension	text	
address_line1_check	dimension	text	If address_line1 was provided, results of the check: pass, fail, unavailable, or unchecked
address_line2	dimension	text	
address_state	dimension	text	
address_zip	dimension	text	
address_zip_check	dimension	text	
available_payout_methods	dimension	array	A set of available payout methods for this card
brand	dimension	text	Possible values: American Express, Diners Club, Discover, JCB, MasterCard, UnionPay, Visa, or Unknown
country	dimension	text	
currency	dimension	text	
customer	dimension	text	ID of the customer this card belongs to
cvc_check	dimension	text	If a CVC was provided, results of the check: pass, fail, unavailable, or unchecked
dynamic_last4	dimension	text	
exp_month	dimension	number	
exp_year	dimension	number	
fingerprint	dimension	text	
funding	dimension	text	Possible values: credit, debit, prepaid, or unknown
last4	dimension	text	
metadata	dimension	obj	
name	dimension	text	Cardholder name
recipient	dimension	text	The recipient that this card belongs to
tokenization_method	dimension	text	If the card number is tokenized, this is the method that was used. Possible values: android_pay (includes Google Pay), apple_pay, masterpass, visa_checkout, or null

Resource Name	Sources		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is source
amount	metric	number	
client_secret	dimension	text	
code_verification.attempts_remaining	metric	number	The number of attempts remaining to authenticate the source object with a verification code
code_verification.status	dimension	text	Possible values: pending, succeeded, failed
created	dimension	year_month_day_second	
currency	dimension	text	
customer	dimension	text	ID of the customer
flow	dimension	text	The authentication flow of the source. Possible values: redirect, receiver, code_verification, none
livemode	dimension	boolean	
metadata	dimension	obj	
owner.address.city	dimension	text	
owner.address.country	dimension	text	
owner.address.line1	dimension	text	

owner.address.line2	dimension	text	
owner.address.postal_code	dimension	text	
owner.address.state	dimension	text	
owner.email	dimension	text	
owner.name	dimension	text	
owner.phone	dimension	text	
owner.verified_address.city	dimension	text	
owner.verified_address.country	dimension	text	
owner.verified_address.line1	dimension	text	
owner.verified_address.line2	dimension	text	
owner.verified_address.postal_code	dimension	text	
owner.verified_address.state	dimension	text	
owner.verified_email	dimension	text	
owner.verified_name	dimension	text	
owner.verified_phone	dimension	text	
receiver.address	dimension	text	
receiver.amount_charged	metric	number	
receiver.amount_received	metric	number	
receiver.amount_returned	metric	number	
receiver.refund_attributes_method	dimension	text	Possible values: email, manual, or none
receiver.refund_attributes_status	dimension	text	Possible values: missing, requested, or available
redirect.failure_reason	dimension	text	Possible values: user_abort, declined, processing_error
redirect.return_url	dimension	text	
redirect.status	dimension	text	Possible values: pending, succeeded, failed
redirect.url	dimension	text	
source_order.amount	metric	number	
source_order.currency	dimension	text	
source_order.email	dimension	text	
source_order.items	dimension	array of hash	
source_order.shipping.address.city	dimension	text	
source_order.shipping.address.country	dimension	text	
source_order.shipping.address.line1	dimension	text	
source_order.shipping.address.line2	dimension	text	
source_order.shipping.address.postal_code	dimension	text	
source_order.shipping.address.state	dimension	text	
source_order.shipping.carrier	dimension	text	
source_order.shipping.name	dimension	text	
source_order.shipping.phone	dimension	text	
source_order.shipping.tracking_number	dimension	text	
statement_descriptor	dimension	text	
status	dimension	text	Possible values: canceled, chargeable, consumed, failed, or pending
type	dimension	text	Possible values: ach_credit_transfer, ach_debit, alipay, bancontact, card, card_present, eps, giropay, ideal, multibanco, klarna, p24, sepa_debit, sofort, three_d_secure, or wechat
usage	dimension	text	Possible values: reusable or single_use

Resource Name	Sessions			
Resource Description	Field Name	Field Type	Data Type	Field Description
	id	dimension	text	
	object	dimension	text	Value is checkout.session
	allow_promotion_codes	dimension	boolean	
	amount_subtotal	metric	number	
	amount_total	metric	number	
	billing_address_collection	dimension	text	Possible values: auto, required
	cancel_url	dimension	text	The URL the customer will be directed to if they decide to cancel payment and return to your website
	client_reference_id	dimension	text	A unique string to reference the Checkout Session. This can be a customer ID, a cart ID, or similar
	currency	dimension	text	
	customer	dimension	text	ID of the customer
	customer_details.email	dimension	text	
	customer_details.tax_exempt	dimension	text	
	customer_email	dimension	text	
	livemode	dimension	boolean	
	locale	dimension	text	The IETF language tag of the locale Checkout is displayed in
	metadata	dimension	obj	
	mode	dimension	text	Possible values: payment, setup, subscription
	payment_intent	dimension	text	ID of the PaymentIntent in payment mode
	payment_method_options	dimension	obj	
	payment_method_types	dimension	array	
	payment_status	dimension	text	Possible values: paid, unpaid, or no_payment_required
	setup_intent	dimension	text	ID of the SetupIntent setup mode
	shipping_address.city	dimension	text	
	shipping_address.country	dimension	text	Two-letter country code (ISO 3166-1 alpha-2)
	shipping_address.line1	dimension	text	
	shipping_address.line2	dimension	text	
	shipping_address.postal_code	dimension	text	
	shipping_address.state	dimension	text	
	shipping_name	dimension	text	
	shipping_address_collection.allowed_countries	dimension	array	
	submit_type	dimension	text	Possible values: auto, pay, book, donate

subscription	dimension	text	ID of the subscription
success_url	dimension	text	The URL the customer will be directed to after the payment or subscription creation is successful
total_details.amount_discount	metric	number	
total_details.amount_shipping	metric	number	
total_details.amount_tax	metric	number	

Resource Name	Session Line items		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is item
amount_subtotal	metric	number	
amount_total	metric	number	
currency	dimension	text	
description	dimension	text	
price.id	dimension	text	
price.object	dimension	text	Value is price
price.active	dimension	boolean	
price.billing_scheme	dimension	text	Possible values: per_unit or tiered
price.created	dimension	year_month_day_second	
price.currency	dimension	text	
price.livemode	dimension	boolean	
price.lookup_key	dimension	text	
price.metadata	dimension	obj	
price.nickname	dimension	text	
price.product	dimension	text	ID of the product
price.recurring.aggregate_usage	dimension	text	
price.recurring.interval	dimension	text	Possible values: day, week, month or year
price.recurring.interval_count	metric	number	
price.recurring.usage_type	dimension	text	Possible values: metered or licensed
price.tiers_mode	dimension	text	Possible values: graduated or volume
price.transform_quantity.divide_by	dimension	number	
price.transform_quantity.round	dimension	text	Possible values: up, down
price.type	dimension	text	Possible values: one_time or recurring
price.unit_amount	metric	number	
price.unit_amount_decimal	dimension	text	
quantity	dimension	number	

Resource Name	Coupons		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is coupon
amount_off	metric	number	Amount (in the currency specified) that will be taken off the subtotal of any invoices for this customer
created	dimension	year_month_day_second	
currency	dimension	text	
duration	dimension	text	Possible values: forever, once, and repeating
duration_in_months	metric	number	If duration is repeating, the number of months the coupon applies. Null if coupon duration is forever or once
livemode	dimension	boolean	
max_redemptions	metric	number	Maximum number of times this coupon can be redeemed, in total, across all customers, before it is no longer valid
metadata	dimension	obj	
name	dimension	text	
percent_off	metric	number	
redeem_by	dimension	year_month_day_second	Date after which the coupon can no longer be redeemed
times_redeemed	metric	number	
valid	dimension	boolean	Whether this coupon can still be applied to a customer

Resource Name	Credit notes		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is credit_note
amount	metric	number	
created	dimension	year_month_day_second	
currency	dimension	text	
customer	dimension	text	ID of the customer
customer_balance_transaction	dimension	text	ID of the customer balance transaction
invoice	dimension	text	ID of the invoice
livemode	dimension	text	
memo	dimension	text	Customer-facing text
metadata	dimension	obj	
number	dimension	text	A unique number that identifies this particular credit note and appears on the PDF of the credit note and its associated invoice
out_of_band_amount	metric	number	
pdf	dimension	text	The link to download the PDF of the credit note
reason	dimension	text	Possible values: duplicate, fraudulent, order_change, or product_unsatisfactory
refund	dimension	text	
status	dimension	text	Possible values: issued, void
subtotal	metric	number	

total	metric	number	
type	dimension	text	Possible values: pre_payment or post_payment
voided_at	dimension	year_month_day_second	

Resource Name	Credit Note Line items		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is credit_note_line_item
amount	metric	number	
description	dimension	text	
invoice_line_item	dimension	text	ID of the invoice line item being credited
livemode	dimension	boolean	
quantity	metric	number	
type	dimension	text	Possible values: invoice_line_item or custom_line_item
unit_amount	metric	number	
unit_amount_decimal	dimension	text	

Resource Name	Customer Balance Transactions		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is customer_balance_transaction
amount	metric	number	
created	dimension	year_month_day_second	
credit_note	dimension	text	ID of the credit note (if any)
currency	dimension	text	
customer	dimension	text	ID of the customer
description	dimension	text	
ending_balance	metric	number	
invoice	dimension	text	ID of the invoice (if any)
livemode	dimension	boolean	
metadata	dimension	obj	
type	dimension	text	Possible values: adjustment, applied_to_invoice, credit_note, initial, invoice_too_large, invoice_too_small, unspent_receiver_credit, or unapplied_from_invoice

Resource Name	Portal Config		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is billing_portal.configuration
active	dimension	text	
application	dimension	text	ID of the Connect Application that created the configuration
business_profile.headline"	dimension	text	
business_profile.privacy_policy_url"	dimension	text	
business_profile.terms_of_service_url"	dimension	text	
created	dimension	year_month_day_second	
default_return_url	dimension	text	
features.customer_update.allowed_updates	dimension	array	Possible values: email, address, shipping, phone, tax_id
features.customer_update.enabled	dimension	boolean	
features.invoice_history.enabled	dimension	boolean	
features.payment_method_update.enabled	dimension	boolean	Only card payment methods are supported
features.subscription_cancel.enabled	dimension	boolean	
features.subscription_cancel.mode	dimension	text	Possible values: immediately, at_period_end
features.subscription_cancel.proration_behavior	dimension	text	Possible values: none and create_prorations
features.subscription_pause.enabled	dimension	boolean	
features.subscription_update.default_allowed_updates	dimension	array	Possible values: price, quantity, promotion_code
features.subscription_update.enabled	dimension	boolean	
features.subscription_update.proration_behavior	dimension	text	Possible values: none, create_prorations, and always_invoice
is_default	dimension	boolean	
livemode	dimension	boolean	
updated	dimension	year_month_day_second	

Resource Name	Tax ids		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is tax_id
country	dimension	text	
created	dimension	year_month_day_second	
customer	dimension	text	ID of the customer
livemode	dimension	boolean	
type	dimension	text	Possible values: ae_trn, au_abn, br_cnpj, br_cpf, ca_bn, ca_qst, ch_vat, cl_tin, es_cif, eu_vat, gb_vat, hk_br, id_npwp, in_gst, jp_cn, jp_rn, kr_brn, li_uid, mx_rfc, my_frp, my_itn, my_sst, no_vat, nz_gst, ru_inn, ru_kpp, sa_vat, sg_gst, sg_uen, th_vat, tw_vat, us_ein, or za_vat
value	dimension	text	
verification.status	dimension	text	Possible values: pending, verified, unverified, or unavailable
verification.verified_address	dimension	text	
verification.verified_name	dimension	text	

Resource Name	Invoices		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is invoice
account_country	dimension	text	
account_name	dimension	text	
account_tax_ids	dimension	array	
amount_due	metric	number	
amount_paid	metric	number	The amount, in cents, that was paid
amount_remaining	metric	number	
application_fee_amount	metric	number	
attempt_count	metric	number	Number of payment attempts made for this invoice
attempted	dimension	boolean	Whether an attempt has been made to pay the invoice
auto_advance	dimension	boolean	
billing_reason	dimension	text	Possible values: subscription_cycle, subscription_create, subscription_update, subscription_manual, upcoming, subscription_threshold
charge	dimension	text	ID of the latest charge generated for this invoice, if any
collection_method	dimension	text	Possible values: charge_automatically, or send_invoice
created	dimension	year_month_day_second	
currency	dimension	text	
customer	dimension	text	The ID of the customer who will be billed
customer_address.city	dimension	text	
customer_address.country	dimension	text	
customer_address.line1	dimension	text	
customer_address.line2	dimension	text	
customer_address.postal_code	dimension	text	
customer_address.state	dimension	text	
customer_email	dimension	text	
customer_name	dimension	text	
customer_phone	dimension	text	
customer_shipping.address.city	dimension	text	
customer_shipping.address.country	dimension	text	
customer_shipping.address.line1	dimension	text	
customer_shipping.address.line2	dimension	text	
customer_shipping.address.postal_code	dimension	text	
customer_shipping.address.state	dimension	text	
customer_shipping.name	dimension	text	
customer_shipping.phone	dimension	text	
customer_tax_exempt	dimension	text	
default_payment_method	dimension	text	ID of the default payment method for the invoice
default_source	dimension	text	ID of the default payment source for the invoice
description	dimension	text	
discounts	dimension	array	ID of the discounts applied to the invoice
due_date	dimension	year_month_day_second	
ending_balance	metric	number	
footer	dimension	text	
hosted_invoice_url	dimension	text	
invoice_pdf	dimension	text	The link to download the PDF
last_finalization_error.code	dimension	text	
last_finalization_error.doc_url	dimension	text	
last_finalization_error.message	dimension	text	
last_finalization_error.param	dimension	text	
last_finalization_error.payment_method_type	dimension	text	
last_finalization_error.type	dimension	text	Possible values: api_connection_error, api_error, authentication_error, card_error, idempotency_error, invalid_request_error, or rate_limit_error
livemode	dimension	boolean	
metadata	dimension	obj	
next_payment_attempt	dimension	year_month_day_second	
number	dimension	text	A unique, identifying string that appears on emails sent to the customer for this invoice
on_behalf_of	dimension	text	The account (if any) for which the funds of the invoice payment are intended
paid	dimension	boolean	
payment_intent	dimension	text	ID of the PaymentIntent associated
payment_settings.payment_method_options.bancontact.preferred_language	dimension	text	
payment_settings.payment_method_options.card.request_three_d_secure	dimension	text	Possible values: automatic, any
payment_settings.payment_method_types	dimension	array	Possible values: acss_debit, ach_debit, au_becs_debit, bacs_debit, bancontact, card, eps, fpx, giropay, ideal, p24, sepa_debit, sofor
period_end	dimension	year_month_day_second	
period_start	dimension	year_month_day_second	
post_payment_credit_notes_amount	metric	number	
pre_payment_credit_notes_amount	metric	number	
receipt_number	dimension	text	This is the transaction number that appears on email receipts sent for this invoice
starting_balance	metric	number	Starting customer balance before the invoice is finalized
statement_descriptor	dimension	text	Extra information about an invoice for the customer's credit card statement
status	dimension	text	Possible values: draft, open, paid, uncollectible, or void
status_transitions.finalized_at	dimension	year_month_day_second	
status_transitions.marked_uncollectible_at	dimension	year_month_day_second	

status_transitions.paid_at	dimension	year_month_day_second	
status_transitions.voided_at	dimension	year_month_day_second	
subscription	dimension	text	ID of the subscription
subscription_proration_date	dimension	year_month_day_second	Only set for upcoming invoices that preview prorations. The time used to calculate prorations
subtotal	metric	number	
tax	metric	number	
threshold_reason.amount_gte	metric	number	The total invoice amount threshold boundary if it triggered the threshold invoice
total	metric	number	
transfer_data.amount	metric	number	The amount in cents that will be transferred to the destination account when the invoice is paid
transfer_data.destination	dimension	text	The account where funds from the payment will be transferred to upon payment success
webhooks_delivered_at	dimension	year_month_day_second	

Resource Name	Invoice item All		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is invoice
account_country	dimension	text	
account_name	dimension	text	
account_tax_ids	dimension	array	
amount_due	metric	number	
amount_paid	metric	number	The amount, in cents, that was paid
amount_remaining	metric	number	
application_fee_amount	metric	number	
attempt_count	metric	number	Number of payment attempts made for this invoice
attempted	dimension	boolean	Whether an attempt has been made to pay the invoice
auto_advance	dimension	boolean	
billing_reason	dimension	text	Possible values: subscription_cycle, subscription_create, subscription_update, subscription_manual, upcoming, subscription_threshold
charge	dimension	text	ID of the latest charge generated for this invoice, if any
collection_method	dimension	text	Possible values: charge_automatically, or send_invoice
created	dimension	year_month_day_second	
currency	dimension	text	
customer	dimension	text	The ID of the customer who will be billed
customer_address.city	dimension	text	
customer_address.country	dimension	text	
customer_address.line1	dimension	text	
customer_address.line2	dimension	text	
customer_address.postal_code	dimension	text	
customer_address.state	dimension	text	
customer_email	dimension	text	
customer_name	dimension	text	
customer_phone	dimension	text	
customer_shipping.address.city	dimension	text	
customer_shipping.address.country	dimension	text	
customer_shipping.address.line1	dimension	text	
customer_shipping.address.line2	dimension	text	
customer_shipping.address.postal_code	dimension	text	
customer_shipping.address.state	dimension	text	
customer_shipping.name	dimension	text	
customer_shipping.phone	dimension	text	
customer_tax_exempt	dimension	text	
default_payment_method	dimension	text	ID of the default payment method for the invoice
default_source	dimension	text	ID of the default payment source for the invoice
description	dimension	text	
discounts	dimension	array	ID of the discounts applied to the invoice
due_date	dimension	year_month_day_second	
ending_balance	metric	number	
footer	dimension	text	
hosted_invoice_url	dimension	text	
invoice_pdf	dimension	text	The link to download the PDF
last_finalization_error.code	dimension	text	
last_finalization_error.doc_url	dimension	text	
last_finalization_error.message	dimension	text	
last_finalization_error.param	dimension	text	
last_finalization_error.payment_method_type	dimension	text	
last_finalization_error.type	dimension	text	Possible values: api_connection_error, api_error, authentication_error, card_error, idempotency_error, invalid_request_error, or rate_limit_error
livemode	dimension	boolean	
metadata	dimension	obj	
next_payment_attempt	dimension	year_month_day_second	
number	dimension	text	A unique, identifying string that appears on emails sent to the customer for this invoice
on_behalf_of	dimension	text	The account (if any) for which the funds of the invoice payment are intended
paid	dimension	boolean	
payment_intent	dimension	text	ID of the PaymentIntent associated
payment_settings.payment_method_options.bancontact.preferred_language	dimension	text	

payment_settings.payment_method_options.card.request_three_d_secure	dimension	text	Possible values: automatic, any
payment_settings.payment_method_types	dimension	array	Possible values: acss_debit, ach_debit, au_becs_debit, bacs_debit, bancontact, card, eps, fpx, giropay, ideal, p24, sepa_debit, sofor
period_end	dimension	year_month_day_second	
period_start	dimension	year_month_day_second	
post_payment_credit_notes_amount	metric	number	
pre_payment_credit_notes_amount	metric	number	
receipt_number	dimension	text	This is the transaction number that appears on email receipts sent for this invoice
starting_balance	metric	number	Starting customer balance before the invoice is finalized
statement_descriptor	dimension	text	Extra information about an invoice for the customer's credit card statement
status	dimension	text	Possible values: draft, open, paid, uncollectible, or void
status_transitions.finalized_at	dimension	year_month_day_second	
status_transitions.marked_uncollectible_at	dimension	year_month_day_second	
status_transitions.paid_at	dimension	year_month_day_second	
status_transitions.voided_at	dimension	year_month_day_second	
subscription	dimension	text	ID of the subscription
subscription_proration_date	dimension	year_month_day_second	Only set for upcoming invoices that preview prorations. The time used to calculate prorations
subtotal	metric	number	
tax	metric	number	
threshold_reason.amount_gte	metric	number	The total invoice amount threshold boundary if it triggered the threshold invoice
total	metric	number	
transfer_data.amount	metric	number	The amount in cents that will be transferred to the destination account when the invoice is paid
transfer_data.destination	dimension	text	The account where funds from the payment will be transferred to upon payment success
webhooks_delivered_at	dimension	year_month_day_second	
lines.id	dimension	text	
lines.object	dimension	text	Value is line_item
lines.amount	metric	number	
lines.currency	dimension	text	
lines.description	dimension	text	
lines.discountable	dimension	boolean	
lines.discounts	dimension	array	ID of the discounts
lines.invoice_item	dimension	text	
lines.livemode	dimension	boolean	
lines.metadata	dimension	obj	
lines.period.end	dimension	year_month_day_second	
lines.period.start	dimension	year_month_day_second	
lines.price.id	dimension	text	
lines.price.object	dimension	text	Value is price
lines.price.active	dimension	boolean	
lines.price.billing_scheme	dimension	text	Possible values: per_unit or tiered
lines.price.created	dimension	year_month_day_second	
lines.price.currency	dimension	text	
lines.price.livemode	dimension	boolean	
lines.price.lookup_key	dimension	text	
lines.price.metadata	dimension	obj	
lines.price.nickname	dimension	text	
lines.price.product	dimension	text	The ID of the product this price is associated with
lines.price.recurring.aggregate_usage	dimension	text	Specifies a usage aggregation strategy for prices of usage_type=metered. Possible values: sum, last_during_period, last_ever, max
lines.price.recurring.interval	dimension	text	Possible values: day, week, month or year
lines.price.recurring.interval_count	metric	number	The number of intervals between subscription billings
lines.price.recurring.usage_type	dimension	text	Configures how the quantity per period should be determined. Possible values: metered or licensed
lines.price.tiers_mode	dimension	text	Possible values: graduated or volume
lines.price.transform_quantity.divide_by	metric	number	Divide usage by this number
lines.price.transform_quantity.round	dimension	text	After division, either round up or down. Possible values: up or down
lines.price.type	dimension	text	Possible values: one_time or recurring
lines.price.unit_amount	metric	number	The unit amount in cents to be charged, represented as a whole integer if possible. Only set if billing_scheme=per_unit
lines.price.unit_amount_decimal	dimension	text	The unit amount in cents to be charged, represented as a decimal string with at most 12 decimal places. Only set if billing_scheme=per_unit
lines.proration	dimension	boolean	Whether this is a proration
lines.quantity	metric	number	
lines.subscription	dimension	text	ID of the subscription
lines.subscription_item	dimension	text	ID of the subscription item
lines.type	dimension	text	Possible values: invoiceitem or a subscription

Resource Name	Invoice Items		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is invoiceitem
amount	metric	number	Equal to unit_amount * quantity
currency	dimension	text	
customer	dimension	text	ID of the customer
date	dimension	year_month_day_second	

description	dimension	text	
discountable	dimension	boolean	
discounts	dimension	array	ID of the discounts
invoice	dimension	text	ID of the invoice
livemode	dimension	boolean	
metadata	dimension	obj	
period.end	dimension	year_month_day_second	
period.start	dimension	year_month_day_second	
price.id	dimension	text	
price.object	dimension	text	Value is price
price.active	dimension	boolean	Whether the price can be used for new purchases
price.billing_scheme	dimension	text	Possible values: per_unit or tiered
price.created	dimension	year_month_day_second	
price.currency	dimension	text	
price.livemode	dimension	boolean	
price.lookup_key	dimension	text	
price.metadata	dimension	obj	
price.nickname	dimension	text	
price.product	dimension	text	ID of the product
price.recurring.aggregate_usage	dimension	text	Specifies a usage aggregation strategy for prices of usage_type=metered. Possible values sum, last_during_period, last_ever or max
price.recurring.interval	dimension	text	Possible values: day, week, month or year
price.recurring.interval_count	metric	number	
price.recurring.usage_type	dimension	text	Possible values: metered or licensed
price.tiers_mode	dimension	text	Possible values: graduated or volume
price.transform_quantity.divide_by	metric	number	
price.transform_quantity.round	dimension	text	Possible values: up or down
price.type	dimension	text	Possible values: one_time or recurring
price.unit_amount	metric	number	
price.unit_amount_decimal	dimension	text	
proration	dimension	boolean	
quantity	metric	number	
subscription	dimension	text	ID of the subscription
unit_amount	metric	number	
unit_amount_decimal	dimension	text	

Resource Name	Invoice Line Items		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is line_item
amount	metric	number	
currency	dimension	text	
description	dimension	text	
discountable	dimension	boolean	
discounts	dimension	array	ID of the discounts
invoice_item	dimension	text	
livemode	dimension	boolean	
metadata	dimension	obj	
period.end	dimension	year_month_day_second	
period.start	dimension	year_month_day_second	
price.id	dimension	text	
price.object	dimension	text	Value is price
price.active	dimension	boolean	
price.billing_scheme	dimension	text	Possible values: per_unit or tiered
price.created	dimension	year_month_day_second	
price.currency	dimension	text	Three-letter ISO currency code
price.livemode	dimension	boolean	
price.lookup_key	dimension	text	
price.metadata	dimension	obj	
price.nickname	dimension	text	
price.product	dimension	text	The ID of the product this price is associated with
price.recurring.aggregate_usage	dimension	text	Specifies a usage aggregation strategy for prices of usage_type=metered. Possible values: sum, last_during_period, last_ever, max
price.recurring.interval	dimension	text	Possible values: day, week, month or year
price.recurring.interval_count	metric	number	The number of intervals between subscription billings
price.recurring.usage_type	dimension	text	Configures how the quantity per period should be determined. Possible values: metered or licensed
price.tiers_mode	dimension	text	Possible values: graduated or volume
price.transform_quantity.divide_by	metric	number	Divide usage by this number
price.transform_quantity.round	dimension	text	After division, either round up or down. Possible values: up or down
price.type	dimension	text	Possible values: one_time or recurring
price.unit_amount	metric	number	The unit amount in cents to be charged, represented as a whole integer if possible. Only set if billing_scheme=per_unit
price.unit_amount_decimal	dimension	text	The unit amount in cents to be charged, represented as a decimal string with at most 12 decimal places. Only set if billing_scheme=per_unit
proration	dimension	boolean	Whether this is a proration
quantity	metric	number	
subscription	dimension	text	ID of the subscription

subscription_item	dimension	text	ID of the subscription item
type	dimension	text	Possible values: invoiceitem or a subscription

Resource Name		Plans	
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is plan
active	dimension	boolean	
aggregate_usage	dimension	text	Specifies a usage aggregation strategy for prices of usage_type=metered. Possible values: sum, last_during_period, last_ever, max
amount	metric	number	The unit amount in cents to be charged, represented as a whole integer if possible. Only set if billing_scheme=per_unit
amount_decimal	dimension	text	The unit amount in cents to be charged, represented as a decimal string with at most 12 decimal places. Only set if billing_scheme=per_unit
billing_scheme	dimension	text	Possible values: per_unit or tiered
created	dimension	year_month_day_second	
currency	dimension	text	
interval	dimension	text	Possible values: day, week, month or year
interval_count	metric	number	The number of intervals between subscription billings
livemode	dimension	boolean	
metadata	dimension	obj	
nickname	dimension	text	
product	dimension	text	The product whose pricing this plan determines
tiers_mode	dimension	text	Possible values: graduated or volume
transform_usage.divide_by	metric	number	Divide usage by this number
transform_usage.round	dimension	text	After division, either round up or down. Possible values: up or down
trial_period_days	metric	number	Default number of trial days when subscribing a customer to this plan using trial_from_plan=true
usage_type	dimension	text	Possible values: metered or licensed

Resource Name		Promo Codes	
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is promotion_code
active	dimension	boolean	
code	dimension	text	The customer-facing code
coupon.id	dimension	text	
coupon.object	dimension	text	Value is coupon
coupon.amount_off	metric	number	Amount (in the currency specified) that will be taken off the subtotal of any invoices for this customer
coupon.created	dimension	year_month_day_second	
coupon.currency	dimension	text	
coupon.duration	dimension	text	Possible values: forever, once, and repeating
coupon.duration_in_months	metric	number	If duration is repeating, the number of months the coupon applies. Null if coupon duration is forever or once
coupon.livemode	dimension	boolean	
coupon.max_redemptions	metric	number	Maximum number of times this coupon can be redeemed, in total, across all customers, before it is no longer valid
coupon.metadata	dimension	obj	
coupon.name	dimension	text	
coupon.percent_off	metric	number	
coupon.redeem_by	dimension	year_month_day_second	Date after which the coupon can no longer be redeemed
coupon.times_redeemed	metric	number	
coupon.valid	dimension	boolean	Whether this coupon can still be applied to a customer
created	dimension	year_month_day_second	
customer	dimension	text	ID of the customer
expires_at	dimension	year_month_day_second	
livemode	dimension	boolean	
max_redemptions	metric	number	Maximum number of times this promotion code can be redeemed
metadata	dimension	obj	
restrictions.first_time_transaction	dimension	boolean	
restrictions.minimum_amount	metric	number	Minimum amount required to redeem this Promotion Code into a Coupon
restrictions.minimum_amount_currency	dimension	text	
times_redeemed	dimension	number	Number of times this promotion code has been used

Resource Name		Usage Records	
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is usage_record
livemode	dimension	boolean	
quantity	metric	number	
subscription_item	dimension	text	ID of the subscription item
timestamp	dimension	year_month_day_second	

Resource Name		Subscriptions	
Resource Description			

Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is subscription
application_fee_percent	metric	number	
billing_cycle_anchor	dimension	year_month_day_second	
billing_thresholds.amount_gte	dimension	number	
billing_thresholds.reset_billing_cycle_anchor	dimension	boolean	
cancel_at	dimension	year_month_day_second	
cancel_at_period_end	dimension	boolean	
canceled_at	dimension	year_month_day_second	
collection_method	dimension	text	
created	dimension	year_month_day_second	
current_period_end	dimension	year_month_day_second	
current_period_start	dimension	year_month_day_second	
customer	dimension	text	
days_until_due	metric	number	
default_payment_method	dimension	text	
default_source	dimension	text	ID of the default payment source for the subscription
discount.id	dimension	text	
ended_at	dimension	year_month_day_second	
latest_invoice	dimension	text	
livemode	dimension	boolean	True in live mode or false in test mode
metadata	dimension	obj	
next_pending_invoice_item_invoice	dimension	year_month_day_second	
pause_collection.behavior	dimension	text	
pause_collection.resumes_at	dimension	year_month_day_second	
pending_invoice_item_interval.interval	dimension	text	
pending_invoice_item_interval.interval_count	dimension	number	
pending_setup_intent	dimension	text	
pending_update.billing_cycle_anchor	dimension	year_month_day_second	
pending_update.expires_at	dimension	year_month_day_second	
pending_update.trial_end	dimension	year_month_day_second	
pending_update.trial_from_plan	dimension	boolean	
schedule	dimension	text	ID of the schedule attached to the subscription
start_date	dimension	year_month_day_second	
status	dimension	text	
transfer_data.amount_percent	dimension	number	
transfer_data.destination	dimension	text	
trial_end	dimension	year_month_day_second	
trial_start	dimension	year_month_day_second	

Resource Name	Sub items all			
Resource Description	Field Name	Field Type	Data Type	Field Description
	id	dimension	text	
	object	dimension	text	Value is subscription
	application_fee_percent	metric	number	
	billing_cycle_anchor	dimension	year_month_day_second	
	billing_thresholds.amount_gte	dimension	number	
	billing_thresholds.reset_billing_cycle_anchor	dimension	boolean	
	cancel_at	dimension	year_month_day_second	
	cancel_at_period_end	dimension	boolean	
	canceled_at	dimension	year_month_day_second	
	collection_method	dimension	text	
	created	dimension	year_month_day_second	
	current_period_end	dimension	year_month_day_second	
	current_period_start	dimension	year_month_day_second	
	customer	dimension	text	
	days_until_due	metric	number	
	default_payment_method	dimension	text	
	default_source	dimension	text	ID of the default payment source for the subscription
	discount.id	dimension	text	
	ended_at	dimension	year_month_day_second	
	latest_invoice	dimension	text	
	livemode	dimension	boolean	
	metadata	dimension	obj	
	next_pending_invoice_item_invoice	dimension	year_month_day_second	
	pause_collection.behavior	dimension	text	
	pause_collection.resumes_at	dimension	year_month_day_second	
	pending_invoice_item_interval.interval	dimension	text	
	pending_invoice_item_interval.interval_count	dimension	number	
	pending_setup_intent	dimension	text	
	pending_update.billing_cycle_anchor	dimension	year_month_day_second	
	pending_update.expires_at	dimension	year_month_day_second	
	pending_update.trial_end	dimension	year_month_day_second	
	pending_update.trial_from_plan	dimension	boolean	
	schedule	dimension	text	ID of the schedule attached to the subscription
	start_date	dimension	year_month_day_second	
	status	dimension	text	
	transfer_data.amount_percent	dimension	number	
	transfer_data.destination	dimension	text	
	trial_end	dimension	year_month_day_second	

trial_start	dimension	year_month_day_second	
items.id	dimension	text	
items.object	dimension	text	Value is subscription_item
items.billing_thresholds.usage_gte	dimension	number	
items.created	dimension	year_month_day_second	
items.metadata	dimension	obj	
items.plan.id	dimension	text	
items.plan.object	dimension	text	
items.plan.active	dimension	boolean	
items.plan.aggregate_usage	dimension	text	
items.plan.amount	metric	number	
items.plan.amount_decimal	dimension	text	
items.plan.billing_scheme	dimension	text	
items.plan.created	dimension	year_month_day_second	
items.plan.currency	dimension	text	
items.plan.interval	dimension	text	
items.plan.interval_count	metric	number	
items.plan.livemode	dimension	boolean	
items.plan.metadata	dimension	obj	
items.plan.nickname	dimension	text	
items.plan.product	dimension	text	
items.plan.tiers_mode	dimension	text	
items.plan.transform_usage.divide_by	metric	number	
items.plan.transform_usage.round	dimension	text	
items.plan.trial_period_days	metric	number	
items.plan.usage_type	dimension	text	
items.price.id	dimension	text	
items.price.object	dimension	text	
items.price.active	dimension	boolean	
items.price.billing_scheme	dimension	text	
items.price.created	dimension	year_month_day_second	
items.price.currency	dimension	text	
items.price.livemode	dimension	boolean	
items.price.lookup_key	dimension	text	
items.price.metadata	dimension	obj	
items.price.nickname	dimension	text	
items.price.product	dimension	text	
items.price.recurring.aggregate_usage	dimension	text	
items.price.recurring.interval	dimension	text	
items.price.recurring.interval_count	metric	number	
items.price.recurring.usage_type	dimension	text	
items.price.tiers_mode	dimension	text	
items.price.transform_quantity.divide_by	dimension	number	
items.price.transform_quantity.round	dimension	text	
items.price.type	dimension	text	
items.price.unit_amount	metric	number	
items.price.unit_amount_decimal	dimension	text	
items.quantity	metric	number	
items.subscription	dimension	text	

Resource Name	Sub Items		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is subscription_item
billing_thresholds.usage_gte	dimension	number	
created	dimension	year_month_day_second	
metadata	dimension	obj	
plan.id	dimension	text	
plan.object	dimension	text	
plan.active	dimension	boolean	
plan.aggregate_usage	dimension	text	
plan.amount	metric	number	
plan.amount_decimal	dimension	text	
plan.billing_scheme	dimension	text	
plan.created	dimension	year_month_day_second	
plan.currency	dimension	text	Three-letter ISO currency code, in lowercase
plan.interval	dimension	text	
plan.interval_count	metric	number	
plan.livemode	dimension	boolean	True in live mode or false in test mode
plan.metadata	dimension	obj	
plan.nickname	dimension	text	
plan.product	dimension	text	
plan.tiers_mode	dimension	text	
plan.transform_usage.divide_by	metric	number	
plan.transform_usage.round	dimension	text	
plan.trial_period_days	metric	number	
plan.usage_type	dimension	text	
price.id	dimension	text	
price.object	dimension	text	
price.active	dimension	boolean	
price.billing_scheme	dimension	text	

price.created	dimension	year_month_day_second	
price.currency	dimension	text	Three-letter ISO currency code, in lowercase
price.livemode	dimension	boolean	True in live mode or false in test mode
price.lookup_key	dimension	text	
price.metadata	dimension	obj	
price.nickname	dimension	text	
price.product	dimension	text	
price.recurring.aggregate_usage	dimension	text	
price.recurring.interval	dimension	text	
price.recurring.interval_count	metric	number	
price.recurring.usage_type	dimension	text	
price.tiers_mode	dimension	text	
price.transform_quantity.divide_by	dimension	number	
price.transform_quantity.round	dimension	text	
price.type	dimension	text	
price.unit_amount	metric	number	
price.unit_amount_decimal	dimension	text	
quantity	metric	number	
subscription	dimension	text	

Resource Name	Sub Schedules		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is subscription_schedule
canceled_at	dimension	year_month_day_second	
completed_at	dimension	year_month_day_second	
created	dimension	year_month_day_second	
current_phase.end_date	dimension	year_month_day_second	
current_phase.start_date	dimension	year_month_day_second	
customer	dimension	text	ID of the customer
default_settings.application_fee_percent	metric	number	A non-negative decimal between 0 and 100, with at most two decimal places
default_settings.billing_cycle_anchor	dimension	text	Possible values: phase_start or automatic
default_settings.billing_thresholds.amount_gte	metric	number	Monetary threshold that triggers the subscription to create an invoice
default_settings.billing_thresholds.reset_billing_cycle_anchor	dimension	boolean	Indicates if the billing_cycle_anchor should be reset when a threshold is reached
default_settings.collection_method	dimension	text	Possible values: charge_automatically, or send_invoice
default_settings.default_payment_method	dimension	text	ID of the default payment method
default_settings.invoice_settings.days_until_due	metric	number	
default_settings.transfer_data.amount_percent	metric	number	the percentage of the subscription invoice subtotal that will be transferred to the destination account
default_settings.transfer_data.destination	dimension	text	The account where funds from the payment will be transferred to upon payment success
end_behavior	dimension	text	Behavior of the subscription schedule and underlying subscription when it ends. Possible values: release and cancel
livemode	dimension	boolean	
metadata	dimension	obj	
released_at	dimension	year_month_day_second	
released_subscription	dimension	text	ID of the subscription once managed by the subscription schedule
status	dimension	text	Possible values: not_started, active, completed, released, and canceled
subscription	dimension	text	ID of the subscription

Resource Name	Tax rates		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is tax_rate
active	dimension	boolean	Defaults to true. When set to false, this tax rate cannot be used with new applications or Checkout Sessions, but will still work for subscriptions and invoices that already have it set
country	dimension	text	
created	dimension	year_month_day_second	
description	dimension	text	
display_name	dimension	text	
inclusive	dimension	boolean	
jurisdiction	dimension	text	
livemode	dimension	boolean	
metadata	dimension	obj	
percentage	metric	number	
state	dimension	text	ISO 3166-2 subdivision code, without country prefix

Resource Name	Accounts		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is account
business_type	dimension	text	Possible values: individual, company, non_profit, government_entity
business_profile.mcc	dimension	text	
business_profile.name	dimension	text	
business_profile.product_description	dimension	text	Internal-only description of the product

business_profile.support_address.city	dimension	text	
business_profile.support_address.country	dimension	text	
business_profile.support_address.line1	dimension	text	
business_profile.support_address.line2	dimension	text	
business_profile.support_address.postal_code	dimension	text	
business_profile.support_address.state	dimension	text	
business_profile.support_email	dimension	text	
business_profile.support_phone	dimension	text	
business_profile.support_url	dimension	text	
business_profile.terms_of_service_url	dimension	text	
business_profile.url	dimension	text	
capabilities.acss_debit_payments	dimension	text	Capabilities possible values: active, inactive, or pending
capabilities.afterpay_clearpay_payments	dimension	text	
capabilities.au_becs_debit_payments	dimension	text	
capabilities.bacs_debit_payments	dimension	text	
capabilities.bancontact_payments	dimension	text	
capabilities.card_issuing	dimension	text	
capabilities.card_payments	dimension	text	
capabilities.cartes_bancaires_payments	dimension	text	
capabilities.eps_payments	dimension	text	
capabilities.fpx_payments	dimension	text	
capabilities.giropay_payments	dimension	text	
capabilities.grabpay_payments	dimension	text	
capabilities.ideal_payments	dimension	text	
capabilities.jcb_payments	dimension	text	
capabilities.legacy_payments	dimension	text	
capabilities.oxxo_payments	dimension	text	
capabilities.p24_payments	dimension	text	
capabilities.sepa_debit_payments	dimension	text	
capabilities.sofort_payments	dimension	text	
capabilities.tax_reporting_us_1099_k	dimension	text	
capabilities.tax_reporting_us_1099_misc	dimension	text	
capabilities.transfers	dimension	text	
charges_enabled	dimension	boolean	Whether the account can create live charges
company.address.city	dimension	text	
company.address.country	dimension	text	
company.address.line1	dimension	text	
company.address.line2	dimension	text	
company.address.postal_code	dimension	text	
company.address.state	dimension	text	
company.address_kana.city	dimension	text	
company.address_kana.country	dimension	text	
company.address_kana.line1	dimension	text	
company.address_kana.line2	dimension	text	
company.address_kana.postal_code	dimension	text	
company.address_kana.state	dimension	text	
company.address_kana.town	dimension	text	
company.address_kanji.city	dimension	text	
company.address_kanji.country	dimension	text	
company.address_kanji.line1	dimension	text	
company.address_kanji.line2	dimension	text	
company.address_kanji.postal_code	dimension	text	
company.address_kanji.state	dimension	text	
company.address_kanji.town	dimension	text	
company.directors_provided	dimension	boolean	
company.executives_provided	dimension	boolean	
company.name	dimension	text	
company.name_kana	dimension	text	
company.name_kanji	dimension	text	
company.owners_provided	dimension	boolean	
company.phone	dimension	text	
company.structure	dimension	text	Possible values: government_instrumentality, governmental_unit, incorporated_non_profit, limited_liability_partnership, multi_member_llc, private_company, private_corporation, private_partnership, public_company, public_corporation, public_partnership, single_member_llc, sole_proprietorship, tax_exempt_government_instrumentality, unincorporated_association, unincorporated_non_profit
company.tax_id_provided	dimension	boolean	
company.tax_id_registrar	dimension	text	
company.vat_id_provided	dimension	boolean	
company.verification.document.back	dimension	text	
company.verification.document.details	dimension	text	
company.verification.document.details_code	dimension	text	Possible values: document_corrupt, document_expired, document_failed_copy, document_failed_greyscale, document_failed_other, document_failed_test_mode, document_fraudulent, document_incomplete, document_invalid, document_manipulated, document_not_readable, document_not_uploaded, document_type_not_supported, or document_too_large
company.verification.document.front	dimension	text	
country	dimension	text	
created	dimension	year_month_day_second	
default_currency	dimension	text	

details_submitted	dimension	boolean	
email	dimension	text	
metadata	dimension	obj	
payouts_enabled	dimension	boolean	
requirements.current_deadline	dimension	year_month_day_second	
requirements.currently_due	dimension	array	The fields that need to be collected to keep the account enabled
requirements.disabled_reason	dimension	text	Possible values: requirements.past_due, requirements.pending_verification, rejected.fraud, rejected.terms_of_service, rejected.listed, rejected.other, listed, under_review, or other
requirements.eventually_due	dimension	array	The fields that need to be collected assuming all volume thresholds are reached
requirements.past_due	dimension	array	The fields that weren't collected by the current_deadline. These fields need to be collected to re-enable the account
requirements.pending_verification	dimension	array	Fields that may become required depending on the results of verification or review
settings.bacs_debit_payments.display_name	dimension	text	
settings.branding.icon	dimension	text	ID of a file upload
settings.branding.logo	dimension	text	ID of a file upload
settings.branding.primary_color	dimension	text	
settings.branding.secondary_color	dimension	text	
settings.card_issuing.tos_acceptance.date	dimension	year_month_day_second	
settings.card_issuing.tos_acceptance.ip	dimension	text	
settings.card_payments.decline_on.avs_failure	dimension	boolean	
settings.card_payments.decline_on.cvc_failure	dimension	boolean	
settings.card_payments.statement_descriptor_prefix	dimension	text	
settings.dashboard.display_name	dimension	text	
settings.dashboard.timezone	dimension	text	
settings.payments.statement_descriptor	dimension	text	
settings.payments.statement_descriptor_kana	dimension	text	
settings.payments.statement_descriptor_kanji	dimension	text	
settings.payouts.debit_negative_balances	dimension	boolean	
settings.payouts.schedule.delay_days	metric	number	
settings.payouts.schedule.interval	dimension	text	Possible values: manual, daily, weekly, or monthly
settings.payouts.schedule.monthly_anchor	metric	number	The day of the month funds will be paid out
settings.payouts.schedule.weekly_anchor	metric	number	The day of the week funds will be paid out
settings.payouts.statement_descriptor	dimension	text	
settings.sepa_debit_payments.creditor_id	dimension	text	
type	dimension	text	Possible values: standard, express, or custom

Resource Name	Application Fees		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is application_fee
account	dimension	text	ID of the Stripe account this fee was taken from
amount	metric	number	
amount_refunded	metric	number	
application	dimension	text	ID of the Connect application that earned the fee
balance_transaction	dimension	text	
charge	dimension	text	ID of the charge
created	dimension	year_month_day_second	
currency	dimension	text	
livemode	dimension	boolean	
originating_transaction	dimension	text	ID of the corresponding charge on the platform account, if this fee was the result of a charge using the destination parameter
refunded	dimension	boolean	Whether the fee has been fully refunded. If the fee is only partially refunded, this attribute will still be false

Resource Name	Application Fee Refund		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is fee_refund
amount	metric	number	
balance_transaction	dimension	text	Balance transaction that describes the impact on your account balance
created	dimension	year_month_day_second	
currency	dimension	text	
fee	dimension	text	ID of the application fee that was refunded
metadata	dimension	obj	

Resource Name	Capabilities		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is capability
account	dimension	text	ID of the account
requested	dimension	boolean	
requested_at	dimension	year_month_day_second	
requirements.current_deadline	dimension	year_month_day_second	
requirements.currently_due	dimension	array	
requirements.disabled_reason	dimension	text	Possible values: requirement.fields_needed, pending.onboarding, pending.review, rejected.fraud, rejected.unsupported_business or rejected.other

requirements.errors.code	dimension	text	Possible values: invalid_address_city_state_postal_code and etc
requirements.errors.reason	dimension	text	
requirements.errors.requirement	dimension	text	
requirements.eventually_due	dimension	array	
requirements.past_due	dimension	array	
requirements.pending_verification	dimension	array	
status	dimension	text	Possible values: active, inactive, pending, or unrequested

Resource Name	Country Specs		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is country_spec
default_currency	dimension	text	
supported_bank_account_currencies	dimension	obj	
supported_payment_currencies	dimension	array	
supported_payment_methods	dimension	array	
supported_transfer_countries	dimension	array	
verification_fields.company.additional	dimension	array	
verification_fields.company.minimum	dimension	array	
verification_fields.individual.additional	dimension	array	
verification_fields.individual.minimum	dimension	array	

Resource Name	External Accounts		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is bank_account
account	dimension	text	The ID of the account that the bank account is associated with
account_holder_name	dimension	text	
account_holder_type	dimension	text	Possible values: individual or company
available_payout_methods	dimension	array	
bank_name	dimension	text	
country	dimension	text	
currency	dimension	text	
customer	dimension	text	ID of the customer
default_for_currency	dimension	boolean	
fingerprint	dimension	text	
last4	dimension	text	
metadata	dimension	obj	
routing_number	dimension	text	
status	dimension	text	Possible values: new, validated, verified, verification_failed, or errored

Resource Name	External Account Cards		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is card
account	dimension	text	ID of the account
address_city	dimension	text	
address_country	dimension	text	
address_line1	dimension	text	
address_line1_check	dimension	text	If address_line1 was provided, results of the check: pass, fail, unavailable, or unchecked
address_line2	dimension	text	
address_state	dimension	text	
address_zip	dimension	text	
address_zip_check	dimension	text	Possible values: pass, fail, unavailable, or unchecked
available_payout_methods	dimension	array	
brand	dimension	text	Possible values: American Express, Diners Club, Discover, JCB, MasterCard, UnionPay, Visa, or Unknown
country	dimension	text	
customer	dimension	text	ID of the customer
cvc_check	dimension	text	Possible values: pass, fail, unavailable, or unchecked
default_for_currency	dimension	boolean	
dynamic_last4	dimension	text	For tokenized numbers only
exp_month	dimension	number	
exp_year	dimension	number	
fingerprint	dimension	text	
funding	dimension	text	Possible values: credit, debit, prepaid, or unknown
last4	dimension	text	
metadata	dimension	obj	
name	dimension	text	
tokenization_method	dimension	text	Possible values: android_pay (includes Google Pay), apple_pay, masterpass, visa_checkout, or null

Resource Name	Persons		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is person
account	dimension	text	ID of the account

address_kana.city	dimension	text	
address_kana.country	dimension	text	
address_kana.line1	dimension	text	
address_kana.line2	dimension	text	
address_kana.postal_code	dimension	text	
address_kana.state	dimension	text	
address_kana.town	dimension	text	
address_kanji.city	dimension	text	
address_kanji.country	dimension	text	
address_kanji.line1	dimension	text	
address_kanji.line2	dimension	text	
address_kanji.postal_code	dimension	text	
address_kanji.state	dimension	text	
address_kanji.town	dimension	text	
address.city	dimension	text	
address.country	dimension	text	
address.line1	dimension	text	
address.line2	dimension	text	
address.postal_code	dimension	text	
address.state	dimension	text	
created	dimension	year_month_day_second	
dob.day	dimension	number	date of birth
dob.month	dimension	number	
dob.year	dimension	number	
email	dimension	text	
first_name	dimension	text	
first_name_kana	dimension	text	
first_name_kanji	dimension	text	
gender	dimension	text	
id_number_provided	dimension	boolean	Whether the person's id_number was provided
last_name	dimension	text	
last_name_kana	dimension	text	
last_name_kanji	dimension	text	
maiden_name	dimension	text	
metadata	dimension	obj	
nationality	dimension	obj	
phone	dimension	text	
political_exposure	dimension	text	Indicates if the person or any of their representatives, family members, or other closely related persons, declares that they hold or have held an important public job or function, in any jurisdiction. Possible values: existing or none
relationship.director	dimension	boolean	
relationship.executive	dimension	boolean	
relationship.owner	dimension	boolean	
relationship.percent_ownership	dimension	number	The percent owned by the person of the account's legal entity
relationship.representative	dimension	boolean	
relationship.title	dimension	text	
requirements.currently_due	dimension	array	
requirements.eventually_due	dimension	array	
requirements.past_due	dimension	array	
requirements.pending_verification	dimension	array	
ssn_last_4_provided	dimension	boolean	Whether the last four digits of the person's Social Security number have been provided (U.S. only)
verification.additional_document.back	dimension	text	
verification.additional_document.details	dimension	text	
verification.additional_document.details_code	dimension	text	
verification.additional_document.front	dimension	text	
verification.details	dimension	text	
verification.details_code	dimension	text	
verification.document.back	dimension	text	
verification.document.details	dimension	text	
verification.document.details_code	dimension	text	
verification.document.front	dimension	text	Possible values: unverified, pending, or verified
verification.status	dimension	text	

Resource Name		Top Ups	
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is topup
amount	metric	number	ID of the balance transaction that describes the impact of this top-up on your account balance
balance_transaction	dimension	text	
created	dimension	year_month_day_second	
currency	dimension	text	
description	dimension	text	
expected_availability_date	dimension	year_month_day_second	
failure_code	dimension	text	
failure_message	dimension	text	
livemode	dimension	boolean	
metadata	dimension	obj	
source.id	dimension	text	
source.object	dimension	text	Value is source

source.amount	metric	number	
source.client_secret	dimension	text	
source.created	dimension	year_month_day_second	
source.code_verification.attempts_remaining	metric	number	The number of attempts remaining to authenticate the source object with a verification code
source.code_verification.status	dimension	text	Possible values: pending, succeeded, failed
source.currency	dimension	text	
source.customer	dimension	text	ID of the customer
source.flow	dimension	text	The authentication flow of the source. Possible values: redirect, receiver, code_verification, none
source.livemode	dimension	boolean	
source.metadata	dimension	obj	
source.owner.address.city	dimension	text	
source.owner.address.country	dimension	text	
source.owner.address.line1	dimension	text	
source.owner.address.line2	dimension	text	
source.owner.address.postal_code	dimension	text	
source.owner.address.state	dimension	text	
source.owner.email	dimension	text	
source.owner.name	dimension	text	
source.owner.phone	dimension	text	
source.owner.verified_address.city	dimension	text	
source.owner.verified_address.country	dimension	text	
source.owner.verified_address.line1	dimension	text	
source.owner.verified_address.line2	dimension	text	
source.owner.verified_address.postal_code	dimension	text	
source.owner.verified_address.state	dimension	text	
source.owner.verified_email	dimension	text	
source.owner.verified_name	dimension	text	
source.owner.verified_phone	dimension	text	
source.receiver.address	dimension	text	
source.receiver.amount_charged	metric	number	
source.receiver.amount_received	metric	number	
source.receiver.amount_returned	metric	number	
source.receiver.refund_attributes_method	dimension	text	Possible values: email, manual, or none
source.receiver.refund_attributes_status	dimension	text	Possible values: missing, requested, or available
source.redirect.failure_reason	dimension	text	Possible values: user_abort, declined, or processing_error
source.redirect.return_url	dimension	text	The URL you provide to redirect the customer to after they authenticated their payment
source.redirect.status	dimension	text	Possible values: pending, succeeded, not_required, failed
source.redirect.url	dimension	text	The URL provided to you to redirect a customer to as part of a redirect authentication flow
source.source_order.amount	metric	number	
source.source_order.currency	dimension	text	
source.source_order.email	dimension	text	
source.source_order.shipping.address.city	dimension	text	
source.source_order.shipping.address.country	dimension	text	
source.source_order.shipping.address.line1	dimension	text	
source.source_order.shipping.address.line2	dimension	text	
source.source_order.shipping.address.postal_code	dimension	text	
source.source_order.shipping.address.state	dimension	text	
source.source_order.shipping.carrier	dimension	text	
source.source_order.shipping.name	dimension	text	
source.source_order.shipping.phone	dimension	text	
source.source_order.shipping.tracking_number	dimension	text	
source.statement_descriptor	dimension	text	
source.status	dimension	text	Possible values: canceled, chargeable, consumed, failed, or pending Possible values: ach_credit_transfer, ach_debit, alipay, bancontact, card, card_present, eps, giropay, ideal, multibanco, klarna, p24, sepa_debit, sofort, three_d_secure, or wechat
source.type	dimension	text	
source.usage	dimension	text	Possible values: reusable or single_use
statement_descriptor	dimension	text	Extra information about a top-up. This will appear on your source's bank statement. It must contain at least one letter
status	dimension	text	Possible values: canceled, failed, pending, reversed, or succeeded
transfer_group	dimension	text	A string that identifies this top-up as part of a group

Resource Name	Transfers		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is transfer
amount	metric	number	
amount_reversed	metric	number	
balance_transaction	dimension	text	ID of balance transaction that describes the impact of this transfer on your account balance
created	dimension	year_month_day_second	
currency	dimension	text	
description	dimension	text	
destination	dimension	text	ID of the Stripe account the transfer was sent to
destination_payment	dimension	text	If the destination is a Stripe account, this will be the ID of the payment that the destination account received for the transfer
livemode	dimension	boolean	
metadata	dimension	obj	

reversed	dimension	boolean	Whether the transfer has been fully reversed
source_transaction	dimension	text	ID of the charge or payment that was used to fund the transfer. If null, the transfer was funded from the available balance
source_type	dimension	text	Possible values: card, fpx, or bank_account
transfer_group	dimension	text	A string that identifies this transaction as part of a group

Resource Name	Transfer reversals		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is transfer_reversal
amount	metric	number	
balance_transaction	dimension	text	Balance transaction that describes the impact on your account balance
created	dimension	year_month_day_second	
currency	dimension	text	
destination_payment_refund	dimension	text	Linked payment refund for the transfer reversal
metadata	dimension	obj	
source_refund	dimension	text	ID of the refund responsible for the transfer reversal
transfer	dimension	text	ID of the transfer that was reversed

Resource Name	Early Fraud Warning		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is radar.early_fraud_warning
actionable	dimension	boolean	An early fraud warning is actionable if it has not received a dispute and has not been fully refunded
charge	dimension	text	ID of the charge this early fraud warning is for
created	dimension	year_month_day_second	
fraud_type	dimension	text	Possible values: card_never_received, fraudulent_card_application, made_with_counterfeit_card, made_with_lost_card, made_with_stolen_card, misc, unauthorized_use_of_card
livemode	dimension	boolean	

Resource Name	Reviews		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is review
billing_zip	dimension	text	The ZIP or postal code of the card used, if applicable
charge	dimension	text	ID of the charge
closed_reason	dimension	text	Possible values: approved, refunded, refunded_as_fraud, or disputed
created	dimension	year_month_day_second	
ip_address	dimension	text	
ip_address_location.city	dimension	text	
ip_address_location.country	dimension	text	
ip_address_location.latitude	dimension	number	
ip_address_location.longitude	dimension	number	
ip_address_location.region	dimension	text	
livemode	dimension	boolean	
open	dimension	boolean	If true, the review needs action
opened_reason	dimension	text	Possible values: rule or manual
payment_intent	dimension	text	ID of the PaymentIntent
reason	dimension	text	Possible values: rule, manual, approved, refunded, refunded_as_fraud, or disputed
session.browser	dimension	text	
session.device	dimension	text	
session.platform	dimension	text	
session.version	dimension	text	

Resource Name	Value Lists		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is radar.value_list
alias	dimension	text	
created	dimension	year_month_day_second	
created_by	dimension	text	The name or email address of the user who created this value list
item_type	dimension	text	Possible values: card_fingerprint, card_bin, email, ip_address, country, string, or case_sensitive_string
livemode	dimension	boolean	
metadata	dimension	obj	
name	dimension	text	

Resource Name	Value List Items		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is radar.value_list_item
created	dimension	year_month_day_second	

created_by	dimension	text	The name or email address of the user who added this item to the value list
livemode	dimension	boolean	
value	dimension	text	
value_list	dimension	text	ID of the value list this item belongs to

Resource Name	Issuing Authorisation		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is issuing.authorization
amount	metric	number	
amount_details.atm_fee	metric	number	
approved	dimension	boolean	
authorization_method	dimension	text	Possible values: keyed_in, swipe, chip, contactless, online
card.id	dimension	text	ID of the card
cardholder	dimension	text	ID of the cardholder
created	dimension	year_month_day_second	
currency	dimension	text	
livemode	dimension	boolean	
merchant_amount	metric	number	
merchant_currency	dimension	text	
merchant_data.category	dimension	text	
merchant_data.city	dimension	text	
merchant_data.country	dimension	text	
merchant_data.name	dimension	text	
merchant_data.network_id	dimension	text	
merchant_data.postal_code	dimension	text	
merchant_data.state	dimension	text	
metadata	dimension	obj	
pending_request.amount	metric	number	
pending_request.amount_details.atm_fee	metric	number	
pending_request.currency	dimension	text	
pending_request.is_amount_controllable	dimension	boolean	
pending_request_merchant_amount	dimension	text	
pending_request_merchant_currency	dimension	text	
status	dimension	text	Possible values: pending, closed, reversed
verification_data.address_line1_check	dimension	text	Possible values: match, mismatch, not_provided
verification_data.address_postal_code_check	dimension	text	Possible values: match, mismatch, not_provided
verification_data.cvc_check	dimension	text	Possible values: match, mismatch, not_provided
verification_data.expiry_check	dimension	text	Possible values: match, mismatch, not_provided
wallet	dimension	text	What, if any, digital wallet was used for this authorization. Possible values: apple_pay, google_pay, or samsung_pay

Resource Name	Issuing Cardholders		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is issuing.cardholder
billing.address.city	dimension	text	
billing.address.country	dimension	text	
billing.address.line1	dimension	text	
billing.address.line2	dimension	text	
billing.address.postal_code	dimension	text	
billing.address.state	dimension	text	
company.tax_id_provided	dimension	boolean	
created	dimension	year_month_day_second	
email	dimension	text	
individual.dob.day	dimension	number	
individual.dob.month	dimension	number	
individual.dob.year	dimension	number	
individual.first_name	dimension	text	
individual.last_name	dimension	text	
individual.verification.document.back	dimension	text	
individual.verification.document.front	dimension	boolean	
metadata	dimension	obj	
name	dimension	text	
phone_number	dimension	text	
requirements.disabled_reason	dimension	text	Possible values: listed, under_review, rejected.listed
requirements.past_due	dimension	array	
spending_controls.allowed_categories	dimension	array	
spending_controls.blocked_categories	dimension	array	
spending_controls.spending_limits_currency	dimension	text	
status	dimension	text	Possible values: active, inactive, blocked
type	dimension	text	Possible values: individual or company

Resource Name	Issuing Transactions		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is issuing.transaction
amount	metric	number	
amount_details.atm_fee	metric	number	

authorization	dimension	text	ID of the authorization
balance_transaction	dimension	text	ID of the balance transaction
card	dimension	text	ID of the card
cardholder	dimension	text	ID of the cardholder
created	dimension	year_month_day_second	
currency	dimension	text	
dispute	dimension	text	ID of the dispute
livemode	dimension	boolean	
merchant_amount	metric	number	
merchant_currency	dimension	text	
merchant_data.category	dimension	text	
merchant_data.city	dimension	text	
merchant_data.country	dimension	text	
merchant_data.name	dimension	text	
merchant_data.network_id	dimension	text	
merchant_data.postal_code	dimension	text	
merchant_data.state	dimension	text	
metadata	dimension	obj	
type	dimension	text	Possible value: capture, refund

Resource Name	Terminal Locations		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is terminal.locations
address.city"	dimension	text	
address.country"	dimension	text	
address.line1"	dimension	text	
address.line2"	dimension	text	
address.postal_code"	dimension	text	
address.state"	dimension	text	
display_name	dimension	text	
livemode	dimension	boolean	
metadata	dimension	obj	

Resource Name	Issuing Card		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is issuing.card
brand	dimension	text	
cancellation_reason	dimension	text	Possible values: lost, stolen
cardholder.id	dimension	text	
created	dimension	year_month_day_second	
currency	dimension	text	
cvc	dimension	text	
exp_month	dimension	number	
exp_year	dimension	number	
last4	dimension	text	
livemode	dimension	boolean	
metadata	dimension	obj	
number	dimension	text	The full unredacted card number
replaced_by	dimension	text	The latest card that replaces this card, if any
replacement_for	dimension	text	The card this card replaces, if any
replacement_reason	dimension	text	Possible values: lost, stolen, damaged, expired
shipping.address.city	dimension	text	
shipping.address.country	dimension	text	
shipping.address.line1	dimension	text	
shipping.address.line2	dimension	text	
shipping.address.postal_code	dimension	text	
shipping.address.state	dimension	text	
shipping.carrier	dimension	text	
shipping.eta	dimension	text	
shipping.name	dimension	text	
shipping.service	dimension	text	Possible values: standard, express, priority
shipping.status	dimension	text	Possible values: pending, shipped, delivered, returned, failure, canceled
shipping.tracking_number	dimension	text	
shipping.tracking_url	dimension	text	
shipping.type	dimension	text	
spending_controls.allowed_categories	dimension	array	
spending_controls.blocked_categories	dimension	array	
spending_controls.spending_limits_currency	dimension	text	
status	dimension	text	Possible values: active, inactive, canceled
type	dimension	text	Possible values: physical, virtual

Resource Name	Issuing Dispute		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is issuing.dispute
amount	metric	number	
created	dimension	year_month_day_second	

currency	dimension	text	
livemode	dimension	boolean	
metadata	dimension	obj	
status	dimension	text	Possible values: won, lost, submitted, unsubmitted, expired
transaction	dimension	text	
evidence.canceled.additional_documentation	dimension	text	
evidence.canceled.canceled_at	dimension	year_month_day_second	
evidence.canceled.cancellation_policy_provided	dimension	boolean	
evidence.canceled.cancellation_reason	dimension	text	
evidence.canceled.expected_at	dimension	year_month_day_second	
evidence.canceled.explanation	dimension	text	
evidence.canceled.product_description	dimension	text	
evidence.canceled.product_type	dimension	text	Possible values: merchandise, service
evidence.canceled.return_status	dimension	text	Possible values: successful, merchant_rejected
evidence.canceled.returned_at	dimension	year_month_day_second	
evidence.duplicate.additional_documentation	dimension	text	
evidence.duplicate.card_statement	dimension	text	
evidence.duplicate.cash_receipt	dimension	text	
evidence.duplicate.check_image	dimension	text	
evidence.duplicate.explanation	dimension	text	
evidence.duplicate.original_transaction	dimension	text	
evidence.fraudulent.additional_documentation	dimension	text	
evidence.fraudulent.explanation	dimension	text	
evidence.merchandise_not_as_described.additional_documentation	dimension	text	
evidence.merchandise_not_as_described.explanation	dimension	text	
evidence.merchandise_not_as_described.received_at	dimension	year_month_day_second	
evidence.merchandise_not_as_described.return_description	dimension	text	
evidence.merchandise_not_as_described.return_status	dimension	text	Possible values: successful, merchant_rejected
evidence.merchandise_not_as_described.returned_at	dimension	year_month_day_second	
evidence.not_received.additional_documentation	dimension	text	
evidence.not_received.expected_at	dimension	year_month_day_second	
evidence.not_received.explanation	dimension	text	
evidence.not_received.product_description	dimension	text	
evidence.not_received.product_type	dimension	text	Possible values: merchandise, service
evidence.other.additional_documentation	dimension	text	
evidence.other.explanation	dimension	text	
evidence.other.product_description	dimension	text	
evidence.other.product_type	dimension	text	Possible values: merchandise, service
evidence.reason	dimension	text	Possible values: not_received, fraudulent, duplicate, merchandise_not_as_described, service_not_as_described, canceled
evidence.service_not_as_described.additional_documentation	dimension	text	
evidence.service_not_as_described.canceled_at	dimension	year_month_day_second	
evidence.service_not_as_described.cancellation_reason	dimension	text	
evidence.service_not_as_described.explanation	dimension	text	
evidence.service_not_as_described.received_at	dimension	year_month_day_second	

Resource Name	Terminal Readers			
Resource Description	Field Name	Field Type	Data Type	Field Description
	id	dimension	text	
	object	dimension	text	Value is terminal.reader
	device_sw_version	dimension	text	
	device_type	dimension	text	Possible values: bbpos_chipper2x or verifone_P400
	ip_address	dimension	text	
	label	dimension	text	
	livemode	dimension	boolean	
	location	dimension	text	ID of the location
	metadata	dimension	obj	
	serial_number	dimension	text	
	status	dimension	text	

Resource Name	Report Runs			
Resource Description	Field Name	Field Type	Data Type	Field Description
	id	dimension	text	
	object	dimension	text	Value is reporting.report_run
	created	dimension	year_month_day_second	
	error	dimension	text	
	livemode	dimension	boolean	
	parameters.columns	dimension	array	
	parameters.connected_account	dimension	text	ID of the connected account
	parameters.currency	dimension	text	
	parameters.interval_end	dimension	year_month_day_second	
	parameters.interval_start	dimension	year_month_day_second	
	parameters.payout	dimension	text	ID of the payout
	parameters.reporting_category	dimension	text	
	parameters.timezone	dimension	text	
	report_type	dimension	text	The ID of the report type to run, such as balance.summary.1
	result.id	dimension	text	
	result.object	dimension	text	Value is file
	result.created	dimension	year_month_day_second	

result.expires_at	dimension	year_month_day_second	
result.filename	dimension	text	
result.purpose	dimension	text	Possible values: account_requirement, additional_verification, business_icon, business_logo, customer_signature, dispute_evidence, identity_document, pci_document, tax_document_user_upload
result.size	metric	number	
result.title	dimension	text	
result.type	dimension	text	
result.url	dimension	text	The URL from which the file can be downloaded using your live secret API key
status	dimension	text	Possible values: pending, succeeded, failed
succeeded_at	dimension	year_month_day_second	

Resource Name	Report Type		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	The ID of the Report Type, such as balance.summary.1
object	dimension	text	Value is reporting.report_type
data_available_end	dimension	year_month_day_second	
data_available_start	dimension	year_month_day_second	
default_columns	dimension	array	
name	dimension	text	
updated	dimension	year_month_day_second	
version	dimension	number	

Resource Name	Webhook Events		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is webhook_endpoint
api_version	dimension	text	
application	dimension	text	The ID of the associated Connect application
created	dimension	year_month_day_second	
description	dimension	text	
enabled_events	dimension	array	
livemode	dimension	boolean	
metadata	dimension	obj	
status	dimension	text	Possible values: enabled, disabled
url	dimension	text	

Resource Name	Quotes		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is quote
amount_subtotal	metric	number	
amount_total	metric	number	
application_fee_amount	metric	number	
application_fee_percent	metric	number	
automatic_tax.enabled	dimension	boolean	
automatic_tax.status	dimension	text	Possible values: requires_location_inputs, complete, failed
collection_method	dimension	text	Possible values: charge_automatically, send_invoice
computed.recurring.amount_subtotal	metric	number	
computed.recurring.amount_total	metric	number	
computed.recurring.interval	dimension	text	Possible values: day, week, month or year
computed.recurring.interval_count	metric	number	
computed.recurring.total_details.amount_discount	metric	number	
computed.recurring.total_details.amount_shipping	metric	number	
computed.recurring.total_details.amount_tax	metric	number	
computed.upfront.amount_subtotal	metric	number	
computed.upfront.amount_total	metric	number	
computed.upfront.total_details.amount_discount	metric	number	
computed.upfront.total_details.amount_shipping	metric	number	
computed.upfront.total_details.amount_tax	metric	number	
created	dimension	year_month_day_second	
currency	dimension	text	
customer	dimension	text	ID of the customer
default_tax_rates	dimension	array	
description	dimension	text	
discounts	dimension	array	
expires_at	dimension	year_month_day_second	
footer	dimension	text	
from_quote.is_revision	dimension	boolean	
from_quote.quote	dimension	text	
header	dimension	text	
invoice	dimension	text	ID of the invoice created by this quote
invoice_settings.days_until_due	metric	number	
livemode	dimension	boolean	
metadata	dimension	obj	
number	dimension	text	
on_behalf_of	dimension	text	
status	dimension	text	Possible values: draft, open, accepted, canceled
status_transitions.accepted_at	dimension	year_month_day_second	

status_transitions.canceled_at	dimension	year_month_day_second	
status_transitions.finalized_at	dimension	year_month_day_second	
subscription	dimension	text	ID of the subscription created or update from this quote
subscription_data.effective_date	dimension	year_month_day_second	
subscription_data.trial_period_days	metric	number	
subscription_schedule	dimension	text	ID of the subscription schedule
total_details.amount_discount	metric	number	
total_details.amount_shipping	metric	number	
total_details.amount_tax	metric	number	
transfer_data.amount	metric	number	
transfer_data.amount_percent	metric	number	
transfer_data.destination	dimension	text	

Resource Name	Quotes- (Line Items) & Quotes (Computed Upfront Line It)		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is item
amount_subtotal	metric	number	
amount_total	metric	number	
currency	dimension	text	
description	dimension	text	
price.id	dimension	text	
price.object	dimension	text	Value is price
price.active	dimension	boolean	
price.billing_scheme	dimension	text	Possible values: per_unit, tiered
price.created	dimension	year_month_day_second	
price.currency	dimension	text	
price.livemode	dimension	boolean	
price.lookup_key	dimension	text	
price.metadata	dimension	obj	
price.nickname	dimension	text	
price.product	dimension	text	ID of the product
price.recurring.aggregate_usage	dimension	text	
price.recurring.interval	dimension	text	Possible values: day, week, month or year
price.recurring.interval_count	metric	number	
price.recurring.usage_type	dimension	text	Possible values: metered, licensed
price.tax_behavior	dimension	text	Possible values: inclusive, exclusive, or unspecified
price.tiers_mode	dimension	text	Possible values: graduated, volume
price.transform_quantity.divide_by	metric	number	
price.transform_quantity.round	dimension	text	Possible values: up, down
price.type	dimension	text	Possible values: one_time, recurring
price.unit_amount	metric	number	
price.unit_amount_decimal	metric	number	
quantity	metric	number	

Resource Name	ID- Verification Sessions		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is identity.verification_session
client_secret	dimension	text	
created	dimension	year_month_day_second	
last_error.code	dimension	text	
last_error.reason	dimension	text	
last_verification_report	dimension	text	ID of the most recent VerificationReport
livemode	dimension	boolean	
metadata	dimension	obj	
options.document.allowed_types	dimension	array	
options.document.require_id_number	dimension	boolean	
options.document.require_live_capture	dimension	boolean	
options.document.require_matching_selfie	dimension	boolean	
options.id_number	dimension	obj	
redaction.status	dimension	text	Possible values: redacted, processing
status	dimension	text	Possible values: requires_input, processing, verified, canceled
type	dimension	text	The type of verification check to be performed. Possible values: document, id_number
url	dimension	text	

Resource Name	ID- Verification Reports		
Resource Description			
Field Name	Field Type	Data Type	Field Description
id	dimension	text	
object	dimension	text	Value is identity.verification_report
created	dimension	year_month_day_second	
document.address.city	dimension	text	
document.address.country	dimension	text	
document.address.line1	dimension	text	
document.address.line2	dimension	text	
document.address.postal_code	dimension	text	
document.address.state	dimension	text	
document.error.code	dimension	text	

document.error.reason	dimension	text	
document.files	dimension	array	
document.first_name	dimension	text	
document.issued_date.day	dimension	number	
document.issued_date.month	dimension	number	
document.issued_date.year	dimension	number	
document.issuing_country	dimension	text	
document.last_name	dimension	text	
document.number	dimension	text	Document ID number
document.status	dimension	text	Possible values: verified, unverified
document.type	dimension	text	Possible values: driving_license, passport, id_card
id_number.error.code	dimension	text	
id_number.error.reason	dimension	text	
id_number.first_name	dimension	text	
id_number.id_number_type	dimension	text	Possible values: br_cpf, sg_nric, us_ssn
id_number.last_name	dimension	text	
id_number.status	dimension	text	Status of this id_number check
livemode	dimension	boolean	
options.document.allowed_types	dimension	text	Possible values: driving_license, passport, id_card
options.document.require_id_number	dimension	boolean	
options.document.require_live_capture	dimension	boolean	
options.document.require_matching_selfie	dimension	boolean	
options.id_number	dimension	obj	
selfie.document	dimension	text	ID of the File holding the image of the identity document used in this check
selfie.error.code	dimension	text	
selfie.error.reason	dimension	text	
selfie.selfie	dimension	text	ID of the File holding the image of the selfie used in this check
selfie.status	dimension	text	Possible values: verified, unverified
type	dimension	text	Possible values: document, id_number
verification_session	dimension	text	ID of the VerificationSession that created this report