

**STATUTORY DECLARATION  
Registration of Fittings**  
Single or Multiple Fitting Designs within one Fitting Category

I, Dana Borcea, Quality assessment and approval manager  
(name of applicant) (position title) (must be in a position of authority)  
of FOCUS-ON VoF  
(name of manufacturer)  
located at Kerkeplaat 12-16, 3313 LC, Dordrecht, The Netherlands  
(plant address)

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.  
**FOCUS-ON FOCUS 1**

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (select only one)

- comply with the requirements of ASME B16.34 which specifies the dimensions, materials of construction, pressure/temperature ratings and identification marking of the fittings, or  
(title of recognized North American Standard)
- are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with ISO 9001 by DNV as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the identification marking of the fittings.  
(title of code of construction or other applicable document)

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified as described in the below Table as being suitable for the manufacturing of these fittings to the stated standard, regulation, code, guideline or other applicable document. The fittings covered by the declaration for which I seek registration are as provided in the Supplementary Sheet(s) attached.

**Quality Program Verification and Manufacturing Sites**

A copy of the Quality Certificate from each manufacturing site must be included

Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organization	Location(s) Plant Name and address
1.	FOCUS-1	ISO9001	Quality managemnt system	05/04/2024	DNV	FOCUS-ON, Kerkeplaat 12-16, bulding K2, Dodrecht, The Netherlands
2.						

In support of this application, the following information, calculations and/or test data are attached:

ISO 9001 certificate, FOCUS-1 specification datasheet, drawings FCS-A73080, FCS-A73100, \*\*

FOCUS-1 strength calculations 3 [inch], 4 [inch].

*Handwritten signature*

06 MAY 2021

(Signature of the Declarer)

(Date)

DECLARED before me at Sliedrecht in the Netherlands of \_\_\_\_\_  
(city) (province, territory, or state)

this 6th day of May, 2021  
(Month) (Year)

(print) Mr. N.P. Papaioannou  
(a Commissioner of Oaths or Notary Public)

(sign) *Handwritten signature*  
(a Commissioner of Oaths or Notary Public)

(expiry date (mm/dd/yy))



Commissioner of Oaths / Notary Public in and for: \_\_\_\_\_  
(province, territory, or state)

**For ABSA Office Use Only:**

NOTES: - **Dwg FCS-CRN73050/-CRN73080/-CRN73081/-CRN73100 Rev 00 registered.**

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Part 1, Clause 4.2, and is accepted for registration in Category \_\_\_\_\_

CRN: \_\_\_\_\_

Registered Date: \_\_\_\_\_

Expiry Date: \_\_\_\_\_

Signature: \_\_\_\_\_  
(Signature of the Administrator/SCO)

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline

2021-04956

**ABSA**

SAFETY CODES ACT - PROVINCE OF ALBERTA

**ACCEPTED: OC23366 52**

**See acceptance letter for conditions of registration.**

Date: 2021-10-04 By: *Handwritten signature*  
ASHLING DICK, P. Eng.  
DOP: D00007936

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act



Technical Standards and Safety Authority  
345 Carlingview Drive  
Toronto, Ontario M9W 6N9  
www.tssa.org

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

## STATUTORY DECLARATION Registration of Fittings

I, Dana Borcea, Quality assurance and approvals manager  
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of FOCUS-ON VoF  
(Name of Manufacturer)

Located at Kerkeplaat 12-16, bulding K2, Dordrecht, The Netherlands +31621563056  
(Plant Address) (Telephone No.) (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of ASME B16.34

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO9001 which has been verified by the following authority, DNV-GL.

The items covered by this declaration, for which I seek registration, are category FOCUS-1, 3 & 4inch CL150/300 type fittings. In support of this application, the following information and/or test data are attached as follows:

FOCUS-1 Specs, ISO 9001 certificate, drawing FCS-CRN73080,3" CL150/CL300, FCS-CRN73100, 4", strength calculations.

(drawings, calculations, test reports, etc.)

Declared before me at Stedrecht in the Netherlands of \_\_\_\_\_

the 6th day of May AD 20 21.

Commissioner for Oaths:

Mr. N.P. Papaioannou  
(Printed name)

[Signature]  
(Signature)



### FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category C.

CRN: 0C23366.5

Registered by: LILIANA CONSTANTINESCU

Dated: July 22, 2021

NOTE: This registration expires on: JULY 22, 2031



This Document has been digitally signed. The stamp size has been optimized for 11 x 17 documents

Technical Standards and Safety Authority  
Boilers and Pressure Vessels Safety Program

**REGISTERED**

C.R.N.: 0C23366.5

Signed: [Signature]

Date: July 22, 2021.

*\*Information provided in this application is releasable under the Freedom of Information and Privacy Protection Act and may be disclosed upon request.*

PV 09553 (04/17)

1. The registration covers the 2", 3" and 4" FOCUS-1 valves, ASTM A 351 Gr. CF8M material and class 150 and 300 rating only.
2. The logo which will be marked on the fittings is FOCUS-ON FOCUS 1.
3. The auxiliary connections, if any, must address the requirements of paragraph 6.3 of ASME B16.34

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: FOCUS-ON VoF	
Manufacturers Address: Kerkepleat 12-16,5313LC, Building K2, Dordrecht, The Netherlands	
Plant Locations: the same as manufacturer address	
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p><b>Title of the Standard of Construction</b></p> <p>ASME B16.34 (valve body)</p> <p>ASME B16.5 (flanges)</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p>FOCUS-ON FOCUS-1</p>	<p><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>FOCUS-1 Specification sheet, ISO 9001 certificate, drawing FCS-CRN73080, 3 inch-CL150 / CL300, FCS-CRN73100, 4 inch-CL150 / CL300, valve bodies and bonnet strength calculations.</p>	

**Declaration:**

I, Dana Borcea (see note 3) employed by FOCUS-ON VoF and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DW as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Dana Borcea Digitally signed by Dana Borcea Date: 2021.04.26 22:45:44 +0200


Declared before me at Sliedrecht

This 04 day of May AD 2021

Commissioner of Oaths [Signature]

Or Notary Public: (sign) [Signature]

(Affix Official seal to the right)



This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C23366.5

FID#: 16136

The registration covers the 2", 3" and 4" FOCUS-1 control valves; ASTM A 351 Gr. CF8M mat'l; class 150 and 300 rating only.

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

The auxiliary connections, if any, must address the requirements 11/2016 of paragraph 6.3 of ASME B16.34  
CRN expires July 22nd, 2031 - DG

Newfoundland  
Labrador  
Service NL

Registered 0C23366.50  
Date 21/10/09  
Engineering and Inspection Services  
Registered by [Signature]

UNDER THE AUTHORITY OF THE  
PUBLIC SAFETY AND  
Sect 10 - Fittings Rev. 2  
THE BOILER, PRESSURE VESSEL AND  
COMPRESSED GAS REGULATIONS

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: FOCUS-ON VoF	
Manufacturers Address: Kerkplein 12-18,3313LC, Building K2, Dordrecht, The Netherlands	
Plant Locations: the same as manufacturer address	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>ASME B16.34 (valve body) ASME B16.5 (flanges)</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product:</b></p> <p>FOCUS-ON FOCUS-1</p>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>FOCUS-1 Specification sheet, ISO 9001 certificate, drawing FCS-CRN73080, 3 inch-CL150 / CL300, FCS-CRN73100, 4 inch-CL150 / CL300, valve bodies and bonnet strength calculations.</p>	

**Declaration:**

I, Dana Borcea (see note 3) employed by FOCUS-ON VoF and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DW as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Dana Borcea Digitally signed by Dana Borcea Date: 2021.04.25 22:42:44 +0200


Declared before me at Slidrecht

This 06th day of May AD 2021

Commissioner of Oaths [Signature]

Or Notary Public: (sign) [Signature]

(Affix Official seal to the right)



This space for Regulatory Authority use.  
This registration must be revalidated after ten (10) years from the date of registration.

CRN: 0C23366.5

FID#: 16136

The registration covers the 2", 3" and 4" FOCUS-1 control valves, ASTM A 351 Gr. CF8M mat'l, class 150 and 300 rating only

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

The auxiliary connections, if any, must address the requirements 11/2016 of paragraph 6.3 of ASME B16 34  
CRN expires July 22nd 2031 - DG

Sec 1.0 - Fittings Rev.2

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

<b>Manufacturers Name:</b> FOCUS-ON VoF	
<b>Manufacturers Address:</b> Kerkepleat 12-16,3313LC, Building K2, Dordrecht, The Netherlands	
<b>Plant Locations:</b> the same as manufacturer address	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p><b>A</b> Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  <b>B</b> Flanges: all flanges  <b>C</b> Valves: all line valves  <b>D</b> Expansion joints, flexible connections, and hose assemblies: all types  <b>E</b> Strainers, filters, separators, and steam traps  <b>F</b> Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  <b>G</b> Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  <b>H</b> Pressure retaining components that do not fall into one of the above categories</p> <p><b>N</b> Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>ASME B16.34 (valve body) ASME B16.5 (flanges)</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p>FOCUS-ON FOCUS-1</p>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input checked="" type="checkbox"/> Other <input type="checkbox"/>                  Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>FOCUS-1 Specification sheet, ISO 9001 certificate, drawing FCS-CRN73080, 3 inch-CL150 / CL300, FCS-CRN73100, 4 inch-CL150 / CL300, valve bodies and bonnet strength calculations.</p>	

**Declaration:**

I, Dana Borcea (see note 3) employed by FOCUS-ON VoF and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DNV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Dana Borcea  
 Declared before me at Sliedrecht  
 This 06 day of May AD 2021  
 Commissioner of Oaths  
 Or Notary Public: (sign) [Signature]

Digitally signed by Dana Borcea  
Date: 2021.04.26 22:45:44 +02'00'



(Affix Official seal to the right)

This space for Regulatory Authority use.  
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C23366.5  
 FID#: 16136

The registration covers the 2", 3" and 4" FOCUS-1 control valves;  
 Note: ASTM A 351 Gr. CF8M mat'l; class 150 and 300 rating only.  
 All Fittings shall be registered in the name of the Manufacturer.

- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

The auxiliary connections, if any, must address the requirements 11/2016 of paragraph 6.3 of ASME B16.34  
 CRN expires July 22nd, 2031 - DG

**ACCEPTED**  
 PROVINCE OF PRINCE EDWARD ISLAND  
 COMMUNITIES, LAND & ENVIRONMENT

C.R.N. 0C23366.59  
 DATE: Sept 24 2021

[Signature]  
 INSPECTION SERVICES SECTION 0 - Fittings Rev.2  
 BOILER/PRESSURE VESSEL BRANCH

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick Nova Scotia Prince Edward Island Newfoundland and Labrador  
 Nunavut Yukon Northwest Territories

Manufacturers Name: FOCUS-ON VoF	
Manufacturers Address: Kerkeplaat 12-16,3313LC, Building K2, Dordrecht, The Netherlands	
Plant Locations: the same as manufacturer address	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>ASME B16.34 (valve body)                  ASME B16.5 (flanges)</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p>FOCUS-ON                  FOCUS-1</p>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input checked="" type="checkbox"/> Other <input type="checkbox"/>                  Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>FOCUS-1 Specification sheet, ISO 9001certificate, drawing FCS-CRN73080, 3 inch-CL150 / CL300, FCS-CRN73100, 4 inch-CL150 / CL300, valve bodies and bonnet strength calculations.</p>	

**Declaration:**

I Dana Borcea (see note 3) employed by FOCUS-ON VoF and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DW as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Dana Borcea Digitally signed by Dana Borcea Date: 2021.04.26 22:45:44 +02'00'

Declared before me at Dordrecht

This 06 day of May AD 2021

Commissioner of Oaths [Signature]

Or Notary Public: (sign) [Signature]  
 (Affix Official seal to the right)



This space for Regulatory Authority use:  
 This registration must be revalidated after ten (10) years from the date of registration.

CRN: 0C23366.5

FID#: 16136

The registration covers the 2", 3" and 4" FOCUS-1 control valves; ASTM A 351 Gr. CF8M mat'l; class 150 and 300 rating only.

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

The auxiliary connections, if any, must address the requirements 11/2016 of paragraph 6.3 of ASME B16.34  
 CRN expires July 22nd, 2031 - DG

**DEPT OF JUSTICE PUBLIC SAFETY  
 BOILER & PRESSURE VESSEL ACT**

**REGISTRATION ONLY**

CRN 0C23366.57

[Signature]  
**CHIEF BOILER INSPECTOR**

DATE 9/24/21 Sect 1.0 - Fittings Rev.2

- BLRs       PVs
- FITTINGS       NUCLEAR COMPONENTS