

Contact Samsung Electronics U.K.
If you have any questions or comments relating to Samsung products,
please contact the SAMSUNG customer care center.
Tel : 0330 SAMSUNG (0330 7267864)
Web : www.samsung.com/uk



Welcome to your new freesat+ HD digital TV recorder

SMT-S7800

User Guide



COPYRIGHT

This guide is proprietary to SAMSUNG Electronics Co., Ltd. and is protected by copyright.

No information contained herein may be copied, translated, transcribed or duplicated for any commercial purposes or disclosed to third parties in any form without the prior written consent of SAMSUNG Electronics Co., Ltd.

TRADEMARKS

Product names mentioned in this document may be trademarks and/or registered trademarks of their respective companies.

This guide may be changed for product improvement, standardization or other technical reasons without prior notice.

For further information on the updated guide or the contents contained in the guide, please contact your Authorized Samsung Reseller.



Correct disposal of batteries in this product

(Applicable in the European Union and other European countries with separate battery return systems.)

This marking on the battery, manual or packaging indicates that the batteries in this product should not be disposed of with other household waste at the end of their working life. Where marked, the chemical symbols Hg, Cd or Pb indicate that the battery contains mercury, cadmium or lead above the reference levels in EC Directive 2006/66. If batteries are not properly disposed of, these substances can cause harm to human health or the environment.

To protect natural resources and to promote material reuse, please separate batteries from other types of waste and recycle them through your local, free battery return system.



Correct Disposal of This Product (Waste Electrical & Electronic Equipment)

(Applicable in the European Union and other European countries with separate collection systems)

This marking on the product, accessories or literature indicates that the product and its electronic accessories (e.g. charger, headset, USB cable) should not be disposed of with other household waste at the end of their working life. To prevent possible harm to the environment or human health from uncontrolled waste disposal, please separate these items from other types of waste and recycle them responsibly to promote the sustainable reuse of material resources.

Household users should contact either the retailer where they purchased this product, or their local government office, for details of where and how they can take these items for environmentally safe recycling.

Business users should contact their supplier and check the terms and conditions of the purchase contract. This product and its electronic accessories should not be mixed with other commercial wastes for disposal.

Information in this document is proprietary to SAMSUNG Electronics Co., Ltd.

No information contained here may be copied, translated, transcribed or duplicated by any form without the prior written consent of SAMSUNG.

Information in this document is subject to change without notice.

SAFETY CONCERNS

The purpose of the Safety Concerns section is to ensure the safety of users and prevent property damage. Please read this document carefully for proper use.

Conventions



Warning

Provides information or instructions that you should follow in order to avoid personal injury or fatality.



Caution

Provides information or instructions that you should follow in order to avoid a service failure or damage to your Set Top Box (STB).



Note

Indicates additional information for reference.



Checks

Provides the operator with checkpoints for stable system operation.

Symbols



Warning or Caution

Indication of a general caution



Restriction

Indication for prohibiting an action with a product



Instruction

Indication demanding a specific action



WARNING

Power



Insert the power plug firmly.



Do not touch the main body, power cable, or power plug with wet hands.



Do not connect multiple devices to a single outlet simultaneously.



If video/audio cable generates heat after connection, pull out the power plug and contact customer service immediately.

Installation/Maintenance



Install the product in an area with good ventilation.



Do not install in humid or dusty areas, and avoid installing near heating devices.



Keep flammable substances or sprays away from the Set Top Box (STB).



Do not place heavy objects on this product.



Do not cover the top.



Pull out the power plug during thunderstorms or when not used for a prolonged period of time.



Pull out the power plug at once and contact customer service if unusual noise, smell or smoke is emitted.

General



Check if the coaxial cable is correctly grounded before connecting to the STB.



Class 1 LED Product.



This product complies with 21 CFR Chapter 1, subchapter J.



CAUTION

Power



Connect your TV to the Set Top Box (STB) after powering off the TV and the STB by pulling out the power plugs.



The socket outlet should be installed near the equipment and easily accessible.



Before connecting the power source, a permanent protective earth connection to the cable distribution should be made.

Installation/Maintenance



Install the product correctly complying with the instructions in the user guide.



Do not spray water directly on the unit and do not use chemicals such as wax, mosquito spray, alcohol or detergent.



Ensure the product is placed on a stable surface.



Do not disassemble, repair, or modify.



Do not insert any items into the product.



Do not place any metal items such as pins, paper clips or coins on the top of the product.



Risk of electric shock, DO NOT OPEN.



Wipe the product with a soft and dry cloth when cleaning.



Connect two coaxial cables from the LNBs both to SAT IN 1 and SAT IN 2 on the back of your STB.



Cautions regarding data loss (HDD management)

1. When handling, take care not to damage the data in the hard disc.
 - Hard discs are vulnerable to problems caused by the external environment or to impact during use, so take care not to damage the device.
 - Take care not to move the set-top box while the power is on, or to subject it to impact, as this may damage the data.
2. Situations where the hard disc and data may be damaged
 - The hard disc and data may be damaged if subjected to shock while moving the set-top box or during installation.
 - The hard disc and data may be damaged when the set-top box is reset (reconfigured) or if there is a power outage while the hard disc is running.
 - Data may be irrecoverable for a variety of several reasons (e.g. a virus infection).
 - The hard disc and data may be damaged by turning the power off while recording or playing.
 - Files may be damaged or bad sectors may result if the set-top box is subjected to shock or moved while the hard disc is operating.

TABLE OF CONTENTS

SAFETY CONCERNS

1

Conventions	1
Symbols	1
WARNING	2
CAUTION	3

BEFORE USE

6

freesat+ HD digital TV recorder	6
Key Functions	6
Package Contents	7
Names and Functions	8
Touch Pad and Front Panel	8
Rear Panel	10
Remote Control	11
TV Operation Setting with a Remote Control	12

INSTALLATION

14

Installation Environment	14
Peripheral Device Connection	15
Connection to a TV with an HDMI Port	16
Connection to a TV with a SCART Port	17
Connection to a VCR with a SCART Port	18
Connection to a TV/VCR with a Composite Port	19
Connection to a Digital Audio Receiver or Amplifier	20
Connection to an Audio Receiver or Amplifier	21
Connection to Satellite Dish	22
Network Connection	23
USB Connection	24

HOW TO USE THE PRODUCT

25

Installation Wizard	25
Using the Basic Functions.....	29
Using the Main Functions	32
Main Menu.....	34
Guide.....	35
Channel.....	37
Library	39
Media	44
Samsung WebTV.....	48
Settings.....	50
Settings → Channel.....	50
Settings → Sound.....	52
Settings → Picture	54
Settings → Language	56
Settings → Library / Media.....	57
Settings → System	58

TROUBLESHOOTING

61

ANNEX

63

TV Manufacturer Numbers.....	63
Open Source Announcement.....	72

BEFORE USE

freesat+ HD digital TV recorder

freesat+ HD digital TV recorder (SMT-S7800) provides high quality video and audio broadcasting and interactive services.

Key Functions

HD Video Display (High Definition)

Supports high-resolution video output of up to 1080p, enabling you to enjoy clear and sharp video.

Electronic Program guide (EPG)

Using the EPG, you can check the programme information and broadcasting schedule of a desired channel, and schedule the programmes to watch.

You can record programmes and set up scheduled recordings.

You can search the programme by Day/Time/Category/Search Text.

Time shifting

As the channel you are watching is recorded, you can watch missed portions of the live programmes.

You can pause live TV programme for a certain amount of time, and resume it to watch. The STB allows maximum 120 minutes of recording for time shifting.

Recording

You can record live TV or radio programmes on the Hard Disk Drive (HDD).

You can record a maximum of two programmes at a time.

Library

You can pause, play, rewind and forward for recorded contents.

Package Contents

Please make sure the following items are contained in your product package box.



SMT-S7800



Remote Control &
Batteries (AAA x 2)




HDMI Cable



SCART Cable



Video/Audio Cable



User Guide/
Quick Start Guide

EN

BEFORE USE

Names and Functions

This section describes the name and function of the parts.

Touch Pad and Front Panel

This section describes the touch pad and front panel.



Name	Description
① Power	Change the STB state to standby or active mode. - Active Mode : The STB is in operation mode and you can get broadcasting. - Low Power Standby Mode : The STB stops running, all the services are suspended except Blue LED. (No Front Display, No TV Service, No Cooling FAN)
② Menu	Display the main menu.
③ Back	Return to the previous menu.
④ Tools	Takes you to the 'Tools' Menu.
⑤ Exit	Exit the menu and channel guide.
⑥ REC	Records programmes on HDD.
⑦ Display screen	Displays the programme information, etc.
⑧ < / >	Enter time shift mode and move the menu in horizontal direction.
⑨ ∨ / ∧	Change the channel and move the menu in vertical direction.
⑩ OK	Select the menu and function.
⑪ USB	Connect to a USB storage device.



When you press the STANDBY button () whilst the STB is in Active Mode, the STB will switch to Active Standby Mode. After a period of 5 minutes, the STB will switch to Low Power Standby Mode.


During normal operation every day, the STB will switch momentarily from Low Power Standby Mode to Upgrade Mode for a moment. In this mode, the STB will automatically check for upgrades that are being broadcasted.



When you press the STANDBY button () whilst the STB is Low Power Standby Mode, the STB will switch to Active Mode.

Rear Panel

This section describes the names and functions of the ports on the rear panel.



Name	Description
① SAT IN 1 / SAT IN 2	A port which connects an LNB to an STB with a coaxial cable.
② ETHERNET	A LAN port which connects a LAN cable.
③ USB	A port which is connected to a USB storage device.
④ TV SCART	A TV SCART output port which is connected to a TV with a SCART cable.
⑤ VCR SCART	A VCR SCART output port which is connected to a VCR with a SCART cable.
⑥ VIDEO/ AUDIO OUT (L, R)	A Video/Audio output port which is connected to a normal analogue TV, VCR, Radio, etc. with a video/audio cable.
⑦ HDMI OUT	An HDMI output port which is connected to a TV with a standard HDMI cable.
⑧ SPDIF	A digital audio output port, which is connected to an audio system with an SPDIF port with an optical cable.
⑨ Power on/off switch	Switch for turning the STB power on/off.




You need two cables for a freesat+ installation so that you can watch one channel and record another.

You also need a satellite dish with a multiple LNB (which is the protruding antenna of the dish).

Remote Control

This section describes the function of each button on the remote control.





Loading batteries in the Remote Control

Alkaline batteries, not standard batteries, should be used for the remote control to ensure longer use. If you use standard batteries, it may cause problems in operating the remote control.

- Two identical and new batteries should be used for the remote control.
- When the remote control is not used for a long time, remove the batteries.

TV Operation Setting with a Remote Control


You can operate the TV with a remote control. There are two ways to programme the remote control.

Using Automatic Code Search

1

Turn on the TV.


2

Press and hold the **TV** button () for more than 5 seconds until the LED on the remote control blinks.

3

Press and release the **Programme Up** button () until the TV turns off.

4


If the TV turns off, press and release the **OK** button ().

Entering TV Manufacturer Number

1 Check the 'TV manufacturer number' in the 'Annex' to see the relevant 3-digit TV manufacturers number, and turn on the TV. (See page 63).

2 Press and hold the **TV** button () for more than 5 seconds until the LED on the remote control blinks.

3 Enter the 3-digit number, and then the LED will blink.
- If you get no response, try the automatic code search in the previous page.

4 If the TV turns off, press and release the **OK** button (), then the LED blinks three time.



- A limited number of TVs made by other manufacturers may be controlled by the remote control, and some functions may not work.
- If you leave the remote control with no battery (or a flat battery) for a long time, your TV settings may be deleted.
- When a connected device is an integrated TV model (VCR, DVD), take care when using the remote control because it may operate both of simultaneously.
- If the configuration number does not work, try another number.

INSTALLATION

This section describes how to install the STB (SMT-S7800).

Installation Environment

The table below shows the installation environment for the STB.

Item	Description
Operating Temperature	0-40°C
Operating Humidity	20-80% (40°C)
Rated Voltage, Frequency	AC 230 V +/- 15%, 50 Hz
Rated Power Consumption	Max. 40 W
Broadcasting Rx Frequency	950 ~ 2150 MHz channel 8Mhz



When Using and Installing the Product:

The product must be used under the specified environment. Otherwise, it may damage or shorten the life of the product.



When Connecting an STB to Peripherals


- Ask a service technician to check if the TV or VCR power supply where an STB will be connected is properly grounded.
If not, there is a risk of fire.
- If excessive heat is produced from cables after connecting the video/audio cables, contact your service centre. It may cause a fire.



If the STB is stored at a low temperature, HDD-related functions might not work properly. This is not a malfunction. You need to boot the system at room temperature, wait about half an hour, and then reboot it again.

Peripheral Device Connection

This section describes how to connect cables and peripheral devices to the STB. Typical device connections are shown in the following figure.



(The product image may differ from the actual product.)




You need two cables for a freesat+ installation so that you can watch one channel and record another.

You also need a satellite dish with a multiple LNB (which is the protruding antenna of the dish).

Connection to a TV with an HDMI Port

This section describes how to connect the STB to a TV with an HDMI port.



Connect the **HDMI** port on the rear of the STB to the **HDMI** port of the TV by using a standard HDMI® cable.




High Definition Multimedia Interface (HDMI)

The SMT-S7800 incorporates HDMI® technology.

The HDMI port is a video-audio integrated port to provide high-definition images by connecting an STB to a HD TV. Connect it to the HDMI port on a HD TV.

Connection to a TV with a SCART Port


This section describes how to connect the STB to a TV with a SCART port.



Connect the **TV SCART** port on the rear of the STB to the **SCART** port of the TV by using a SCART cable.

Connection to a VCR with a SCART Port

This section describes how to connect a VCR to a STB with a SCART cable.



Connect the **VCR SCART** port of the STB to the **SCART** port of the VCR by using a SCART cable.




When Connecting to a VCR:

When connecting to a VCR, power off both the VCR and the STB and pull out both power plugs before connecting. You can also do the connection by referring to the VCR's User Manual.

- VCR may not record programmes including anti-record signals properly.

Connection to a TV/VCR with a Composite Port

This section describes how to connect the STB to either a TV or VCR with a Composite (VIDEO/AUDIO OUT) port.



Video Connection

Using a video cable, connect the **VIDEO OUT** port on the rear panel of the STB to the **VIDEO IN** port of the TV/VCR.


Audio Connection

Using an audio cable, connect the **AUDIO OUT (L/R)** ports on the rear panel of the STB to the **AUDIO IN (L/R)** ports of the TV/VCR.

Be sure to match audio ports with plugs of the same colour.

Connection to a Digital Audio Receiver or Amplifier

This section describes how to connect a digital audio amplifier or home theatre system that has a Dolby Digital decoding function.



Using an optical cable for digital audio, connect the **DIGITAL AUDIO OUT** port at the rear of the body to the **DIGITAL AUDIO IN (SPDIF)** port of a Dolby Digital audio receiver or amplifier.




When Connecting to a Dolby Digital Audio Receiver or Amplifier:

- Even when a Dolby Digital amplifier is connected to a digital voice output port, connect the voice output port to the voice input port of the TV, for when the TV speaker is used.
- When digital voice output is used, adjust the volume of the digital amplifier, not of the receiver.

Connection to an Audio Receiver or Amplifier

This section describes how to connect an audio receiver or amplifier.





Using the audio cable, connect the **AUDIO** port at the rear of the STB to the **AUDIO** port of an audio receiver or amplifier.

Connection to Satellite Dish

The freesat service requires a satellite dish. Existing dishes may be suitable, (see <http://www.freesat.co.uk> for more information).

If you do not have a satellite dish installed, please ask your dealer to recommend a local dish installation engineer.

Connect two coaxial cables from the LNBs both to SAT IN 1 and SAT IN 2 on the back of your receiver. All cable connectors should only be tightened with your fingers; do not use any kind of wrench to tighten the connectors.



If you want to connect through a splitter:

- Use a splitter with DC pass on SAT IN 1.
- Only a limited number of frequencies can be turned simultaneously.




You need two cables for a freesat+ installation so that you can watch one channel and record another.

You also need a satellite dish with a multiple LNB (which is the protruding antenna of the dish).

Network Connection

This section describes how to connect a residential gateway.



Connect the **ETHERNET** port on the rear panel of the STB with the residential gateway using an Ethernet cable.




Ethernet cable

A shielded Ethernet cable is recommended.

USB Connection

This section describes how to connect a USB storage device.



Connect the USB storage device containing photos, music and/or movie files to the **USB** port at the front/rear of the product.






The External HDD device is not supported.
The USB HUB is not supported.

HOW TO USE THE PRODUCT

Installation Wizard

Before you can view the television programmes, you must run the installation wizard that starts when the Set Top Box (STB) is first powered up.

Step 1

When the product is connected to the TV for the first time the product will display the initial User Settings screen. User Settings allows you to set the language, screen ratio, display format and resolution. Press the Navigation **Left/Right** buttons ( / ) to choose the options. Select the [Next] button and press the **OK** button () on the remote control.




Setting 'Screen ratio' and 'Resolution' is dependent on the type of TV you have. A dish with only one LNB can be supported by choosing "SAT IN 1" for "Antenna setup".


Step 2


Check the cables are connected. If the cables are connected correctly, the signal strength will be displayed.

Select the [Next] button and press the **OK** button () on the remote control.




Step 3

Enter your full postcode using the numeric buttons on the remote control. To use the on screen keyboard press the **Green** button on the remote control. Select the [Next] button and press the **OK** button () after entering your postcode.



Space is required between the first and second part of your post code.

Step 4

You will see a summary screen after set-up is complete. Select the [Finish] button and press the **OK** button () to complete the installation.




EN


HOW TO USE THE PRODUCT


Step 5

The STB will carry out a channel scan in order to find all the freesat channels.




Step 6

After successful scanning, a results screen will be shown indicating the numbers of TV and radio channels found. Select the [Save] button and press the **OK** button () to confirm.




















Final

The STB software will be updated if a new software is available.



Using the Basic Functions


Display icons

Icon	Definition	Icon	Definition
	Favourite channel	<i>AAC+</i>	AAC+ sound
	Lock channel		Dolby Digital Sound
<i>HD</i>	HD channel		Dolby Digital Plus Sound
	HD simulcast	<i>AD</i>	Audio description
	Paid channel	<i>Subtxt</i>	DVB Subtitle
	Parental Lock	<i>TXT</i>	Digital text
	Watch timer		Protected library
	Series record timer		New recording
	Record Timer	<i>4:3</i>	4:3 Screen Ratio
	Subtitle available	<i>14:9</i>	14:9 Screen Ratio
	Audio stereo	<i>16:9</i>	16:9 Screen Ratio
	Audio mono		Guidance
<i>///AAC</i>	AAC sound		Recording in progress

EN


HOW TO USE THE PRODUCT


Service Information

Changing to another screen or pressing the **INFO** button () displays channel information on the screen.

- You can see the details of a programme, time etc.

Information Banner



You can see the information banner by pressing the **INFO** button () once whilst watching a programme.




- You can see the next programmes on the current channel and another channel using the **Navigation** buttons.


- You can confirm the current programme's status (channel, title, broadcast time and record setting).

Changing Channels

You can move for channels by using the **PROGRAMME**  button ().


Volume Control/Mute

You can adjust the volume using the **VOLUME** button ().

To turn off the sound, press the **MUTE** button ().

When it is pressed again, sound is turned on.


Channel List / Favourite Channel

Pressing the **OK** button () on the remote control displays the channel list on the screen.

- Pressing the **Yellow** button allows you to set a favourite channel.

Guide

You can see the Electronic Programme Guide (EPG) for all channels.

Press the **GUIDE** button () on the remote control whilst watching a programme and select the channel genre.

To see the programme information, follow the below steps





1. On [Channel Genre], select the channel genre using the **Navigation** button on the remote control.
2. Press the **OK** button ().

Using the Main Functions









Time shifting

The STB automatically saves the previous minutes of the channel being watched or the radio channel being listened to. (Maximum 120 minutes) This time shifting mode makes it possible to stop live mode, rewind and review a programme that was recorded moments before.




To pause a programme, press the **Pause** button ().
To resume the current programme, press the **Play** () or **Pause** button ().
To go back to the live programme, press the **Stop** button ().



Tick Modes

Mode	Remote Control	Speed
Fast Rewind		x1, x2, x4, x8, x16, x32, x64
Fast Forward		x1, x2, x4, x8, x16, x32, x64
Slow Rewind	  	x1/2, x1/4, x1/8, x1/25
Slow Forward	  	x1/2, x1/4, x1/8, x1/25


Jump Modes

Mode	Remote Control	Description
Jump Backward		Jump backward by 15 seconds.
Jump Forward		Jump forward by 60 seconds.


Seek Modes (only when play banner is displayed.)




Mode	Remote Control	Description
Seek Backward		Time seek backward.
Seek Forward		Time seek forward.

Video Recording

To record TV channels and Radio channels, press the **Record** button ().

You can record a programme not only whilst watching the desired programme, but also after selecting the desired programme from the information banner, the TV guide or the Search menu.




- You can simultaneously record 2 programmes.
- Programmes to be recorded display a red icon in the information banner and the channel list.
- If the programme is to be broadcasted at a later time or day, the STB will automatically book it, and will record it when it is broadcasted.
- You can see the recorded programmes list in the Library List by pressing the **MENU** button () and select the [Library] category.
- Press the **Stop** button () or **Record** button () in the programme you are recording to stop video recording.
- You can delete a booked programme in the Library List.



Watching a 3rd channel

When 2 recordings are in progress from the 2 different transport streams you can watch another programme from them.




Main Menu

If you press the **MENU** button () whilst watching the live TV, the main menu screen is displayed as follows:



Main Menu

Guide/ Channel / Library/Media/
Samsung WebTV / Settings

- Select a desired item by using the **Left/Right** button. ( , ).
- When a desired menu is found, press the **OK** button () to move to the selected menu screen.



Before Using the Product



The information contained in this chapter may be subject to change by a programme provider without prior written notice.

Guide

Channel Genre


'Channel Genre' allows you to view channels by genre. (e.g. News & Sports, Entertainment, Music, Radio, etc)

To use 'Channel Genre', follow these steps:

1. Press the **MENU** button () on the remote control.
2. Select the [Guide] category and press the **OK** button () on the remote control.


Or

1. Press the **GUIDE** button () on the remote control.




Guide

You can see the Electronic Programme Guide (EPG) for all channels, which displays the programme list per channel, programme details, etc.


Press the **GUIDE** button () on the remote control whilst watching a programme and select the channel genre.

To see the programme information, follow the steps below

1. On [Channel Genre], select the channel genre using the **Navigation** buttons on the remote control.
2. Press the **OK** button ().

The **Colour** buttons on the remote control operate the functions displayed at the bottom of the screen:


Jump back /forward two hours using the **Red** or **Green** button, or one day using the **Yellow** or **Blue** button.

Search by Day/Time/Category/Search Text using the **TOOLS** button ().

- Press the **TOOLS** button () on the remote control

- In the pop-up you can choose:

- [Day], [Time], [Category] by pressing the **Left/Right** buttons ( , ).








EN


HOW TO USE THE PRODUCT


Main Menu


Guide (continued)


- You can search by text.

- Select the Search Text option, press the **OK** button ().
- Using the **Left/Right/Up/Down** buttons ( ,  ,  , ) input the search text.
- Confirm using the **OK** button ().

Select a channel programme using the **Navigation** buttons and then press the **OK** button () to watch the channel in a small screen.





You can record programmes by selecting your desired programme from the programme guide and pressing the **Record** button () on your remote control.

Press the **OK** button () on your remote control for watching desired programme.

When the start time for the scheduled programme arrives, the recording channel is not displayed automatically. Pressing the **Record** button () again cancels the scheduling. You can view the list of scheduled programmes from [Main Menu] ➔ [Library] ➔ [Timer]

Search by Day/Time/Category/Search Text using the **TOOLS** button ().




- You can set two types of "Timer":

- Select the desired programme from the programme list.
- Press the **Record** button () on the remote control for record timer.
- Press the **OK** button () on the remote control for watch timer.
- To the right of the chosen programme, the "record" or "watch" icon will be visible.
- If there is a "Timer" conflict appropriate information will be displayed.
- In the case of "Watch" timer, when the programme is starting, a pop-up with this information will be displayed on the screen.
In the case of "Record", you can choose if you want to record "Series", or "Once".
"Series" can be used if the programme is part of a series.
- Pressing the **Record** button (), or **OK** button () again on the programme cancels the timer.


Channel

Channel

You can see the pop-up window of the channel list.

- Pressing the **OK** button () on the remote control displays the channel list on the screen.
- Pressing the **Left/Right** buttons ( , ) allows you to navigate between channel lists (All Channels, Entertainment, News & Sport, FAV, etc)
- Pressing the **Yellow** button allows you to create a favourite channel list, and the **Red** button to lock/unlock the current channel.



You can use the following features by selecting the **TOOLS** button ().



Sort by name: Sort channel list by name.

Sort by number: Sort channel list by channel number.








Delete service : Delete selected channel.


Channel (continued)


Favourite Channel

Set channels you watch frequently as Favourites. To show all favourite channels, press the **Navigation** buttons () or () on the channel list.

To add a favourite list, follow these steps:

1. Pressing the **Yellow** button allows you to create a favourite channel.
2. Select [Create new FAV. List].
3. Confirm with the **OK** button ().
4. Using the **Left/Right/Up/Down** buttons (, , , ) input the FAV. name.
5. Confirm using [Save] option.
6. Choose channels by pressing the **OK** button () on the left side of the menu.
If you chose all necessary channel to new FAV., press **BACK** button (). Chosen channels will be available on the new FAV. list.



You can use the following features by selecting the **TOOLS** button ().

Sort by name: Sort channel list by name.

Sort by number: Sort channel list by channel number.

Rename list: Rename favourite list.



ReNUMBER: Renumber channels on your favourite list.


Delete FAV.list : Delete selected favourite list.

Library






Contents


You can see a list of the TV programmes that you have recorded and are recording.

- Pressing the **INFO** button () on the remote control displays the programme information of the selected recording.
- Pressing the **OK** button () on the remote control will playback the selected content.





Bookmarks

1. Press the **BOOKMARK** button () whilst watching a recording.
2. If you want to navigate through bookmarks, press the **TOOLS** button () whilst watching the recording in bookmarks
3. Using the **Left/Right** buttons ( , ) navigate through bookmarks.
4. Press **OK** button () to choose the selected bookmark position.











To pause a programme, press the **Pause** button ().

To resume the current programme, press the **Play** () or **Pause** button ().


To go back to the live programme, press the **Stop** button ().

Library (continued)



Tick Modes

Mode	Remote Control	Speed
Fast Rewind		x1, x2, x4, x8, x16, x32, x64
Fast Forward		x1, x2, x4, x8, x16, x32, x64
Slow Rewind	  	x1/2, x1/4, x1/8, x1/25
Slow Forward	  	x1/2, x1/4, x1/8, x1/25


Jump Modes

Mode	Remote Control	Description
Jump Backward		Jump backward by 15 seconds.
Jump Forward		Jump forward by 60 seconds.


Seek Modes (only when play banner is displayed.)

Mode	Remote Control	Description
Seek Backward		Time seek backward.
Seek Forward		Time seek forward.








To delete the recording, following step:

1. Select the programme by pressing the **Yellow** button.
2. Press the **TOOLS** button () on the remote control.
3. Select [Delete] on tools pop up window.

To move a recording programme, follow these steps:



1. Select the programme by pressing the **Yellow** button.
2. Press the **TOOLS** button () on the remote control.
3. Select [Move] on the tools pop-up window.
 - Press the **Green** to create a new folder.
 - Press the **Red** button to see the main folders.
 - Press the **Yellow** button to Move a file.

To create a new folder, follow these steps:



1. Press the **TOOLS** button () on the remote control.
2. Select [New folder].
3. Press the **OK** button ().
4. Input the name of the folder using the **Left/Right/Up/Down** ( ,  ,  , ) buttons.
5. Confirm with the **OK** button ().

Library (continued)



To lock record, follow these steps:

1. Select the programme. (Only one programme at a time.)
2. Press the **TOOLS** button () on the remote control.
3. Select [Lock] on the tools pop-up window.
4. Enter your PIN code.
5. Confirm with the **OK** button ().

To unlock record, follow these steps:


1. Select a locked programme. (Only one programme at a time.)
2. Press the **TOOLS** button () on the remote control.
3. Select [Unlock] on the tools pop-up window.
4. Enter your PIN code.
5. Confirm with the **OK** button ().

To protect record, follow these steps:

1. Select the programme. (Only one programme at a time.)
2. Press the **TOOLS** button () on the remote control.
3. Select [Protect] on the tools pop-up window.
4. Enter your PIN code.
5. Confirm with the **OK** button ().



Note that the [HDD auto-eraser] option will be not available for this file.

To unprotect record, follow these steps:

1. Select a protected programme. (Only one programme at a time.)
2. Press the **TOOLS** button () on the remote control.
3. Select [Unprotect] on the tools pop-up window.
4. Enter your PIN code.
5. Confirm with the **OK** button.



Note that the [HDD auto-eraser] option will be available for this file.

To sort records, follow these steps:


1. Press the **TOOLS** button ().
2. Select [Sort].
3. Press the **OK** button ().
4. Choose the sorting mode.
5. Choose the sorting order.
6. Confirm with the **OK** button ().

Library (continued)

To select all records, follow these steps:

1. Press the **TOOLS** button ().
2. Select [Select All].
3. Press the **OK** button ().


To deselect all records, follow these steps:

1. Press the **TOOLS** button ().
2. Select [Deselect All].
3. Confirm with the **OK** button ().

Timer

You can see the list of the recording programmes and the scheduled recording programmes.

To delete a recording programme or a scheduled recording programme, follow these steps:

1. Select the programme by pressing the **Yellow** button
2. Press the **TOOLS** button () on the remote control.
3. Select [Delete] in the tools pop-up window.



To multiple delete scheduled recordings, follow these steps:



1. Select the programmes by pressing the **Yellow** button
2. Press the **TOOLS** button () on the remote control.
3. Select [Delete] on the tools pop-up window.
4. Confirm with the **OK** button ().

To sort scheduled recording programmes, follow these steps:



1. Press the **TOOLS** button () on the remote control.
2. Select [Sort] on the tools pop-up window.
3. Confirm with the **OK** button ().

Library (continued)

To select all records, follow these steps:

1. Press the **TOOLS** button ().
2. Select [Select All].
3. Confirm with the **OK** button ().

To deselect all records, follow these steps:


1. Press the **TOOLS** button ().
2. Select [Deselect All].
3. Confirm with the **OK** button ().

Media

Make sure that the USB storage device or network is connected correctly before using the Media Menu.

Supporting

- ▶ Only use USB devices that have been formatted with the FAT16/32.
- ▶ The Standard JPEG/MP3/AVI(XviD) format only is supported.
- ▶ Read, delete, copy and move are supported.



- Before connecting your device to the product, please back up your files to prevent them from damage or loss of data. SAMSUNG is not responsible for any data file damage or data loss.
- The External HDD device is not supported.
- The USB HUB is not supported
- The Copy-protection or Digital Rights Management (DRM) file is not supported.
- Certain types of USB Digital camera and audio devices may not be compatible with this product.
- If you are using the USB extension cable for this purpose, you may encounter a problem such as unrecognised USB devices or a failure to read internal files.
- In standby mode, USB device is not recognised.
- Do not disconnect the USB device whilst it is loading.

If the problem of the unrecognised USB device persists or the internal file list is corrupt or a certain file could not be played, connect the USB device to the PC and format it in a proper file system, then check it again.

Media (continued)

USB

You can play contents using a USB storage device.

To connect a USB storage device device, follow these steps:

1. Turn on your product.
2. Connect the USB storage device containing photos, music and/or movie files to the USB port at the front/rear of the product.
3. When the USB storage device is connected to the product, you can see the USB directory on the Media screen.

HDD

You can play contents from an HDD.

- When the HDD is ready, you can see HDD directory on the Media screen.

Network

You can play contents which are in your PC by using the contents sharing server with Windows Media Player¹¹ or Windows Media Player¹².

- When the network is available, you can see Network directory on the Media screen.



In network device, additional functionality (Delete, Copy, Move, etc) is not supported.

JPEG/MP3/AVI(XviD) format only are supported.

Media (continued)

Photo / Music / Video / All

Photo category

You can see a thumbnail of image files.

When you select an image file you can see a slideshow.

Only standard JPEG files are supported.

Music category

Only standard MP3 files are supported.

Video category


Only standard XviD files are supported.

All category


You can see all files on the available media.

You can see additional information by pressing the **INFO** button on the remote control if a file has additional information.

To delete the files, follow these steps:








1. Select the files by pressing the **Yellow** button.
2. Press the **TOOLS** button () on the remote control.
3. Select [Delete] on the tools pop-up window.
4. Confirm with the **OK** button ().

To move files, follow these steps:




1. Select files by pressing the **Yellow** button
2. Press the **TOOLS** button () on the remote control.
3. Select [Move] on the tools pop-up window.
 - Press the **Green** button to create a new folder.
 - Press the **Red** button to see main folders.
 - Press the **Yellow** button to move files.

Media (continued)



To create a new folder, follow these steps:

1. Press the **TOOLS** button ().
2. Select [New Folder].
3. Confirm with the **OK** button ().
4. Input the name of the folder using the **Left/Right/Up/Down** ( ,  ,  , ) buttons.
5. Confirm with the **OK** button ().


To sort files, follow these steps:

1. Press the **TOOLS** button ().
2. Select [Sort].
3. Press the **OK** button ().
4. Choose sorting mode.
5. Choose sorting order.
6. Confirm with the **OK** button ().

To select all records, follow these steps:

1. Press the **TOOLS** button ().
2. Select [Select All].
3. Confirm with the **OK** button ().

Samsung WebTV




YouTube™

You can see the YouTube™ Spotlight, Top Rated, Most Viewed, and More contents list and search YouTube™ content.

To view further content sign into your YouTube™ account.


To do this, you must create a YouTube™ account first.

- After sign-in, you can see Uploads, Favourites, Playlists and Subscriptions.



Samsung WebTV (continued)



You can use the following features by selecting the **TOOLS** button ().

Settings: Set the option 'play next video when current video ends' and 'filter videos that may not be suitable for minors'.

Set Geography: You can see videos that include the geographical location you select.

After sign-in,

- Add to Favourites : add a video to your favourites list.
 - Add to Subscriptions : add a video to your subscriptions list.
 - Rate : allows you to rate videos
 - Flag Video : add a complaint about a video.
- * Some content may be not supported because of product limitations.
- * SAMSUNG does not warrant continuous availability of service.

EN

HOW TO USE THE PRODUCT


Main Menu

Settings

You can set Set Top Box (STB) options.

- You can change the options listed below
[Channel], [Sound], [Picture], [Language], [Library/Media], [System]
- CI Plus (Coming soon)
All options are displayed according to the CI manufacturer.



Settings → Channel



Freesat scan

You can scan freesat channels. Enter your full postcode using the numeric buttons on the remote control. To use an on-screen keyboard, press the **Green** button on the remote control.

When recording is in progress you cannot use this functionality.

- Select the [Start] button and press the **OK** button () to start scanning.
- Wait until the scan is completely finished.
- Select the [Save] button and press the **OK** button () to apply the scan.

Guide timeline

You can set a Guide timeline value

- 60 minutes
- 120 minutes
- 240 minutes

Settings → Channel (continued)

Parental rating

You can set the Parental rating value.

- You can choose one from: [Adult Only](#), [Unblocked](#)

Adult service

You can choose whether to use Adult Services .

- [Visible](#)
- [Hidden](#)

Parental setting

You can choose whether to protect your PIN code or not.

- [Pin code protected](#)
- [Not protected](#)
- [The default PIN code is 0000.](#)

Service mode

You can choose whether to use Freesat mode or not.


When recording is in progress you cannot use this functionality.

- [If you choose 'Non Freesat' you can scan the channels manually.](#)

Channel edit

Select a service from the left-hand part of the menu.

Move the cursor to the right menu.

Select an alternative service from the right-hand part of the menu and press the **OK** button ().

The selected channel will be replaced by the original one.

Settings → Sound



Dolby Digital / DTS

Allows you to enable/disable the Dolby Digital Sound, which is available when the programme provider supports Dolby Digital Sound.

- The default setting is Off.

Following table is created based on HDMI/SPDIF audio output.

Dolby Digital/ DTS	Digital volume control	Input audio format	Output audio format	Volume control on STB
On	Off	Dolby Digital / Dolby Digital Plus	Dolby Digital / Dolby Digital Plus	Not Available
		HE AAC	DTS	Not Available
		Other audio formats (e.g. DTS, MPEG)	PCM	Not Available
On	On	All audio formats	PCM	Available
Off	Off	All audio formats	PCM	Available
Off	On	All audio formats	PCM	Available

Digital volume control

Allows you to control the volume of digital output by using remote controller.

Settings → Sound (continued)

Audio primary

You can change the language for the Audio primary.

- Select the default language for the Audio primary using the **Up/Down** button ( , )

Audio secondary

You can change the language for the Audio secondary, which is available if an Audio secondary service is provided by the programme provider.

- Select the default language for the Audio secondary using the **Up/Down** button ( , ).

Audio description


You can choose whether to use Audio description.

Audio delay

You can set Audio delay manually. You can set the time difference to the speaker output of a home theatre.

- The **Left/Right** button ( , ) is used to adjust the time.

Settings → Picture



TV screen ratio

You can change the TV screen ratio.
Allows you to change the screen output ratio.

- 4:3 and 16:9 ratios are available.

Screen resolution

You can change the screen resolution.

- Auto, Use TV's feature, 576p, 720p, 1080i, 1080p 50Hz


Picture size conversion

Allows you to change the screen output type.

TV screen ratio	Picture size conversion
4:3	Auto, 16:9 Letter box, 14:9 Letter box, Centre Cut Out
16:9	Auto, 4:3 Pillar box, 14:9 Pillar box, 16:9 Centre Cut Out

Settings → Picture (continued)

Information banner timeout

Allows you to change the display time for the service information that appears at the top of the screen when you change channels or press the **INFO** button ().

Screen saver

You can set the time delay for the screen saver.

- If there is no input from the remote control for a given period of time, the menu window disappears. Enter the required no-input time.

Screen saver type

You can choose the type of screen saver.


- If you choose 'slideshow' for the screen saver, you need to select the picture directory to be used for the slideshow.

TV Scart

You can choose the Scart output type.

- The default setting is RGB.

Settings → Language



OSD Language

On Screen Display (OSD) is used to change the language of the menu screen.

Automatic subtitles

Allows you to enable/disable subtitles.

-To enable them, select On.

Subtitles primary


Allows you to change the primary language for the subtitles.

Subtitles secondary

Allows you to change the secondary language for the subtitles.

- Subtitles are available when a secondary language service is provided by the programme provider.

Settings → Library / Media



USB auto-open

Allows you to automatically open the Media when the USB storage device is connected.

Time shift recording

Allows you to switch time shift recording auto-start on/off when you change channel.


Time shift buffer

Allows you to set the time shift buffer duration.

- 30 minutes, 60 minutes, 120 minutes

HDD auto-eraser

Allows you to erase the oldest recorded programme from the library automatically. Immediately after the HDD free space goes below 15% (low disk space level), auto-eraser starts erasing unprotected recordings. After each erase, the free space level is checked and if it is over 15%, auto-eraser stops working.


- PROTECT/UNPROTECT can be chosen from TOOLS button ().
- The default setting is Off.

HDD capacity

Displays the HDD usage information.

- You can format the HDD using the format button.

Settings → System



Product information


Displays information on the product.

- You can check the Brand ID, Product ID, Firmware version, Software version, Serial number and Last SW update information.

Change PIN code

Change PIN Code allows you to change the current password.



To change the password use the following steps:

1. Select [Change PIN code] and press the **OK** button ().
2. Enter the current PIN code using the numeric buttons.
3. Enter the New PIN code and enter again in [Confirm new PIN code].
 - The default PIN code is 0000.

Network setting

Use the Automatic IP/DNS configuration when connecting your product to a network that supports DHCP.



To set up Network automatically use the following steps:

1. Connect your product to your LAN.
2. Press the **MENU** button () on the remote control, and select [Settings], [System], [Network setting].
3. Set IP Configuration to [Automatic].
4. Automatic acquires and enters the required internet values automatically.
5. Select the **OK** button ().
6. A pop-up will appear to let you know if the IP configuration was a success or if it failed.

Settings → System (continued)

Use the Manual IP/DNS configuration when connecting your product to a network that requires a static IP address.

To set up the Network manually use the following steps:

1. Connect your product to your LAN.
2. Press the **MENU** button () on the remote control and select [Settings], [System], [Network setting]
3. Set IP Configuration to [Manual].
4. Enter the IP Address, Subnet Mask, Gateway, and DNS Server values. Use the number buttons on your remote control to enter numbers and **Navigation** buttons to move from one entry field to another.
5. Select the **OK** button ().
6. A pop-up will appear to let you know if the IP configuration was a success or if it failed.


Software upgrade

Software upgrade allows you to update the system software to maintain the highest performance of the product.


When recording is in progress you cannot use this functionality.

To update software, follow these steps:

[Automatic Update]

1. Select [Auto] and select the [Search] button and press the **OK** button () on the remote control.
2. When new software is detected, download the software immediately.
3. If there is no new software to upgrade, a popup will appear.

[Manual Update]


1. Select [Manual] using the **Navigation** buttons on the remote control.
2. Select the appropriate values for Satellite, Frequency, Transponder, Symbol Rate, Polarity, FEC, Modulation and PID.
3. Select the [Search] button and press the **OK** button () on the remote control.
4. When new software is detected, download the software immediately.
5. If there is no new software to upgrade, a popup will appear.



Automatic or manual software update is only available in freesat mode.

Settings → System (continued)

[USB Update]

1. Insert a USB storage device which has a new software in its root directory.
2. Select [From USB] and select the [Search] button and press the **OK** button () on the remote control.
3. When new software is detected, the software will be updated.
4. The STB will reboot after the upgrade is completed.



You can find USB-upgradable software at the following web site if available : www.samsung.com/uk

Software upgrade using the USB port must be performed with a USB flash memory stick only.

Please be careful not to disconnect the power or remove the USB drive until upgrade is complete.



Reset to defaults

[Reset to defaults] enables you to restore the product to the factory default.



Please note that once you perform a 'Reset to defaults', all data such as the channel setting, channel list and all user configured data will be deleted.

To reset to the defaults, follow these steps:

1. Press the **MENU** button () and Select [Setting].
2. Select [System] and [Reset to defaults].
3. Enter the PIN code.
 - The default PIN code is 0000.
4. Select [Reset to defaults] using the **Navigation** buttons and press the **OK** button ().
5. When factory reset is completed the product will restart and the [User Settings] window will appear on the screen.

Power-save mode (additional)

Allows you to turn on/off an additional power-save mode option.

If there is no interaction more than 3 hours between users and the STB in the period of midnight ~ 5 A.M., the STB with the option turned on goes from live mode to standby mode.



Please refer to the pages 8~9 for the active standby mode and low-power standby mode.

TROUBLESHOOTING




This section describes how to handle the problems that may occur whilst using the STB.

If the STB operates abnormally, first check the following:

If the problem persists, contact your local service centre.



Screen

Trouble	Solution
Nothing appears on the TV screen.	<ol style="list-style-type: none">1. Check if the TV and STB are powered on.2. Check the connection status of the cable between TV and STB.3. Check if the TV input is set to an external input mode.4. Press the STANDBY button () to check if the STB is in standby mode.
The menu screen is not displayed.	<ol style="list-style-type: none">1. Power on the STB and then press the MENU button () on the remote control.2. If pressing the MENU button () still does not display the menu screen properly, contact your local service centre.




Remote Control

Trouble	Solution
The remote control does not work.	<ol style="list-style-type: none">1. Check if the remote control is suitable for the STB.2. Replace the batteries with new ones and check if the remote control works normally.3. Check if the batteries are inserted correctly.4. Check if there is an obstacle between the STB and the remote control.5. Operate the remote control nearer to the STB to see if it works normally.



General

Trouble	Solution
The TV produces no audio.	<ol style="list-style-type: none">1. Check the connection status of the cable between the audio port of the TV/audio system and the AUDIO OUT port at the rear of the STB.2. If the cable is connected normally, check if the MUTE function is enabled. If the MUTE function is enabled, press the MUTE button () on the remote control to disable it.
I cannot remember the password for the STB.	<p>The default password for the STB is '0000'.</p> <p>If you cannot remember the password, contact your local service centre. You can specify a new password after initialising it.</p>

TV Manufacturer Numbers

The TV manufacturers and associated numbers that can be supported by a remote control are listed in the table below.

Manufacturer	Setting Numbers
SAMSUNG	001 002 003 004 005 006 007 008 009 010 050 066 076 102 195 217 365 379 421
A.R. SYSTEMS	049 152
ACCENT	049 152
ACEC	112
ACURA	195
ADMIRAL	065 076 163 171 190 307 324 369 466 481
ADYSON	379
AGASHI	076 379
AGEF	324
AIKO	049 076 102 141 152 172 195 225 379
AIWA	377 459
AKAI	049 050 055 066 076 102 107 123 139 141 150 152 172 182 195 209 225 379 428 433 437 471 475
AKIBA	049 123 152 380 378
AKITO	049 106 152
AKURA	049 076 123 195 378 426 470
ALARON	042 379
ALBA	018 049 050 107 123 134 163 168 195 225 232 379 413 421 457
ALBIRAL	371
ALCYON	407
ALLORGAN	050 094 236 379
ALLSTAR	049 152
AMPLIVISION	113 379 421 425
AMSTRAD	012 049 076 123 131 152 172 195 225 426 476
ANAM	049 152 195
ANAM NATIONAL	049 152
ANGLO	076 195
ANITECH	049 076 152 195 407
ANSONIC	045 049 107 112 152 195 210 226 391 413 421
ARC EN CIEL	074 182 186 424 453 463
ARCAM	379 424
ARISTONA	049 050 065 079 112 152 160
ARTHUR MARTIN	107 127 136 139 153 307 425
ASA	020 065 078 080 091 146 171 197 307 324 375 408 449
ASBERG	049 152 407
ASORA	195
ASTRA	195

Manufacturer	Setting Numbers
ASUKA	050 076 123 378 379
ATLANTIC	049 050 071 113 152 236 379
ATORI	195
AUCHAN	107 425
AUDIOSONIC	049 074 076 152 182 195 213 379 421
AUDIOTON	050 076 379 421
AUSIND	090 407
AUTOVOX	050 071 078 079 080 083 090 156 236 324 379 407 413 449 468 470
AWA	018 049 131 152 195 226 320 379 426 433
AYOMI	411
BAIRD	074 102 182 209 218 379 409
BANG & OLUFSEN	324 483
BARCO	107 371 480
BASIC LINE	049 107 123 195 226 378
BASTIDE	379
BAUR	049 107 150 152 172 247 249 357 414 454 470 475
BEKO	152 241 421 433 460
BEON	049 152 163
BEST	213 421
BESTAR	049 152 226 421
BINATONE	379
BLACKSTAR	413
BLACKTRON	378
BLACKWAY	378
BLAUPUNKT	057 060 113 247 249 345 451 454 481
BLUE SKY	049 123 152 195 217 232 378 380 457
BLUE STAR	378
BONDSTEC	413
BOOTS	050 106 379
BPL	049 152 378
BRADFORD	162
BRANDT	014 074 182 186 218 424 436 452 462
BRANT	074 453 463
ELECTRONIC	
BRANT	074 182 186 453
ELECTRONIQUE	
BRINKMANN	049 152 163
BRIONVEGA	049 065 083 152 167 172 324 356 476

Manufacturer	Setting Numbers
BRITANNIA	379
BROTHER	076
BRUNS	065 324
BSR	094 107 110 139 168
BTC	123
BUSH	018 049 076 094 106 107 123 134 139 142 172 193 195 209 217 225 226 232 307 378 379 457 458 470 480
BUSH(UK)	107 168
CAPSONIC	049 076 152 380
CARREFOUR	018 177
CASCADE	049 064 152 195
CASIO	049 152
CATHAY	049 152
CCE	049 152 379
CENTURION	049 152
CENTURY	065 163 324 411 413 481
CGE	011 090 093 094 107 139 142 163 168 346 348 369 407 413 421 480
CIHAN	217
CIMLINE	123 134 195
CITY	195
CLARIVOX	049 125 163
CLATRONIC	045 049 076 113 123 152 195 225 379 407 413 421
CMS HIGHTEC	379
COMTEL	125 217
CONCORDE	195
CONDOR	045 049 050 113 152 163 195 210 378 379 413 421 467
CONTEC	018 131 195 320 379
CONTINENTAL EDISON	014 074 182 186 232 424 453 462 463
COSMEL	195 213
CROSLEY065	090 093 094 104 107 139 324 346 348 407 413 469 481
CROWN	049 152 163 170 195 209 232 407 421 470
CRYSTAL	477
CS ELECTRONICS	123 379 413
CTC	413
CTC CLATRONIC	045
CURTIS MATHES	126 190
CYBERTRON	123
DAENYK	042
DAEWOO	049 123 152 193 195 226 379 456 464
DAINICHI	123 379
DANSAI	049 076 141 152 195 379
DANSETTE	426
DANTAX	421
DATSURA	209
DAWA	049 152
DAYTON	049 152 195 226
DE GRAAF	107 139 209 307 479
DECCA	049 102 106 120 217
DECCA(UK)	046 049 050 102 106 131 152 379
DEITRON	049 152

Manufacturer	Setting Numbers
DENKO	076
DENON	126
DERWENT	105
DESMET	049 113 152
DIGATRON	049
DIGILINE	049 152
DIXI	049 152 195 379 413
DORIC	104 105
DREAN	049 152
DTS	195
DUAL	049 050 107 139 152 156 168 182 243 379 414 417 424 468 470
DUAL TEC	040 050 168 195 379
DUMONT	045 065 080 102 139 146 324 375 379 449 469
DUMONT- FINLUX	020 045 078 091 104
DUX	049 112 152
DYNATRON	049 152
ELBE	049 107 123 152 172 210 243 369 391 411 421 435
ELBIT	217
ELCIT	045 046 062 065 104 107 150 168 324 413
ELCIT	045 046 062 065 104 107 150 168 324 413
ELECTA	076 378
ELECTRO TECH	195
ELEKTA	076 378
ELG	049 152
ELIN	020 049 107 139 152 172 195 379 470 479
ELITE	049 123 152 467
ELMAN	045 168
ELTA	195 076 379
EMERSON	012 042 049 065 113 152 225 324 378 413 475 481
ERRES	049 112 152
ESC	049 152
ESTELE	310
ETRON	049 107 139 152 195
EURO-FEEL	076
EUROMANN	049 076 152 379 421
EUROPA	049 152
EUROPHON	045 046 049 050 068 107 120 152 168 379 413
EXPERT	071 107 236 425
EXQUISIT	049 152 413
FAMILY LIFE	049 152
FENNER	152 195 226
FERGUSON	049 050 074 076 080 082 102 103 182 218 247 409 411 436 452 472
FIDELITY	049 050 076 107 152 225 307 379 475
FILSAI	050 379
FINLANDIA	033 139 172 197 209 307 375 470 474
FINLUX	020 042 045 049 078 080 090 091 102 104 107 139 146 152 163 197 210 324 375 379 407 408 428 429 437 449 469
FIRST LINE	045 049 094 102 107 134 139 152 191 195 209 210 226 379 411 413 457 470
FISHER	018 041 050 065 069 102 104 107 139 156 172 209 320 324 379 408 414 421 470
FLINT	049 102 123 152 380

Manufacturer	Setting Numbers
FNR	045
FORMENTI	049 090 107 113 139 307 324 379 407 467 469 480 481
FORMENTI-PHOENIX	050 104 113 307
FORTRESS	190 324
FRABA	049 152 421
FRIAC	045 049 152 195
FRONTECH	066 076 139 195 307 379 413 466 470 477
FUJITSU	042 045 071 102 107 195 236 379
FUJITSU GENERAL	195 379
FUNAI	042 076 094
GALAXI	045 049 152
GALAXIS	045 049 152 163 421
GALERIA	124
GBC	104 107 139 168 195 226 480
GE	074 182 218 378
GEANT CASINO	107 425
GEC	049 102 104 107 120 152 171 172 307 379 470
GEC(UK)	046 050 102 107 150 162
GELOSO	062 104 107 139 168 171 195 226 307 413 469 481
GENERAL	064 074 182
GENERAL TECHNIC	195
GENEXXA	049 123 152 307 426 466
GOLDHAND	379
GOLDLINE	213
GOODMANS	018 042 049 076 102 134 139 141 152 182 193 195 218 225 226 232 379 428 450 456 464
GORENJE	421
GPM	123
GRADIENTE	049 152 170 177
GRAETZ	049 090 104 136 139 152 153 162 171 172 198 225 307 466 469 475
GRANADA	013 018 033 041 049 102 104 105 112 120 152 171 172 198 209 218 238 241 307 379 407 425 470 471 472 474
GRANADA (UK)	046 050 090 107 139 162 307
GRANDIN	049 107 113 123 152 195 378 380 425 435
GRONIC	045 379
GRUNDIG	049 080 090 152 232 247 249 407 454 455
HALIFAX	076 379
HAMPTON	379
HANIMEX	094
HANSEATIC	018 049 050 094 104 107 113 152 172 195 241 324 378 379 391 421 455 467 470 475
HANTAREX	045 046 049 152 195
HANTOR	049 152
HARLEY DAVIDSON	042
HARWOOD	049 152 195 426
HAUPPAUGE	049 152
HAVERMY	190
HCM	049 076 123 152 163 195 378 379 426

Manufacturer	Setting Numbers
HEMA	195 379
HEMMERMANN	150 470
HIFIVOX	074 182 186 424 453 463
HIGASHI	050
HIGHLINE	049 076 152
HIKONA	123
HINARI	012 018 042 049 066 094 107 123 134 139 195 209 232 307
HISAWA	123 378 380 425
HIT	324
HITACHI	018 020 033 049 050 074 086 099 102 104 107 110 126 127 139 150 152 162 168 171 182 186 218 238 307 379 466 469 470 472 479 013
HITACHI FUJIAN	
HITSU	123 195 380
HORNYPHON	049 112 152
HOSHAI	123 380
HUANYU	193 226 379
HYGASHI	379
HYPER	050 168 195 379 413
HYPERSONIC	172
HYPSON	049 076 152 217 378 379 380 425
IBERIA	049 152
ICE	049 076 123 152 195 225 379
ICES	123 379
IMPERIAL	011 049 090 093 094 107 142 152 163 168 307 346 348 369 407 413 421 470 480
INDIANA	049 152
INGELEN	090 104 136 139 153 162 171 198 232 435 466
INGERSOLL	195
INNO HIT	046 049 050 066 102 123 152 195 217 379 407 413
INNOVATION	049 152
INTERACTIVE	210
INTERBUY	076 195 413
INTERFUNK	049 065 067 074 090 104 107 112 139 150 152 153 172 182 307 324 413 421 453 463 466 475
INTERNAL	049 152
INTERVISION	045 049 055 076 107 123 152 225 232 378 379 380 413 421
IR	346
IRRADIO	049 066 090 123 152 195 407 413
ISUKAI	049 123 152 378
ITC	379 480
ITS	049 076 123 152 225 378 379
ITT	042 090 107 134 139 150 157 162 171 172 193 197 198 209 307 375 428 466 469 470 471 475 479
ITT-NOKIA	042 090 104 107 134 136 139 150 153 162 171 172 193 197 198 209 307 375 470 428 433 435 437
ITV	076 049 152 413
JEAN	018
JEC	141
JET POINT	365
JVC	018 103 123 170 182 225 409 433 439 465

Manufacturer	Setting Numbers
KAISUI	049 050 123 152 195 378 379 380
KAMOSONIC	050
KAMP	379
KAPSCH	071 107 172 236 466
KARCHER	020 045 049 050 068 076 107 152 195 217 378 421 435
KATHREIN	455
KAWASHO	379
KB ARISTOCRAT	107
KENDO	045 049 055 134 152 172 210 413 421 435 476
KENNEDY	071 079 104 107 139 236 369 480
KINGSLEY	379

KLARMAX	371
KNEISSEL	049 152 210 243 369 391 411 421 435
KOLSTER	045 049 152 470
KONKA KRAKING	411 049 123 152 225
KONTAKT	232
KORPEL	049 152
KORTING	065 094 113 324 421
KOSMOS	049 152
KOTRON	076 426
KOYODA	195
KRAKING	411
KRIESLER	050 065 079 112 152 160
KTV	050 379
KURO	445
KYOSHU	076 163 426
LECSON	049 152
LEMAIR	210
LENCO	049 107 152 195 226
LENOIR	050 195
LESA	413
LEYCO	049 076 094 102 152
LG(GOLDSTAR)	049 050 055 107 139 152 168 172 182 195 219 379 413 414 421 460 501 502 503 504 505 506 507
LIESENK & TTER	049 112 152 345
LIFE	440 441 443 444
LIFETEC	049 076 123 152 195 226 440 441 443 444
LLOYD_S	195
LOEWE	035 049 089 120 152 324 391 421
LOEWE OPTA	035 046 049 065 120 144 152 213 324
LOGIK	131 225
LOGIX	195
LUMA	071 107 110 152 171 172 195 210 226 236 307
LUMATRON	049 076 107 152 172 236 379
LUX MAY	049 152 195
LUXOR	042 050 090 107 127 139 150 172 197 209 307 375 428 429 470 472 473 475
LYCO	076
MAAZ	371
MADISON	049 152
MAGNADYNE	045 046 062 065 104 107 120 139 150 168 324 413 469

Manufacturer	Setting Numbers
MAGNAFON	045 046 050 068 090 120 379 407 481
MAGNAVOX	018 042 049 152
MAGNUM	440 441 443 444
MANDOR	076
MANESTH	076 094 113 134 141 152 379 467
MANHATTAN	049 195
MARANTZ	049 152 455
MARELLI	324
MARK	049 152 195 226 379
MASUDA	123 195 225
MATSUI	012 018 041 049 050 094 100 102 106 107 131 134 141 150 152 171 195 209 218 225 232 247 307 379 380 470
MAXIMAL	139
MAXWELL	371
MEDIATOR	049 112 152
MEDION	049 152 195 217 457
MEGAS	435
MEGATRON	126
MELECTRONIC	020 049 074 152 182 193 195 197 210 226 375 379 408 413 428 429 466 470 425
MELVOX	099 195 217
MEMOREX	102 125 195 213
MEMPHIS	049 152 195
MERCURY	049 152 195
METZ	049 065 067 070 092 247 324 412 420 454 481
MICROMAXX	049 152 195
MICROSTAR	440 441 443 444
MINERVA	080 090 232 247 249 407 454
MINOKA	049 152 426 470
MITSUBISHI	013 018 049 065 105 131 152 157 190 247 324 454
MIVAR	046 050 058 072 081 090 120 379 391 407 414 421 434
MONACO	195
MORGAN_S	049 152
MOTION	407
MOTOROLA	190
MTC	152 379 421 470
MTEC	106
MULTISTAND ARD	045
MULTITEC	049 152 195
MULTITECH	045 046 049 050 120 152 195 379 407 413 421 470
MURPHY	102 104 105 107 171 307 379
MURPHY (UK)	162
MUSIKLAND	123
MYRYAD	455
NAD	172 209 475
NAIKO	049 152
NAKIMURA	049 152 226
NAONIS	040 071 079 110 171
NAT	085 151
NATIONAL	033 085 104
NEC	018 049 113 131 152 177 195 226 379 380

Manufacturer	Setting Numbers
NECKERMANN	011 049 050 065 107 139 152 163 210 247 249 307 324 357 379 413 421 455 470 481
NEDIATOR	152
NEI	049 125 152 225 477
NESCO	042 413
NETSAT	049 152
NETWORK	213
NEUFUNK	049 152 195 435
NEW TECH	049 050 152 182 195 379
NEW WORLD	123
NICAMAGIC	379
NIKKAI	018 049 076 102 123 125 139 141 152 195 213 379 066
NOBLEX	049 076 152
NOBLIKO	045 050 080 090 379 407
NOGAMATIC	074 182 186 424 453 463
NOKIA	090 104 107 134 136 139 150 153 157 162 171 172 193 197 198 209 226 307 375 428 429 433 437 465 470 475 478 479
NORDMENDE	049 074 083 150 152 182 186 218 247 307 424 453 463 469 481
NOVATRONIC	020 049 152 226
OCEANIC	086 094 104 107 108 109 139 172 209 425 466 469 475
OCEANIC (F)	150
ODEON	076
OKANO	049 076 102 152 421
OMEGA	076
ONCEAS	050
ONWA	123 225
OPERA	049 152
OPTIMUS	099
OPTONICA	190
ORBIT	049 152
ORION	012 042 045 049 076 094 113 131 134 139 150 152 191 195 216 366 367 426 467
ORLINE	049 123 152
ORMENTIPHOENIX	104
ORMOND	195
OSAKA	066
OSAKI	049 066 076 102 106 123 152 226 379 426
OSIO	049 152
OSO	123
OSUME	018 102 123
OTAKE	450
OTTO VERSAND	018 049 050 074 094 104 107 113 134 139 152 172 190 218 247 249 357 362 379 413 414 454 455 467 469 470 480 481
P.T ACTRON	217
PAEL	050 379
PALLADIUM	049 107 152 163 210 247 324 357 379 413 421 470
PALSONIC	049 055 076 152 379 426
PANAMA	049 076 152 195 379 413
PANASONIC	016 049 099 104 107 139 151 152 172 396 420 466 469 481
PANAVISION	049 152 210
PATHE CINEMA	107 113 379 391 411 425 467 470 480 481

Manufacturer	Setting Numbers
PATHE CINEMA (F)	050 168
PATHE MARCONI	014 074 182 186 424 453 462 463
PAUSA	195
PAUZA	195
PERDIO	049 102 107 113 152 467
PERFEKT	049 152
PERSHIN	425
PHILCO	011 016 049 065 090 093 094 104 107 126 142 152 163 168 324 346 348 369 407 413 421 480 481
PHILEX	471
PHILHARMONIC	379
PHILIPS	014 049 050 065 079 089 112 152 160 182 193 216 217 220 226 247 249 324 427 455 482
PHOENIX	049 050 102 104 107 113 152 324 379 421
PHONOLA	049 050 065 079 112 152 160 324 379
PILOT	049 152
PIONEER	049 074 152 172 182 209 218 307 421 427 466
PLANTRON	049 076 152 195
PLAYSONIC	379
POLICOM	074
POPPY	195
PORTLAND	226
POWERPOINT	232
PRANDONIPRINCE	046 090 120 171 172 307 407 413
PRECISION	379
PREMIER	142
PRIMA	076 195 307
PRINCE	046 171
PRINZ	102 470
PROFEX	107 139 195 407 475
PROFI-TRONIC	045 049 152
PROLINE	049 102 112 191 366 436
PROSONIC	049 085 151 152 195 225 226 379 421
PROTECH	045 049 076 125 139 152 163 195 379 413 457 470 477 480
PROVISION	049 152
PYE	050 065 079 112 152 160 226 324
PYMI	049 112 152 195 226 324
QUADRA VISION I	425
QUASAR	045 046 068 099 413
QUELLE	018 020 049 050 074 076 078 080 090 091 094 113 131 139 146 150 152 153 172 195 247 249 320 345 346 348 357 379 408 413 449 451 454 470 475 480 481
QUESTA	018
RADIALVA	049 074 107 123 152
RADIOLA	014 049 050 065 079 112 152 160
RADIOMARELL	045 046 062 065 104 105 150 152 168 324 413
RADIONETTE	020 150
RADIOSHACK	049 152
RADIOTONE	049 076 152 163 195 421 426
RANK ARENA	018
RCA	190 218 436

Manufacturer	Setting Numbers
RECOR	049 152
RECTILIGNE	049 152
REDIFFUSION	018 059 104 105 139 171 172 307 471 475
REDIFFUSION (UK)	150 162
REDSTAR	049 152
REFLEX	049 152
REOC	460
REVOX	049 152 421
REX	040 071 079 107 110 152 171 210 236 243 307 413 466
RFT	076 102 241 324 391 421
RHAPSODY	379
R-LINE	049 152
ROADSTAR	049 076 123 152 163 195
ROBOTRON	065 324
RODEX	049 152
ROWA	458
ROWSONIC	050
ROYAL LUX	421 426
RTF	065
SABA	046 065 074 077 107 120 139 172 182 186 218 307 324 424 436 452 453 463 466 469 481
SACCS	411
SAGEM	378 380 435
SAISHO	012 050 076 107 131 134 195 307 379 477
SALORA	033 107 127 136 139 150 153 171 172 198 209 307 466 470 472 474 475 479
SAMBERS	045 046 068 090 120 407 481
SANDRA	379
SANELA	411
SANSUI	049 152 225
SANTON	195
SANYO	018 020 041 049 050 065 102 107 131 152 195 198 209 320 379 391 408 421 481
SAVE	049 152
SBR	049 112 152
SCHAUB LORENZ	090 104 136 139 153 162 171 198 307 433 469 470 475
SCHNEIDER	014 040 049 050 065 069 079 104 107 112 123 139 152 156 160 168 172 182 195 225 243 307 379 382 413 414 417 457 468 470 042
SCOTT	042
SEARS	042
SEG	018 045 049 050 076 107 152 172 195 232 379 413 407 457 480
SEI	012 045 049 094 107 139 152 236 324 357 469 470 481
SEI SINUDYNE	446
SELECO	040 071 079 107 110 152 171 172 210 236 243 307 369 466 476
SENCORA	195
SENTRA	123 139 141 195
SERINO	380 435
SHARP	018 094 170 190 320 362
SHORAI	042 094
SIAM	049 152
SIAREM	045 046 065 104 107 120 139 324 469 481
SIEMENS	018 049 066 113 152 247 249 307 320 345 451 454 469 481

Manufacturer	Setting Numbers
SIERA	050 065 079 112 152 160
SIERRA	049 112 152
SIESTA	421
SILVA	049 152 379
SILVER	018 042 049 076 152 172
SINGER	045 049 065 104 152 195 324 369 413 425
SINUDYNE	012 045 065 094 104 107 134 139 150 152 172 210 216 236 324 357 366 367 469 470 481
SKANTIC	307 472 473
SKY	049 152
SKYOTO	107
SKYWORTH	448
SOGERA	113
SOLAVOX	066 102 107 139 172 307 466 471
SONAWA	123
SONITRON	209 379 421
SONNECLAIR	049 152
SONOKO	049 050 076 152 195 378 379
SONOLOR	107 139 172 209 357 425 466
SONTEC	049 094 152 421
SONY	018 045 131 211 346 357 358 370
SOUND & VISION	045 123 226
SOUND WAVE	049 113 163
SOUNDESIGN	042
SPECTRA	195
SSANGYONG	195
STANDARD	049 050 113 123 152 195 226 379
STARLIGHT	049 076 107 152 195
STENWAY	123 378
STERN	040 071 079 107 110 152 171 236 243 307 466
STRATO	049 076 152 195
SUNKAI	049 094 123 134 152 191 232 367 380
SUNSTAR	049 152 195 225
SUNWOOD	049 152 195
SUPERLA	379
SUPERTECH	049 123 152 195 379
SUPRA	195 226
SUSUMU	123 218
SUTRON	195
SWISSLINE	413
SYDNEY	379
SYSLINE	044
SYTONG	379
TACTUS	106
TANDBERG	065 074 078 172 182 210 213 420 449
TANDY	050 102 123 190 307 379 413 466
TASHIKO	018 050 107 177 379 470 474
TATUNG	049 050 102 106 120 131 152 217 379
TCM	440 441 443 444

Manufacturer	Setting Numbers
TEAC	049 076 152 163 195 217 378 380 426 457 458 470
TEC	040 050 064 168 195 213 218 243 379 413 480
TECH LINE	049 152 195
TECHICA	123
TECHNEMA	113 467
TECHNICS	099
TECHNOL ACE	042
TEDELEX	379
TEIRON	195
TEKNIKA	042
TELEAVIA	014 074 182 186 218 424 453 462 463
TELECOR	049 107 123 152 379
TELEFUNKEN	049 064 074 082 152 182 186 187 218 230 346 348 424 436 452 453 463
TELEFUSION	049 152
TELEGAZI	049 076 107 123 152
TELEMEISTER	049 113 152 467
TELESONIC	049 152
TELESTAR	049 152
TELETECH	049 152 195 213 413
TELETON	018 067 071 107 236 379 470
TELEVIDEON	050 104 107 113 379
TELEVISIO	425
TEMCO	094
TEMPEST	049 152 195
TENNESSEE	049 152
TENSAI	020 050 055 094 113 123 152 195 225 226 379 413 450 467
TESMET	439
TETUNG	046
TEVION	049 152 195
TEXET	050 123 195 226 379
TEXET	050 123 195 226 379
THOMSON	014 024 049 064 074 134 152 182 186 218 230 424 436 453 462 463 470
THOMSON	014 024 049 064 074 134 152 182 186 218 230 424 436 453 462 463 470
THORN	049 102 103 106 141 152 218 226 346 348 408 409 411 454 464 470 475
THORN	049 102 103 106 141 152 218 226 346 348 408 409 411 454 464 470 475
THORNFERGUSON	074 076 080 082 103 218 357 358 375
TOKAI	049 102 107 152 195 213 226 379
TOKYO	141 379
TOMASHI	123 378
TOSHIBA	018 045 128 141 369 379
TOWADA	045 379 470 480
TOYODA	195
TRAKTON	076
TRANS CONTINENS	046 049 152 171 307 379
TRANSONIC	049 152 380 458
TRANSTEC	379
TRIDENT	379
UHER	049 069 071 080 090 113 152 163 226 236 307 407 414 421 467

Manufacturer	Setting Numbers
ULTRA	409
ULTRAVOX	045 049 050 065 104 107 139 152 226 324 379 413 471
UNIC LINE	049 152
UNITED	49 152
UNIVERSUM	011 012 018 020 049 074 076 094 107 131 152 163 172 195 197 210 213 247 320 345 346 357 375 379 407 408 413 421 428 429 437 454 470 480
UNIVOX	049 107 152 213 324 411
UTAX	050
VEGAVOX	163
VESTEL	049 107 125 152 379
VEXA	152 195
VICTOR	170
VIDEO SYSTEM	049 152
VIDEOLOGIQUE	123 379
VIDEOSAT	413 447
VIDEOSYSTEM	049 152
VIDEOTECHNIC	113 226 379
VIDEOTON	107 472
VIDIKRON	045
VIDTECH	018
VIPER	213
VISIOLA	379
VISION	049 113 152 467
VISOREX	442
VISTAR	172 236
VOLTEC	074
VORTEC	152
VOXSON	049 065 090 152 163 171 307 324 407 466
WALTHAM	049 152 163 182 307 379 472
WATSON	049 107 113 123 152 195 247 467
WATT RADIO	045 050 068 104 107 139 150 379 470 480
WEGA	018 049 139 152 324
WEGA COLOR	065 088
WEGAVOX	195
WELTBlick	113 152
WESTINGHOUSE	094 152
WESTON	168
WHARFEDALE	049 152
WHITE	045
WHITE WESTINGHOUSE	049 050 113 152 213 379 467
WINCO	426
WINDSTAR	378
XRYPTON	049 152
YAMISHI	049 123 152 378 379 380
YOKAN	049 152
YOKO	049 050 076 123 152 195 379 413 421 477
YORX	123
ZANUSSI	040 071 079 110 152 171 236 307 379
ZOPPAS	040 071 079 110 171 307

Product Specifications

Design and specifications are subject to change without prior notice.

Item	Description
Model Name	SMT-S7800
Receiver	DVB-S/S2
Input Connector Type	F-Type IEC female in accordance with IEC 169-24
Input Impedance	75 Ω
Broadcasting Rx Frequency	950 ~ 2150 MHz
Broadcasting Rx Level	-25 ~ -65 dBm (average power)
LNB Power & Polarization	-25 ~ -65 dBm (average power) Vertical : +13.3V(+14.3V at high voltage) Horizontal : +18.3V(+19.3V at high voltage) LNB Rating : LNB 1IN – Max, 13/18V 250mA LNB 2 IN – Max, 13/18V 250mA
22KHz Tone	Frequency : 22 \pm 4KHz Amplitude : 0.7 \pm 0.2V
Type of Broadcasting Rx Modulation	QPSK, 8PSK
Input Symbol Rate	DVB-S : 2 ~ 45MS/s DVB-S2 : 10 ~ 30MS/s(QPSK, 8PSK)
Channels Bandwidth	7 and 8 Mhz
Output Connector Type	IEC male in accordance with IEC 60169- 2
Audio Output Port	Stereo (left/right): 1 port Digital Audio (SPDIF): 1 port
Video/Audio Concurrent Output Port	HDMI output: 1 port SCART: 2 ports (TV/VCR)
USB	USB 2.0: 2 ports (front/rear)
Rated Voltage, Frequency	AC 230 V \pm 15%, 50 Hz
Rated Power Consumption	Max. 40 W
Operating Temperature	0~40°C
Operating Humidity	20~80% (40°C)
Dimensions (mm)	360 (L) \times 270 (W) \times 50 (H)
Weight	2,495 g

Dolby Logo Usage Approval

Manufactured under license from Dolby Laboratories.
Dolby and the double-D symbol are trademarks of Dolby Laboratories.

DVB Product Notice

DVB and the DVB logos are trademarks of the DVB Project.

HDMI Product Notice



HDMI, the HDMI Logo, and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.

ACCESS Product Notice

This product contains NetFront Living Connect of ACCESS CO., LTD.

This product contains NetFront Media Player of ACCESS CO., LTD.

© 2008 ACCESS CO., LTD. All rights reserved.

ACCESS, the ACCESS logo and NetFront are registered trademarks or trademarks of ACCESS CO., LTD. in the United States, Japan and/or other countries.

Open Source Announcement

Some software components of this product incorporate source code covered under the GNU General Public License (GPL), the GNU Lesser General Public License (LGPL) etc.

Acknowledgement:

The software included in this product contains copyrighted software that is licensed under the GPL/LGPL. You may obtain the complete Corresponding Source code from us for a period of three years after our last shipment of this product by sending email to: vdswmanager@samsung.com or oss.request@samsung.com

If you want to obtain the complete Corresponding Source code in the physical medium such as CD-ROM, the cost of physically performing source distribution may be charged.

You may also find a copy of the source at <http://opensource.samsung.com/>

This offer is valid to anyone in receipt of this information.

Below is the list of components covered under GNU General Public License, the GNU Lesser General Public License.

Component	License	Component	License
Linux Kernel	GPL 2.0	Curl	MIT License
Busybox	GPL 2.0	Expat	MIT License
Binutils	GPL 2.0	FreeType	FreeType License
U-Boot	GPL 2.0	zlib	zlib/libpng License
G Lib C	LGPL 2.1	libpng	zlib/libpng License
FFmpeg	LGPL 2.1	TinyXml	zlib/libpng License
TagLib	LGPL 2.1	OpenSSL	OpenSSL Combined License
JPEG	JPEG License		

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it. For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps:

(1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software. Also, for each author's protection and ours, we want to make certain that

everyone understands that there is no warranty for this free software.

If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents.

We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

- 0) This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".
Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.
- 1) You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program. You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.
- 2) You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:
 - a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
 - b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
 - c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole.

If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

- 3) You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:
 - a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
 - b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy

of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

- 4) You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.
- 5) You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.
- 6) Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.
- 7) If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

- 8) If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.
- 9) The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

- 10) If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

- 11) BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.
- 12) IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.
You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary

applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code.

If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library.

Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License.

This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances. For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program

using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a “work based on the library” and a “work that uses the library”. The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

- 0) This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called “this License”). Each licensee is addressed as “you”. A “library” means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables. The “Library”, below, refers to any such software library or work which has been distributed under these terms. A “work based on the Library” means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term “modification”).
- “Source code” for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library. Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.
- 1) You may copy and distribute verbatim copies of the Library’s complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library. You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.
 - 2) You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:
 - a) The modified work must itself be a software library.
 - b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
 - c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
 - d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful. (For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.) These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it. Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library. In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.
 - 3) You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices. Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy. This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

- 4) You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.
If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.
- 5) A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a “work that uses the Library”. Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.
However, linking a “work that uses the Library” with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a “work that uses the library”. The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.
When a “work that uses the Library” uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.
If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)
Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.
- 6) As an exception to the Sections above, you may also combine or link a “work that uses the Library” with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer’s own use and reverse engineering for debugging such modifications.
You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:
 - a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable “work that uses the Library”, as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
 - b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user’s computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
 - c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
 - d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
 - e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy. For an executable, the required form of the “work that uses the Library” must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.
 It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.
- 7) You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:
 - a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
 - b) Give prominent notice with the combined library of the fact that part of it is a work based on the

Library, and explaining where to find the accompanying uncombined form of the same work.

- 8) You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.
- 9) You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.
- 10) Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.
- 11) If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library. If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.
It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice. This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.
- 12) If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.
- 13) The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.
Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.
- 14) If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

- 15) BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.
- 16) IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY

TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the library's name and an idea of what it does.
Copyright (C) year name of author

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library 'Frob' (a library for tweaking knobs) written by James Random Hacker.

Signature of Ty Coon, 1 April 1990 Ty Coon, President of Vice

That's all there is to it!

The MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

LICENSE ISSUES

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit. See below for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact openssl-core@openssl.org.

OpenSSL License

Copyright (c) 1998-2004 The OpenSSL Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- 1) Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- 2) Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- 3) All advertising materials mentioning features or use of this software must display the following acknowledgment:
 "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit.
 (<http://www.openssl.org/>)"
- 4) The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact openssl-core@openssl.org.
- 5) Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project.
- 6) Redistributions of any form whatsoever must retain the following acknowledgment:
 "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit
 (<http://www.openssl.org/>)"

THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This product includes cryptographic software written by Eric Young (ey@cryptsoft.com). This product includes software written by Tim Hudson (tjh@cryptsoft.com).

The FreeType Project LICENSE

2006-Jan-27

Copyright 1996-2002, 2006 by David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the

FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project. This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. (as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. (royalty-free' usage)

o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. ('credits') We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

```
"""  
  Portions of this software are copyright <year> The FreeType  
  Project (www.freetype.org).  All rights reserved.  
"""
```

Please replace <year> with the value from the FreeType version you actually use.

Legal Terms

0. Definitions

Throughout this license, the terms 'package', 'FreeType Project', and 'FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the 'FreeType Project', be they named as alpha, beta or final release.

'You' refers to the licensee, or person using the project, where 'using' is a generic term including compiling the project's source code as well as linking it to form a 'program' or 'executable'. This program is referred to as 'a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

1. No Warranty

THE FREETYPE PROJECT IS PROVIDED 'AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

2. Redistribution

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

o Redistribution of source code must retain this license file (FTL.TXT) unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.

o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

3. Advertising

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: 'FreeType Project', 'FreeType Engine', 'FreeType library', or 'FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that

you understand and accept all the terms of this license.

4. Contacts

There are two mailing lists related to FreeType:

- o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution. If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

- o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<http://www.freetype.org>



UNITED KINGDOM

This Samsung product is warranted for the period of twelve (12) months from the original date of purchase, against defective materials and workmanship. In the event that warranty service is required, you should return the product to the retailer from whom it was purchased.

However, Samsung Authorised Dealers and Authorised Service Centres in other EC Countries will comply with the warranty on the terms issued to purchasers in the country concerned.

In case of difficulty, details of our Authorised Service Centres are available from:

Samsung Electronics U.K. Ltd.
Customer Support Centre PO Box 479
Gateshead,
NE9 9BJ United Kingdom
United Kingdom
Tel : 0330 SAMSUNG (0330 7267864)
Fax : 0330 7260001
Web : www.samsung.com/uk

■ WARRANTY CONDITIONS

1. The warranty is only valid if, when warranty service is required, the warranty card is fully and properly completed and is presented with the original invoice or sales slip or confirmation, and the serial number on the product has not been defaced.
2. Samsung's obligations are limited to the repair or, at its discretion, replacement of the product or the defective part.
3. Warranty repairs must be carried out by Authorised Samsung Dealers or Authorised Service Centres.
No re-imbursement will be made for repairs carried out by non Samsung Dealers and, any such repair work and damage to the products caused by such repair work will not be covered by this warranty.

4. This product is not considered to be defective in materials nor workmanship by reason that it requires adaptation in order to conform to national or local technical or safety standards in force in any Country other than the one for which the product was originally designed and manufactured. This warranty will not cover, and no re-imbursement will be made for such adaptation nor any damage which may result.
5. This warranty covers none of the following:
 - a) a) Periodic check ups, maintenance and repair or replacement of parts due to normal wear and tear.
 - b) Cost relating to transport, removal or installation of the product.
 - c) Misuse, including the failure to use this product for its normal purposes or incorrect installation.
 - d) Damage caused by Lightning, Water, Fire, Acts of God, War, Public Disturbances, incorrect mains voltage, improper ventilation or any other cause beyond the control of Samsung.
6. This warranty is valid for any person who legally acquired possession of the product during the warranty period.
7. The consumers statutory rights in any applicable national legislation whether against the retailer arising from the purchase contract or otherwise are not affected by this warranty. Unless there is national legislation to the contrary, the rights under this warranty are the consumers sole rights and Samsung, its subsidiaries and distributors shall not be liable for indirect or consequential loss or any damage to records, compact discs, videos or audio taper or any other related equipment or material.

SAMSUNG ELECTRONICS (U.K.) LTD

