

Կրթության նախարարության
հրահանգ

Սերտիֆիկատ: IUL 23-AP/1/2010/118

Ուսուցում

«Արևիկա» հաստատությունում
համապատասխանության հարցազրույցի անցումը կատարվելու է
2010 թվականի օգոստոսի 11-ին:

Ուսուցումը կատարվելու է 2010 թվականի
01 օգոստոսի 11:00:00-ին և կատարվելու է
հարցազրույցի օրը 11:00:00-ին և կատարվելու է
2010 թվականի 08 օգոստոսի 10:00-ին
և կատարվելու է հարցազրույցի օրը 10:00-ին
և կատարվելու է:

Արևիկա հաստատությունում կատարվելու է
հարցազրույցի օրը 11:00:00-ին և կատարվելու է
2010 թվականի 08 օգոստոսի 10:00-ին
և կատարվելու է հարցազրույցի օրը 10:00-ին
և կատարվելու է:

11 օգոստոսի 1431

25 թվական 2010

Կրթության նախարարության
հրահանգ

Սերտիֆիկատ: IUL 23-AP/1/2010/114

Ուսուցում

Սերտիֆիկատը կատարվելու է
2010 թվականի օգոստոսի 11-ին:

Ուսուցումը կատարվելու է 2010 թվականի
31 օգոստոսի 02:00-ին և կատարվելու է
հարցազրույցի օրը 02:00-ին և կատարվելու է
2010 թվականի 03 օգոստոսի 03-ին
և կատարվելու է հարցազրույցի օրը 02:00-ին
և կատարվելու է հարցազրույցի օրը 02:00-ին
և կատարվելու է:

Արևիկա հաստատությունում կատարվելու է
հարցազրույցի օրը 02:00-ին և կատարվելու է
2010 թվականի 03 օգոստոսի 03-ին
և կատարվելու է հարցազրույցի օրը 02:00-ին
և կատարվելու է հարցազրույցի օրը 02:00-ին
և կատարվելու է:

11 օգոստոսի 1431

25 թվական 2010

Կրթության նախարարության
հրահանգ

Սերտիֆիկատ: (IUL)10-K/1/2010/1012

Ուսուցում

Կրթության նախարարության հրահանգի
համապատասխանության հարցազրույցի անցումը
կատարվելու է 2010 թվականի օգոստոսի 13-ին:

Ուսուցումը կատարվելու է 2010 թվականի
01 օգոստոսի 14:00-ին և կատարվելու է
հարցազրույցի օրը 14:00-ին և կատարվելու է
2010 թվականի 08 օգոստոսի 14:00-ին
և կատարվելու է հարցազրույցի օրը 14:00-ին
և կատարվելու է:

13 օգոստոսի 1431

27 թվական 2010

State Electric Company Ltd.

Ref No: H-2010/40

Date: 27/05/2010

Invitation for Bids

State Electric Company Limited (STELCO) invites sealed bids from interested and eligible bidders for local expertise on foundation design and preparation of a report based on the findings.

Description of the work

State Electric Company Limited (STELCO) is working on constructing a 3x8MW Powerhouse known as “4th Power Development Project”. The civil works of the powerhouse building has not started due to the ground conditions revealed by the soil investigation report prepared by the contractor. Hence the contractor has proposed a bore pile foundation method for the generator sets which is both time consuming and expensive. Therefore STELCO seeks local expertise about foundation method(s), which is cost effective and less time consuming.

Item	Scope
1	Analyse existing foundation designs prepared by contractor.
2	Analyse and review soil Investigation report prepared by contractor.
3	Review and comment on the “Alternative Foundation Report” Submitted by contractor.
4	Prepare and submit a report based on the findings of above mentioned documents and your professional experience on the local ground conditions.

Selected candidate will be provided with:

1. Powerhouse foundation drawings.
2. Soil investigation report.
3. Alternative foundations Reports.

• Bids shall indicate the following:

- Price

* Quotation for the preparation above mentioned report.

* Quotation per visit (On request of STELCO during the course of the project for Engineering discussions and site supervisions)

- Currency: (If not stated, shall be assumed as Maldivian Rufiya).

- Completion period: Reports shall be completed within 7 working days.

- Technical expertise(s): Profile and CV’s of the experts undertaking this study. (Description of similar assignments)

- Company details: Shall submit company profile, registration copy and contact details.

Individuals shall submit copy of National ID card.

• The bid shall be submitted in sealed envelope and addressed as follows:

Procurement and Inventory Management Department

State Electric Company Limited.

Local Expert Opinion on Foundation Design

Ref. no: H-2010/40

לרבות ארבעה כדורים ביום
 כדורים אחרים ארוכים יותר
 לא ימכרו, פרט לרבות

מס' מס': HPSN-IL/1/2010/11

אזהרות

אשראי כדורים

בדמי הוצאות כדורים כדורים כדורים
 ופיקודים אחרים לא ימכרו כדורים
 וד', כדורים אחרים, כדורים אחרים
 אחרים אחרים אחרים אחרים אחרים
 31 יולי 2010 ו' 11:00 אחרים אחרים
 אחרים אחרים אחרים אחרים אחרים
 אחרים אחרים אחרים אחרים אחרים
 אחרים אחרים אחרים אחרים אחרים

12 בדצמבר 1431
 26 יולי 2010

לרבות ארבעה כדורים ביום
 כדורים אחרים ארוכים יותר
 לא ימכרו, פרט לרבות

מס' מס': HPSN-IL/1/2010/10

אזהרות

אשראי כדורים

בדמי הוצאות כדורים כדורים כדורים
 אחרים אחרים אחרים אחרים אחרים
 אחרים אחרים אחרים אחרים אחרים
 אחרים אחרים אחרים אחרים אחרים
 אחרים אחרים אחרים אחרים אחרים
 אחרים אחרים אחרים אחרים אחרים
 אחרים אחרים אחרים אחרים אחרים
 אחרים אחרים אחרים אחרים אחרים

12 בדצמבר 1431
 26 יולי 2010

07 לאור הוצאות כדורים
 (Intel Pentium Dual-Core 2.6GHz,
 2GB Ram, 500 GB Hard,
 Integrated 10/100/1000mbps Ethernet,
 Keyboard, Mouse, 18.5 LCD Monitor)

- 07 אחרים אחרים אחרים אחרים אחרים
- 01 אחרים אחרים אחרים אחרים אחרים
- 03 אחרים אחרים אחרים אחרים אחרים (8 אחרים אחרים)
- 04 אחרים אחרים אחרים אחרים אחרים

אחרים אחרים אחרים אחרים אחרים 6560094 אחרים
 אחרים אחרים אחרים אחרים אחרים אחרים אחרים אחרים
 אחרים אחרים אחרים אחרים אחרים אחרים אחרים אחרים
 06 בדצמבר 1431
 20 יולי 2010

הוצאות כדורים אחרים אחרים אחרים
 אחרים אחרים אחרים אחרים אחרים
 מס' מס': (A) B-2010/10

אזהרות

אשראי כדורים

אחרים אחרים אחרים אחרים אחרים
 אחרים אחרים אחרים אחרים אחרים אחרים אחרים אחרים
 אחרים אחרים אחרים אחרים אחרים אחרים אחרים אחרים
 אחרים אחרים אחרים אחרים אחרים אחרים אחרים אחרים
 אחרים אחרים אחרים אחרים אחרים אחרים אחרים אחרים
 אחרים אחרים אחרים אחרים אחרים אחרים אחרים אחרים
 אחרים אחרים אחרים אחרים אחרים אחרים אחרים אחרים
 אחרים אחרים אחרים אחרים אחרים אחרים אחרים אחרים

מס' מס' 6560012, 6560028 אחרים אחרים אחרים אחרים אחרים

- Genuine parts: Only genuine product(s) shall be acceptable.
- Company details: Shall submit company profile, registration copy and contact details.
- The bid shall be submitted in sealed envelope and addressed as follows:

Head of Procurement and Inventory Management Department
State Electric Company Limited.
Cummins Engine Spares for K.Maafushi PH
Ref. no: PMT-2010/73

- STELCO shall not be liable for the misplacement or premature opening for the unlabeled sealed bids.

- Deadline:

All sealed bids shall reach STELCO head office on or before Wednesday, 09th June 2010, 13:00hrs. Any bid(s) received after this deadline shall be disqualified.

- Bid Opening:

Bids shall be opened on Wednesday, 09th June 2010, at 13:00hrs, STELCO Head Office, at 2nd Floor meeting room, in the presence of those bidders or bidder's representatives who wish to attend the session.

- Bid Evaluation Criteria:

All Bids shall be evaluated on the following basis. Points (pts) shall be given according to the formula below.

- Price = 70 pts [(Minimum Quoted Price) / (Quoted Price) x 70].
- Delivery period = 25 pts [(Shortest delivery period) / (Quoted delivery period) x 25].
- Experience = 05 pts (Submit feedback from previous supplies for similar work).

* Additional (US\$25/- plus 0.04% of bid amount shall be included to price of bid as financial costs for overseas payments).

- Further information:

Interested bidders may obtain further information from the following address:

Procurement and Inventory Management Department
State Electric Company Limited.
Ameenee Magu, Male', 20349
Republic of Maldives
Tel: (960) 333 8121, (960) 333 8122
Fax: (960) 332 7036
E-mail: procurement@stelco.com.mv.

- This invitation for bid is also published in STELCO website www.stelco.com.mv.

State Electric Company Ltd.

Ref No: PMT-2010/73

Date: 27-05-2010

Invitation for Bids

State Electric Company Ltd (STELCO) invites sealed bids from interested and eligible bidders for the following item(s).

Remarks: Cummins Diesel Engine M/N: VTA28-G5, S/N: 25287567, CPL no: 8154

1	SET LOWER ENGINE GASKET (P/N:3801406)	1	NOS
2	SET UPPER ENGINE GASKET (P/N:3017564)	1	NOS
3	KIT ENGINE PISTON (P/N:3803002)	2	NOS
4	CON RDO BEARING (P/N:200600) STD	24	NOS
5	INSERT VALVE (P/N:200354)	24	NOS
6	BOLT CON ROD (P/N:146856)	24	NOS
7	KIT CYLINDER LINER (P/N:3801826)	12	NOS
8	ASSEMBLY CYLINDER HEAD (P/N:3052177)	1	NOS
9	KIT AFTER COOLER GASKET(P/N:3009941)	2	NOS
10	CORE COOLER	1	NOS
11	PISTON COOLING NOZZLE (P/N:3028943)	12	NOS
12	GUID VALVE CROSSHEAD (P/N:123558)	48	NOS
13	KIT CAM SHAFT BUSHING	1	NOS
14	BEARING THRUST (P/N:180280)	4	NOS
15	SHELL MAIN BEARING (P/N: AR11178)	1	NOS

Remarks: Cummins Diesel Engine M/N: VTA28-G5, S/N: 25287567, CPL no: 8154

• Bids shall indicate the following:

- Price

* Door Step Delivery Price

OR

* The following charges shall be applied for CIF Male' Prices:

1. For custom duty (25% of CIF price)
2. For clearing, handling & delivery to STELCO site (2% of the highest quoted CIF price)

* Bids shall indicate the unit price, total price for each item and total price of the bid.

- Currency (If not stated, shall be assumed as Maldivian Rufiya).
- Delivery period (In days). For CIF quoted bids, additional 7 days shall be included for the clearing, handling and delivery to STELCO site.
- Technical specification(s): All the relevant information(s) shall be completed to enable technical evaluation of the item(s) quoted.

- **Currency** (If not stated, shall be assumed as Maldivian Rufiya).
- **Delivery period** (In days). For CIF quoted bids, additional 7 days shall be included for the clearing, handling and delivery to STELCO site.
- **Technical specification(s)**: All the relevant information(s) shall be completed to enable technical evaluation of the item(s) quoted.
- **Genuine parts**: Only genuine product(s) shall be acceptable.
- **Company details**: Shall submit company profile, registration copy and contact details.

• **The bid shall be submitted in sealed envelope and addressed as follows:**

Head of Procurement and Inventory Management Department
 State Electric Company Limited.
 Cummins Engine Spares for Regional Dept
 Ref. no: PMT-2010/75

- STELCO shall **not be liable** for the misplacement or premature opening for the unlabeled sealed bids.

• **Deadline:**

All sealed bids shall reach STELCO head office on or before **Wednesday, 09th June 2010, 14:00hrs**. Any bid(s) received after this deadline shall be disqualified.

• **Bid Opening:**

Bids shall be opened on **Wednesday, 09th June 2010, at 14:00hrs, STELCO Head Office, at 2nd Floor meeting room**, in the presence of those bidders or bidder's representatives who wish to attend the session.

• **Bid Evaluation Criteria:**

All Bids shall be evaluated on the following basis. Points (pts) shall be given according to the formula below.

- Price = 85 pts $[(\text{Minimum Quoted Price}) / (\text{Quoted Price}) \times 85]$.
- Delivery period = 10 pts $[(\text{Shortest delivery period}) / (\text{Quoted delivery period}) \times 10]$.
- Experience = 05 pts $(\text{Submit feedback from previous supplies for similar work})$.

* *Additional (US\$25/- plus 0.04% of bid amount shall be included to price of bid as financial costs for overseas payments).*

• **Further information:**

Interested bidders may obtain further information from the following address:

Procurement and Inventory Management Department
 State Electric Company Limited.
 Ameenee Magu, Male', 20349
 Republic of Maldives
 Tel: (960) 333 8121, (960) 333 8122
 Fax: (960) 332 7036
 E-mail: procurement@stelco.com.mv.

- This invitation for bid is also published in STELCO website www.stelco.com.mv.

State Electric Company Ltd.

Ref No: PMT-2010/75

Date: 27-05-2010

Invitation for Bids

State Electric Company Ltd (STELCO) invites sealed bids from interested and eligible bidders for the following item(s).

Item	Description	Qty	
1	KIT CYLINDER LINER WITH RING (P/N:3028434)	6	NOS
2	SHELL MAIN BEARING (P/N:AR-12270)	1	NOS
3	KIT ENGINE PISTON WITH PIN (P/N:3803312)	6	NOS
4	SET PISTON RING (P/N:3803472)	6	NOS
5	CON ROD BEARING (P/N:205840)	12	NOS
6	BOLT CON ROD (P/N:3013265)	12	NOS
7	VALVE EXHAUST (P/N:3035110)	12	NOS
8	VALVE INTAKE (P/N:207241)	12	NOS
9	INSERT VALVE (P/N:205093)	12	NOS
10	INSERT VALVE (P/N:3026296)	12	NOS
11	SPRING VALVE (P/N:205208)	12	NOS
12	GUID VALVE STEM (P/N:3202210)	24	NOS
13	SET UPPER ENGINE GASKET (P/N:3801005)	1	NOS
14	SET UPPER ENGINE GASKET (P/N:3801007)	1	NOS
15	BUSHING (P/N:3002834)	7	NOS
16	BUSHING (P/N:205133)	1	NOS
17	PISTON COOLING NOZZLE (P/N:3007517)	6	NOS
18	BUSHING (P/N:3004686)	2	NOS
19	THRUST BEARING (P/N:130083)	4	NOS
20	ASSEMBLY CYLINDER HEAD (P/N:3811988)	1	NOS
21	RADIATOR (M/N:AWV4283 RCU)	1	NOS

Remarks: Cummins Diesel Engine: M/N:KTA 19-G3, S/N: 37212659, CPL no: 1455

• **Bids shall indicate the following:**

- Price

* Door Step Delivery Price

OR

* The following charges shall be applied for CIF Male' Prices:

1. For custom duty (25% of CIF price)
2. For clearing, handling & delivery to STELCO site (2% of the highest quoted CIF price)

* Bids shall indicate the unit price, total price for each item and total price of the bid.

State Electric Company Ltd.

RefNo: H-2010/39

Date: 27/05/2010

Invitation for Bids

1. State Electric Company Ltd (STELCO) invites sealed bids from interested and eligible bidders for the Supply of Diesel Fuel (Marine Gas Oil).
2. A complete set of bidding documents may be purchased by interested and eligible bidders from STELCO's head office in Male', from 1st June 2010 to 22nd June 2010 between 08:30 hrs to 16:00 hrs on all working days, upon payment of a non-refundable fee of US\$2000.00 (Two Thousand) or equivalent in Maldivian Rufiyaa, by telegraphic transfer or directly to our payment counters at head office. Overseas bidders shall pay additional US\$100.00 (One Hundred) if they require the documents to be delivered to their mailing address. Documents shall be issued from 06th June 2010 to 30th June 2010 between 09:30hrs to 14:30hrs on all working days.
 - Only bidders who purchase the bidding document can participate and thus the document is not transferable.
3. Interested bidders may obtain further information from the following address:

Procurement and Inventory Management Department
State Electric Company Limited.
Ameenee Magu, Male' 20349
Republic of Maldives
Tel: (960) 3338121 / 3338 122
Fax: (960) 332 7036
E-mail: procurement@stelco.com.mv

4. All bids shall be accompanied with a bid security of US\$500,000.00 (Five Hundred Thousand) or equivalent in Maldivian Rufiyaa, which shall be valid for 20 days beyond the validity of the bid. The amount of performance security shall be US\$2,000,000.00 (Two Million).
5. A pre-bid meeting shall be held on 1st July 2010 at 14:00hrs local time at STELCO Head Office, 2nd Floor meeting room.
6. All bids shall reach STELCO head office on or before Thursday, 22nd July 2010, 13:45hrs.
7. The bids shall be submitted in sealed envelope and addressed as follows:

Head of Procurement and Inventory Management Department
State Electric Company Limited.
Supply of Diesel Fuel
Ref. no: H-2010/39

- STELCO shall not be liable for the misplacement or premature opening for the unlabeled sealed bids.
8. Bids shall be opened on 22nd July 2010 at 14:00 hrs at STELCO Head Office, 2nd Floor meeting room, in the presence of those bidders or bidder's representatives who wish to attend the session.

Key Dates:-

EVENT	DATE	TIME
Selling Tender documents	01 st June 2010 – 22 nd June 2010(on all working days)	08:30 hrs – 16:00 hrs
Issuing Tender Documents	06 th June 2010 – 30 th June 2010 (on all working days)	09:30 hrs – 14:30 hrs
Pre-bid Meeting	1 st July 2010	14:00 hrs
Bid Opening	22 nd July 2010	14:00 hrs

* Bids shall indicate the unit price, total price for each item and total price of the bid.

- **Currency** (If not stated, shall be assumed as Maldivian Rufiya).
- **Delivery period** (In days). For CIF quoted bids, additional 7 days shall be included for the clearing, handling and delivery to STELCO site.
- **Technical specification(s)**: All the relevant information(s) shall be completed to enable technical evaluation of the item(s) quoted.
- **Genuine parts**: Only genuine product(s) shall be acceptable.
- **Company details**: Shall submit company profile, registration copy and contact details.

• **The bid shall be submitted in sealed envelope and addressed as follows:**

Head of Procurement and Inventory Management Department
State Electric Company Limited.
Surg Suppressor for Hulhumale PH
Ref. no: PMT-2010/74

- STELCO shall **not be liable** for the misplacement or premature opening for the unlabeled sealed bids.

• **Deadline:**

All sealed bids shall reach STELCO head office on or before **Wednesday, 09th June 2010, 13:30hrs**. Any bid(s) received after this deadline shall be disqualified.

• **Bid Opening:**

Bids shall be opened on **Wednesday, 09th June 2010, at 13:30hrs, STELCO Head Office, at 2nd Floor meeting room**, in the presence of those bidders or bidder's representatives who wish to attend the session.

• **Bid Evaluation Criteria:**

All Bids shall be evaluated on the following basis. Points (pts) shall be given according to the formula below.

- Price = 85 pts $[(\text{Minimum Quoted Price}) / (\text{Quoted Price}) \times 85]$.
- Delivery period = 10 pts $[(\text{Shortest delivery period}) / (\text{Quoted delivery period}) \times 10]$.
- Experience = 05 pts (Submit feedback from previous supplies for similar work).

* Additional (US\$25/- plus 0.04% of bid amount shall be included to price of bid as financial costs for overseas payments).

• **Further information:**

Interested bidders may obtain further information from the following address:

Procurement and Inventory Management Department
State Electric Company Limited.
Ameenee Magu, Male', 20349
Republic of Maldives
Tel: (960) 333 8121, (960) 333 8122
Fax: (960) 332 7036
E-mail: procurement@stelco.com.mv.

- This invitation for bid is also published in STELCO website www.stelco.com.mv.

in the presence of those bidders or bidder's representatives who wish to attend the session.

• **Bid Evaluation Criteria:**

All Bids shall be evaluated on the following basis. Points (pts) shall be given according to the formula below.

- Price = 80 pts $[(\text{Minimum Quoted Price}) / (\text{Quoted Price}) \times 80]$.
- Delivery period = 05 pts $[(\text{Shortest delivery period}) / (\text{Quoted delivery period}) \times 20]$.
- Experience = 05 pts (Submit feedback from previous supplies for similar work).
- Specification = 10 pts

* Additional (US\$25/- plus 0.04% of bid amount shall be included to price of bid as financial costs for overseas payments).

• **Further information:**

Interested bidders may obtain further information from the following address:

Procurement and Inventory Management Department
State Electric Company Limited.
Ameenee Magu, Male', 20349
Republic of Maldives
Tel: (960) 333 8121, (960) 333 8122
Fax: (960) 332 7036
E-mail: procurement@stelco.com.mv.

- This invitation for bid is also published in STELCO website www.stelco.com.mv.

State Electric Company Ltd.

Ref No: PMT-2010/74

Date: 27-05-2010

Invitation for Bids

State Electric Company Ltd (STELCO) invites sealed bids from interested and eligible bidders for the following item(s).

Item	Description	Qty	
1	Surg Suppressor (Z 500) Stamford	8	NOS

• **Bids shall indicate the following:**

- **Price**

* Door Step Delivery Price

OR

* The following charges shall be applied for CIF Male' Prices:

1. For custom duty (25% of CIF price)
2. For clearing, handling & delivery to STELCO site (2% of the highest quoted CIF price)

State Electric Company Ltd.

Ref No: PMT-2010/76

Date: 27-05-2010

Invitation for Bids

State Electric Company Ltd (STELCO) invites sealed bids from interested and eligible bidders for the following item(s).

Item	Description	Qty	
1	PLOTTER	1	NOS

Remarks: (Brand: To specify by the supplier; Plotter Type: Colour; Print Size: A0 or A0+; Paper Size: Sheet & Roll; Media Cutter: Horizontal Media Cutter Installed; Power Supply: AC 240V (50Hz); Unit with Stand: Yes; Consumables: One Set of Ink Cartridges, One Roll of A0 Size Paper.

• **Bids shall indicate the following:**

- **Price**

* Door Step Delivery Price

OR

* *The following charges shall be applied for CIF Male' Prices:*

1. For custom duty (25% of CIF price)
2. For clearing, handling & delivery to STELCO site (2% of the highest quoted CIF price)

* Bids shall indicate the unit price, total price for each item and total price of the bid.

- **Currency** (*If not stated, shall be assumed as Maldivian Rufiya*).
- **Delivery period** (*In days*). *For CIF quoted bids, additional 7 days shall be included for the clearing, handling and delivery to STELCO site.*
- **Technical specification(s)**: *All the relevant information(s) shall be completed to enable technical evaluation of the item(s) quoted.*
- **Genuine parts**: *Only genuine product(s) shall be acceptable.*
- **Company details**: *Shall submit company profile, registration copy and contact details.*

• **The bid shall be submitted in sealed envelope and addressed as follows:**

Head of Procurement and Inventory Management Department
State Electric Company Limited.
Plotter for SDD
Ref. no: PMT-2010/76

- *STELCO shall **not be liable** for the misplacement or premature opening for the unlabeled sealed bids.*

• **Deadline:**

All sealed bids shall reach STELCO head office on or before **Wednesday, 09th June 2010, 14:30hrs**. Any bid(s) received after this deadline shall be disqualified.

• **Bid Opening:**

Bids shall be opened on **Wednesday, 09th June 2010, at 14:30hrs, STELCO Head Office, at 2nd Floor meeting room,**

<p>2 رتبه. 2 سؤالات صحیح و غلطی است. 2 درستی و سه نادرستی است. / تفسیرهای صحیح و نادرستیها:</p> <p>1. در این صورت، فرموده خداوند، درستی و سه نادرستی است. / در این صورت، سه نادرستی و یک فرموده صحیح است.</p> <p>2. در این صورت، فرموده خداوند صحیح است و سه نادرستی است. / در این صورت، سه نادرستی و یک فرموده صحیح است.</p> <p>3. 2 رتبه. 2 نادرستی و سه فرموده صحیح است. / در این صورت، سه نادرستی و یک فرموده صحیح است.</p>	<p>2 رتبه. 2 سؤالات صحیح و غلطی است. 2 درستی و سه نادرستی است. / تفسیرهای صحیح و نادرستیها:</p> <p>1. در این صورت، فرموده خداوند، درستی و سه نادرستی است. / در این صورت، سه نادرستی و یک فرموده صحیح است.</p> <p>2. در این صورت، فرموده خداوند صحیح است و سه نادرستی است. / در این صورت، سه نادرستی و یک فرموده صحیح است.</p> <p>3. در این صورت، فرموده خداوند صحیح است و سه نادرستی است. / در این صورت، سه نادرستی و یک فرموده صحیح است.</p>
---	---

<p>3100 و سه نادرستی است. / تفسیرهای صحیح و نادرستیها:</p>	<p>1 سؤالات صحیح و غلطی است. 1 درستی و سه نادرستی است. / تفسیرهای صحیح و نادرستیها:</p> <p>1. در این صورت، فرموده خداوند، درستی و سه نادرستی است. / در این صورت، سه نادرستی و یک فرموده صحیح است.</p> <p>2. 1 رتبه. 1 نادرستی و سه فرموده صحیح است. / در این صورت، سه نادرستی و یک فرموده صحیح است.</p> <p>3. در این صورت، فرموده خداوند صحیح است و سه نادرستی است. / در این صورت، سه نادرستی و یک فرموده صحیح است.</p>	<p>1000 سؤالات صحیح و غلطی است. / تفسیرهای صحیح و نادرستیها:</p>
--	---	--

در این صورت، فرموده خداوند، درستی و سه نادرستی است. / در این صورت، سه نادرستی و یک فرموده صحیح است.

در این صورت، فرموده خداوند صحیح است و سه نادرستی است. / در این صورت، سه نادرستی و یک فرموده صحیح است.

در این صورت، فرموده خداوند صحیح است و سه نادرستی است. / در این صورت، سه نادرستی و یک فرموده صحیح است.

در این صورت، فرموده خداوند صحیح است و سه نادرستی است. / در این صورت، سه نادرستی و یک فرموده صحیح است.

12 صحیح و غلطی است. 1431
26 صحیح و غلطی است. 2010

- 3- ڊڪڙڙي ڊسٽرڪٽ ۾ ڪم ڪرائڻ؛
- i. ٽي ڊڪڙڙي 3 ڊسٽرڪٽ ۾ ڪم ڪرائڻ ۽ ڊڪڙڙي 3 ڊسٽرڪٽ ۾ ڪم ڪرائڻ ۽ ڊڪڙڙي 3 ڊسٽرڪٽ ۾ ڪم ڪرائڻ؛
 - ii. ٽي ڊڪڙڙي 2 ڊسٽرڪٽ ۾ ڪم ڪرائڻ ۽ ڊڪڙڙي 2 ڊسٽرڪٽ ۾ ڪم ڪرائڻ ۽ ڊڪڙڙي 2 ڊسٽرڪٽ ۾ ڪم ڪرائڻ؛
- 4- ڊسٽرڪٽ ۾ ڪم ڪرائڻ ۽ ڊڪڙڙي 6 ڊسٽرڪٽ ۾ ڪم ڪرائڻ؛
- 5- ٽي ڊڪڙڙي 3 ڊسٽرڪٽ ۾ ڪم ڪرائڻ ۽ ڊڪڙڙي 3 ڊسٽرڪٽ ۾ ڪم ڪرائڻ؛

سڄي ڊڪڙڙي ڊسٽرڪٽ ۾ 03 جيس 2010 ۽ اڳي ۾ ڪم ڪرائڻ ۽ ڪم ڪرائڻ ۽ ڪم ڪرائڻ؛
 ڊڪڙڙي ڊسٽرڪٽ ۾ ڪم ڪرائڻ ۽ ڪم ڪرائڻ ۽ ڪم ڪرائڻ؛
 ڊڪڙڙي ڊسٽرڪٽ ۾ ڪم ڪرائڻ ۽ ڪم ڪرائڻ ۽ ڪم ڪرائڻ؛

Ministry of Housing, Transport and Environment
 Republic of Maldives

Ref: (IUL)138/1/2010/1013

Invitation for Interested Consultants

Integrating Climate Change Risk into Resilient Island Planning Project in the Maldives (ICRRIP)

The Ministry of Housing, Transport and Environment is seeking consultants to the newly implementing project (**Integrating Climate Change Risk into Resilient Island Planning**) by the Ministry with collaboration of the United Nations Development Program (UNDP).

Local Consultant: Survey of Adaptation Measures

The purpose of the proposed survey is to provide baseline information on adaptation (and related coastal protection measures) activities in Maldives, and to identify adaptation options currently being used that may be suitable for replication in the project. The expected output is a compendium of 'soft' adaptation measures that can be implemented by communities, highlighting the features of each measure, their strengths, weaknesses and costs, and providing illustrated examples of such measures in the Maldives.

Objectives

- To compile information on the variety of adaptation measures currently being taken to address coastal erosion, flooding and other climate related risks in different residential and resort islands.
- To assess the relative effectiveness and costs of the adaptation measures and the factors that appears to affect performance of these measures.
- To assess the potential for implementation of 'soft' adaptation measures and the major barriers, constraints and opportunities at the island level (including training needs).

The survey team will:

- Identify current level of climate change adaptation activity on residential and resort islands in the Maldives;
- assess, at an overview level, the relative effectiveness of adaptation measures being used on residential and resort islands; and
- Identify the major issues and barriers related to the use of coastal protection adaptation measures.

Qualifications:

- M. Sc or higher in engineering or related field
- Excellent knowledge and at least 10 years experience in coastal protection projects
- Experience and knowledge with working with island communities

Proposals will be selected based on the proponent's experience in the area, quotation and timetable for delivery of the services as per the terms of reference attached.

Priority will be given to the candidates with experience on issues related to the project.

Interested Candidate may obtain the Terms of Reference (TOR) from the address below

Ministry Of Housing, Transport and Environment
Integrating Climate Change Risk into Resilient Island Planning Project in the Maldives
 Ameene Magu
 Maafannu
 Tel: +(960) 300 4 300
 Fax: +(960) 300 4 301
 Email: secretariat@mhte.gov.mv
hamza.khaleel@environment.gov.mv

Expressions of interest must be delivered in writing with a resume to the above address by 1500 hours on 2nd June 2010 by regular mail or e-mail.

11,873.00	صَسْرَءُ حِرْ حَسَنَاءُ (119 حَسْرَءُ) (1.69 حَسْرَءُ) 1 3/4" X 3 3/4" X 15' X 51 PCS (0.6973) 1 3/4" X 3 3/4" X 16' X 68 PCS (0.9917)	01	4903
11,803.00	صَسْرَءُ حِرْ حَسَنَاءُ (102 حَسْرَءُ) (1.67 حَسْرَءُ) 4 1/2" X 1 3/4" X 14' X 30 PCS (0.4594) 4 1/2" X 1 3/4" X 15' X 48 PCS (0.7875) 4 1/2" X 1 3/4" X 16' X 24 PCS (0.4200)	01	4904
11,803.00	صَسْرَءُ حِرْ حَسَنَاءُ (119 حَسْرَءُ) (1.50 حَسْرَءُ) 3 3/4" X 1 3/4" X 13' X 23 PCS (0.2725) 3 3/4" X 1 3/4" X 14' X 96 PCS (1.2250)	01	4905
10,602.00	صَسْرَءُ حِرْ حَسَنَاءُ (119 حَسْرَءُ) (1.50 حَسْرَءُ) 3 3/4" X 1 3/4" X 13' X 18 PCS (0.2133) 3 3/4" X 1 3/4" X 14' X 101 PCS (1.2888)	01	4906
11,700.00	Pcs: Monarch Contessa in ground Jacuzzi Pool	01	4450-07
11,700.00	Pcs: Monarch Contessa in ground Jacuzzi Pool	01	4450-08
11,700.00	Pcs: Monarch Contessa in ground Jacuzzi Pool	01	4450-13
11,700.00	Pcs: Monarch Contessa in ground Jacuzzi Pool	01	4450-14
11,700.00	Pcs: Monarch Contessa in ground Jacuzzi Pool	01	4450-15
11,700.00	Pcs: Monarch Contessa in ground Jacuzzi Pool	01	4450-16
11,700.00	Pcs: Monarch Contessa in ground Jacuzzi Pool	01	4450-17
11,700.00	Pcs: Monarch Contessa in ground Jacuzzi Pool	01	4450-18
11,700.00	Pcs: Monarch Contessa in ground Jacuzzi Pool	01	4450-19
11,700.00	Pcs: Monarch Contessa in ground Jacuzzi Pool	01	4450-20
11,700.00	Pcs: Monarch Contessa in ground Jacuzzi Pool	01	4450-21
11,700.00	Pcs: Monarch Contessa in ground Jacuzzi Pool	01	4450-22
11,700.00	Pcs: Monarch Contessa in ground Jacuzzi Pool	01	4450-23
11,700.00	Pcs: Monarch Contessa in ground Jacuzzi Pool	01	4450-24
11,700.00	Pcs: Monarch Contessa in ground Jacuzzi Pool	01	4450-25
11,700.00	Pcs: Monarch Contessa in ground Jacuzzi Pool	01	4450-26
11,700.00	Pcs: Monarch Contessa in ground Jacuzzi Pool	01	4450-27
11,700.00	Pcs: Monarch Contessa in ground Jacuzzi Pool	01	4450-28
11,700.00	Pcs: Monarch Contessa in ground Jacuzzi Pool	01	4450-29

ދިވެހިސަރުކާރުގެ ގެޒެޓް

ދިވެހިސަރުކާރުގެ ގެޒެޓް ގައި ބަޔާންކޮށްފައިވާ (www.maldport.com.mv) ގައި ބަޔާންކޮށްފައިވާ ގޮތަށް.

ސަރުކާރުގެ ގެޒެޓް ގައި ބަޔާންކޮށްފައިވާ ގޮތަށް	މަޢުލޫމާތު	މަޢުލޫމާތު	ސަރުކާރުގެ ގެޒެޓް ގައި ބަޔާންކޮށްފައިވާ ގޮތަށް
200.00 ރ. ގެ ގޮތުގައި ބަޔާންކޮށްފައިވާ ގޮތަށް.			
78,848.00	ފެން ޖެހިގެން ދަތުރުކުރާ ޖެލް	1280	4870
66,687.00	ޖެލް ލެޕްޓޮޕް ޕްލޭޝަރ ޖެލް ފޮޓޯޕްރިންޓަރ	705	4873
65,648.00	ޖެލް ލެޕްޓޮޕް ޕްލޭޝަރ ޖެލް ފޮޓޯޕްރިންޓަރ	770	4874
67,579.00	ޖެލް ލެޕްޓޮޕް ޕްލޭޝަރ ޖެލް ފޮޓޯޕްރިންޓަރ	791	4875
65,855.00	ޖެލް ލެޕްޓޮޕް ޕްލޭޝަރ ޖެލް ފޮޓޯޕްރިންޓަރ	708	4876

Container no· DVRU 143 1340		
ފެން ޖެހިގެން ދަތުރުކުރާ ޖެލް 1280 / 4870		
PLT NO	SIZE	QTY
121	600 X 600 X 18 MM	50 PCS
122	600 X 600 X 18 MM	55 PCS
123	600 X 600 X 18 MM	55 PCS
124	600 X 600 X 18 MM	50 PCS
125	600 X 600 X 18 MM	55 PCS
126	600 X 600 X 18 MM	55 PCS
127	600 X 600 X 18 MM	50 PCS
128	600 X 600 X 18 MM	55 PCS
129	600 X 600 X 18 MM	55 PCS
130	600 X 600 X 18 MM	50 PCS
131	600 X 600 X 18 MM	55 PCS
132	600 X 600 X 18 MM	55 PCS
133	600 X 600 X 18 MM	50 PCS
134	600 X 600 X 18 MM	55 PCS
135	600 X 600 X 18 MM	55 PCS
136	600 X 600 X 18 MM	50 PCS
137	600 X 600 X 18 MM	55 PCS

138	600 X 600 X 18 MM	55 PCS
139	600 X 600 X 18 MM	50 PCS
140	600 X 600 X 18 MM	55 PCS
141	600 X 600 X 18 MM	55 PCS
142	600 X 600 X 18 MM	50 PCS
143	600 X 600 X 18 MM	55 PCS
144	600 X 600 X 18 MM	55 PCS

Container no- ZIMU 237 8236
 سرٲٲٲٲ سرٲٲٲٲ 4873 / 705 ٲٲٲٲ ٲٲٲٲٲٲٲٲ ٲٲٲٲٲٲٲٲ ٲٲٲٲٲٲٲٲ

PLT NO	SIZE	BOXES	PCS
29	15 X 90 X 600 MM	30	X 24 = 720
30	15 X 90 X 600 MM	30	X 24 = 720
31	15 X 90 X 900 MM	30	X 24 = 720
32	15 X 90 X 900 MM	30	X 24 = 720
33	15 X 90 X 900 MM	30	X 24 = 720
34	15 X 90 X 900 MM	30	X 24 = 720
35	15 X 90 X 600 MM	30	X 24 = 720
36	15 X 90 X 600 MM	30	X 24 = 720
37	15 X 90 X 900 MM	30	X 24 = 720
38	15 X 90 X 900 MM	25	X 24 = 600
39	15 X 90 X 900 MM	25	X 24 = 600
40	15 X 90 X 600 MM	25	X 24 = 600
41	15 X 90 X 600 MM	25	X 24 = 600
42	15 X 90 X 600 MM	25	X 24 = 600
43	15 X 90 X 900 MM	25	X 24 = 600
44	15 X 90 X 900 MM	25	X 24 = 600
45	15 X 90 X 900 MM	30	X 24 = 720
46	15 X 90 X 900 MM	25	X 24 = 600
47	15 X 90 X 900 MM	30	X 24 = 720
48	15 X 90 X 600 MM	25	X 24 = 600
49	15 X 90 X 600 MM	30	X 24 = 720
50	15 X 90 X 900 MM	25	X 24 = 600
51	15 X 90 X 900 MM	30	X 24 = 720

52	15 X 90 X 600 MM	30	X 24 = 720
53	15 X 90 X 600 MM	25	X 24 = 600
54	15 X 90 X 600 MM	10	X 24 = 240
	15 X 90 X 900 MM	03	X 24 = 72

Container no. GLDU 299 1738

سرویس سرسبز 4874 / 770 پست لاسرچ ڈی ڈی سرسبز ی مونسٹرو

PLT NO	SIZE	BOXES	PCS
01	15 x 90 x 600 mm	30	X 24 = 720
02	15 x 90 x 600 mm	30	X 24 = 720
03	15 x 90 x 600 mm	30	X 24 = 720
04	15 x 90 x 600 mm	30	X 24 = 720
05	15 x 90 x 900 mm	30	X 24 = 720
06	15 x 90 x 900 mm	30	X 24 = 720
07	15 x 90 x 600 mm	30	X 24 = 720
08	15 x 90 x 600 mm	30	X 24 = 720
09	15 x 90 x 600 mm	25	X 24 = 600
10	15 x 90 x 600 mm	25	X 24 = 600
11	15 x 90 x 600 mm	25	X 24 = 600
12	15 x 90 x 600 mm	25	X 24 = 600
13	15 x 90 x 900 mm	25	X 24 = 600
14	15 x 90 x 900 mm	25	X 24 = 600
15	15 x 90 x 900 mm	25	X 24 = 600
16	15 x 90 x 900 mm	25	X 24 = 600
17	15 x 90 x 900 mm	25	X 24 = 600
18	15 x 90 x 600 mm	25	X 24 = 600
19	15 x 90 x 600 mm	25	X 24 = 600
20	15 x 90 x 600 mm	30	X 24 = 720
21	15 x 90 x 600 mm	30	X 24 = 720
22	15 x 90 x 600 mm	30	X 24 = 720
23	15 x 90 x 600 mm	30	X 24 = 720
24	15 x 90 x 900 mm	25	X 24 = 600

25	15 x 90 x 600 mm	25	X 24 = 600
26	15 x 90 x 600 mm	25	X 24 = 600
27	15 x 90 x 900 mm	30	X 24 = 720
28	15 x 90 x 900 mm	30	X 24 = 720

Container no. ZIMU 143 1038
 سرگودھا سرگودھا 4875 / 791 لاہور لاہور 791 / 4875 سرگودھا سرگودھا

PLT NO	SIZE	BOXES	PCS
01	15 X 90 X 900 MM	25	X 24 = 600
02	15 X 90 X 900 MM	25	X 24 = 600
03	15 X 90 X 900 MM	25	X 24 = 600
04	15 X 90 X 600 MM	30	X 24 = 720
05	15 X 90 X 900 MM	25	X 24 = 600
06	15 X 90 X 900 MM	30	X 24 = 720
07	15 X 90 X 600 MM	30	X 24 = 720
08	15 X 90 X 600 MM	30	X 24 = 720
09	15 X 90 X 600 MM	30	X 24 = 720
10	15 X 90 X 600 MM	25	X 24 = 600
11	15 X 90 X 600 MM	30	X 24 = 720
12	15 X 90 X 900 MM	30	X 24 = 720
13	15 X 90 X 900 MM	30	X 24 = 720
14	15 X 90 X 600 MM	25	X 24 = 600
15	15 X 90 X 600 MM	25	X 24 = 600
16	15 X 90 X 600 MM	25	X 24 = 600
17	15 X 90 X 600 MM	30	X 24 = 720
18	15 X 90 X 600 MM	30	X 24 = 720
19	15 X 90 X 900 MM	30	X 24 = 720
20	15 X 90 X 600 MM	25	X 24 = 600
21	15 X 90 X 600 MM	25	X 24 = 600
22	15 X 90 X 600 MM	25	X 24 = 600
23	15 X 90 X 600 MM	25	X 24 = 600
24	15 X 90 X 600 MM	30	X 24 = 720
25	15 X 90 X 600 MM	25	X 24 = 600
26	15 X 90 X 600 MM	25	X 24 = 600
27	15 X 90 X 600 MM	30	X 24 = 720
28	15 X 90 X 600 MM	25	X 24 = 600

29	15 X 90 X 900 MM	06	X 24 = 144
	15 X 90 X 600 MM	15	X 24 = 360
30	15 X 90 X 600 MM	03	X 24 = 72
	15 X 90 X 900 MM	11	X 24 = 264

Container no. FCIU 380 6495

سرویس سروس 4876 / 708 708 / 4876 سرویس سروس ی سرویس

PLT NO	SIZE	BOXES	PCS
01	15 X 90 X 900 MM	25	X 24 = 600
02	15 X 90 X 900 MM	25	X 24 = 600
03	15 X 90 X 900 MM	25	X 24 = 600
04	15 X 90 X 900 MM	25	X 24 = 600
05	15 X 90 X 900 MM	25	X 24 = 600
06	15 X 90 X 600 MM	25	X 24 = 600
07	15 X 90 X 600 MM	25	X 24 = 600
08	15 X 90 X 600 MM	25	X 24 = 600
09	15 X 90 X 600 MM	30	X 24 = 720
10	15 X 90 X 600 MM	30	X 24 = 720
11	15 X 90 X 600 MM	30	X 24 = 720
12	15 X 90 X 600 MM	30	X 24 = 720
13	15 X 90 X 900 MM	25	X 24 = 600
14	15 X 90 X 900 MM	30	X 24 = 720
15	15 X 90 X 600 MM	25	X 24 = 600
16	15 X 90 X 600 MM	30	X 24 = 720
17	15 X 90 X 600 MM	30	X 24 = 720
18	15 X 90 X 600 MM	30	X 24 = 720
19	15 X 90 X 900 MM	25	X 24 = 600
20	15 X 90 X 900 MM	25	X 24 = 600
21	15 X 90 X 900 MM	30	X 24 = 720
22	15 X 90 X 900 MM	30	X 24 = 720
23	15 X 90 X 900 MM	30	X 24 = 720
24	15 X 90 X 900 MM	30	X 24 = 720
25	15 X 90 X 900 MM	30	X 24 = 720

سرویس نمبر	مکتبہ	رقم	سرویس نمبر
درج ذیل نصاب کے مطابق درج ذیل قیمتوں پر 200.00 سے آؤ۔			
7,541.00	سرویس نمبر (مکتبہ) 16' x 7 1/2" x 04" x 16 pcs (1.067 ton)	01	4561
7,541.00	سرویس نمبر (مکتبہ) 16' x 08" x 03" x 20 pcs (1.067 ton)	01	4562
12,085.00	سرویس نمبر (مکتبہ) 16' x 12" x 03" x 09 pcs (0.72 ton) 18' x 12" x 03" x 11 pcs (0.99 ton)	01	4641
10,530.00	سرویس نمبر (مکتبہ) 20' x 12" x 03" x 13 pcs (1.300 ton) 19' x 12" x 03" x 02 pcs (0.190 ton)	01	4690
8,481.00	سرویس نمبر (مکتبہ) 12' x 06" x 02" x 60 pcs (1.200 ton)	01	4958
12 بجے ڈھانچہ نمبر 1431			
26 مارچ 2010			

ذیل کے نصاب کے مطابق -
 س. ر. مکتبہ نصاب کے مطابق
 سروس نمبر: (IUL)14-RC/01/2010/1001

درج ذیل نصاب کے مطابق -
 س. ر. مکتبہ نصاب کے مطابق
 سروس نمبر: 20000/- (پورٹلے نمبر)

درج ذیل نصاب کے مطابق -
 س. ر. مکتبہ نصاب کے مطابق
 سروس نمبر: 1000/- (پورٹلے نمبر)

09 بجے ڈھانچہ نمبر 1431
 23 مارچ 2010

دندونونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
۱۰. د ډولونو، ډولونو، ډولونو

نومبر: 10 / 207/2010 (B)

اړخونه

G1791A-04 10-T سره سم ډولونو

” ډولونو “ سره سم ډولونو

ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو

ډولونو ډولونو

- 1. ډولونو ډولونو : 17-370 ډولونو
- 2. ډولونو ډولونو : 5-150 ډولونو
- 3. ډولونو ډولونو : 1-570 ډولونو
- 4. ډولونو ډولونو : 71-690
- 5. ډولونو ډولونو : 14-37
- 6. ډولونو ډولونو : ډولونو
- 7. ډولونو ډولونو : 27 ډولونو 1996
- 8. ډولونو ډولونو : ډولونو ډولونو
- 9. ډولونو ډولونو : 67 ډولونو

ډولونو ډولونو

- 1. ډولونو ډولونو : 4 ډولونو 75
- 2. ډولونو ډولونو : ډولونو
- 3. ډولونو ډولونو : ډولونو

ډولونو ډولونو

- 1. 02 ډولونو، 01 ډولونو، 01 ډولونو
- 2. 02 ډولونو، 02 ډولونو

3. 76 ډولونو، 01 ډولونو

ډولونو، ډولونو ډولونو ډولونو
ډولونو ډولونو 30 ډولونو 2010
ډولونو ډولونو ډولونو ډولونو
08:30 ډولونو ډولونو 15:30 ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو

ډولونو، ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو

ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو
ډولونو ډولونو ډولونو ډولونو

11 ډولونو، 1431

25 ډولونو، 2010

מכשירים שיש להם מספרים רשמיים
 המיועדים לשימוש ביתי
 ד"ר, פרופ' אריאל

הצעה

המטרה היא להגדיר את המספרים הרשמיים של המכשירים שיש להם מספרים רשמיים
 המיועדים לשימוש ביתי. המספרים הרשמיים של המכשירים שיש להם מספרים רשמיים
 המיועדים לשימוש ביתי יוגדרו על ידי המשרד. המספרים הרשמיים של המכשירים
 שיש להם מספרים רשמיים המיועדים לשימוש ביתי יוגדרו על ידי המשרד.

301-400	201-300	101-200	0-100	המספרים הרשמיים
2.95	2.50	2.50	2.25	המספרים הרשמיים
0.45	0.35	0.80	0.75	המספרים הרשמיים של המכשירים שיש להם מספרים רשמיים המיועדים לשימוש ביתי
2.50	2.15	1.70	1.50	המספרים הרשמיים של המכשירים שיש להם מספרים רשמיים המיועדים לשימוש ביתי

המטרה היא להגדיר את המספרים הרשמיים של המכשירים שיש להם מספרים רשמיים
 המיועדים לשימוש ביתי. המספרים הרשמיים של המכשירים שיש להם מספרים רשמיים
 המיועדים לשימוש ביתי יוגדרו על ידי המשרד. המספרים הרשמיים של המכשירים
 שיש להם מספרים רשמיים המיועדים לשימוש ביתי יוגדרו על ידי המשרד.

26 ד"ר 2010

הצעה

המטרה היא להגדיר את המספרים הרשמיים של המכשירים שיש להם מספרים רשמיים
 המיועדים לשימוש ביתי. המספרים הרשמיים של המכשירים שיש להם מספרים רשמיים
 המיועדים לשימוש ביתי יוגדרו על ידי המשרד. המספרים הרשמיים של המכשירים
 שיש להם מספרים רשמיים המיועדים לשימוש ביתי יוגדרו על ידי המשרד.

סדרה: (IUL)202-M/1/2010/1019

הצעה

המטרה היא להגדיר את המספרים הרשמיים של המכשירים שיש להם מספרים רשמיים
 המיועדים לשימוש ביתי. המספרים הרשמיים של המכשירים שיש להם מספרים רשמיים
 המיועדים לשימוש ביתי יוגדרו על ידי המשרד. המספרים הרשמיים של המכשירים
 שיש להם מספרים רשמיים המיועדים לשימוש ביתי יוגדרו על ידי המשרד.

1- המספרים הרשמיים של המכשירים P6352A-01-10-T

10 ד"ר 1431

24 ד"ר 2010

