

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



# ދިވެހިސަރުކާރުގެ ގެޒެޓް

ވޮލިއުމް: 41    ރަޢަދަތު: 184    ޖަދުވަލު: 20    ފުލުވުޅު މަހު 1433    -    5 ސަފުހާ 2012    ވަގުތީ

155 .....	ސަރުކާރު	3 .....	މަސައްސަރާތަކާ ބެހޭ
158 .....	ސަރުކާރު	24 .....	މަސައްސަރާތަކާ ބެހޭ
162 .....	މިސާލުގެ ގޮތުގައި	72 .....	މިސާލުގެ ގޮތުގައި
189 .....	މަސައްސަރާތަކާ ބެހޭ	73 .....	މަސައްސަރާތަކާ ބެހޭ

- ގެޒެޓްގައި ބަޔާންކުރާ ތަޢާރާތައް، ފަރާތްތަކުގެ ސަބަބުން ކުރިއަށް ގެޒެޓްގައި ބަޔާންކުރާ ތަޢާރާތައް، ސަރުކާރުގެ ސަބަބުން ބަޔާންކުރާ ތަޢާރާތައް.
- ގެޒެޓްގައި ބަޔާންކުރާ ތަޢާރާތައް ރާއްޖޭގެ ފަތުރުވެރިކަމުގެ ސަބަބުން ކުރިއަށް ގެޒެޓްގައި ބަޔާންކުރާ ތަޢާރާތައް.
- ރަސްމީ ގެޒެޓްގައި ބަޔާންކުރާ ތަޢާރާތައް ވަކިކޮށް ބަޔާންކުރާ ތަޢާރާތައް، ރަސްމީ ގެޒެޓްގައި ބަޔާންކުރާ ތަޢާރާތައް ގަނޑުގައި ބަޔާންކުރާ ތަޢާރާތައް.
- ގެޒެޓްގައި ބަޔާންކުރާ ތަޢާރާތައް ފުލުވުޅު މަހު 2012 ގެޒެޓްގައި ބަޔާންކުރާ ތަޢާރާތައް. ފަތުރުވެރިކަމުގެ ސަބަބުން ބަޔާންކުރާ ތަޢާރާތައް.

ދިވެހިސަރުކާރުގެ ގެޒެޓް  
 ފުލުވުޅު، ފަތުރުވެރިކަމުގެ ސަބަބުން

ފަންޓް: 3323701 ، 3336137  
 ފުލުވުޅު: 3325500  
 ފެކްސް: gazette@po.gov.mv  
 ވެބްސައިޓް: www.gazette.gov.mv





















دېرېښه يې اړخ ژوند  
دځو، ترڅو رامنځ ته شي.

سره شمېره: (IUL)23-AP/1/2012/268

ارښود

د دېرېښه يې اړخ ژوند  
د ځو، ترڅو رامنځ ته شي.

د دېرېښه يې اړخ ژوند  
د ځو، ترڅو رامنځ ته شي.

14 څلورمه نېټه 1433

30 مه نېټه 2012

دېرېښه يې اړخ ژوند  
دځو، ترڅو رامنځ ته شي.

سره شمېره: (IUL)23-AP/1/2012/265

ارښود

د دېرېښه يې اړخ ژوند  
د ځو، ترڅو رامنځ ته شي.

د دېرېښه يې اړخ ژوند  
د ځو، ترڅو رامنځ ته شي.

14 څلورمه نېټه 1433

30 مه نېټه 2012

د دېرېښه يې اړخ ژوند  
دځو، ترڅو رامنځ ته شي.

سره شمېره: (IUL)120/1/2012/75

ارښود

د دېرېښه يې اړخ ژوند  
د ځو، ترڅو رامنځ ته شي.

د دېرېښه يې اړخ ژوند  
د ځو، ترڅو رامنځ ته شي.

14 څلورمه نېټه 1433

30 مه نېټه 2012

دېرېښه يې اړخ ژوند  
دځو، ترڅو رامنځ ته شي.

سره شمېره: (IUL)23-AP/1/2012/269

ارښود

د دېرېښه يې اړخ ژوند  
د ځو، ترڅو رامنځ ته شي.

د دېرېښه يې اړخ ژوند  
د ځو، ترڅو رامنځ ته شي.

13 څلورمه نېټه 1433

30 مه نېټه 2012







სსიპ: 188-A/ 2012/70

საერთაშორისო ტენდერების განხორციელების წესები

დადგინებული წესების დაცვას უზრუნველყობს საერთაშორისო ტენდერების განხორციელების წესები, რომელიც მოიცავს ტენდერების განხორციელების წესებს, ტენდერების განხორციელების წესებს, ტენდერების განხორციელების წესებს (ფორმის ანგარიშ) და 12 ფურცელის (ფორმის ანგარიშ) დამატებითი განმარტებით, რომლებიც განსაზღვრულია ტენდერების განხორციელების წესებში.

ფორმის ნომერი	სახელი	თარიღი	საერთაშორისო ტენდერების განხორციელების წესები
11:00	დადგინებული	12 თებერვალი 2012	საერთაშორისო ტენდერების განხორციელების წესები
11:00	ანგარიში	18 თებერვალი 2012	საერთაშორისო ტენდერების განხორციელების წესები

დადგინებული წესების დაცვას უზრუნველყობს საერთაშორისო ტენდერების განხორციელების წესები, რომელიც მოიცავს ტენდერების განხორციელების წესებს, ტენდერების განხორციელების წესებს, ტენდერების განხორციელების წესებს (ფორმის ანგარიშ) და 12 ფურცელის (ფორმის ანგარიშ) დამატებითი განმარტებით, რომლებიც განსაზღვრულია ტენდერების განხორციელების წესებში.

❖ ინფორმაციის დადგენის მისამართები

- ფონი: 3303647
- ფაქსი: 3303648
- ელფოსტა: [procurement@csc.gov.mv](mailto:procurement@csc.gov.mv)
- ვებ-გვერდი: [www.csc.gov.mv](http://www.csc.gov.mv)

1 თებერვალი 2012

სსიპ: (IUL)226-B/PRIV/2012/48

ინფორმაცია

01 არჩეული ტენდერის დასრულების შესახებ ინფორმაცია

დასრულებულია ტენდერის განხორციელების წესები (ანგარიშის დასრულების წესები) და 12 ფურცელის (ფორმის ანგარიშ) დამატებითი განმარტებით, რომლებიც განსაზღვრულია ტენდერების განხორციელების წესებში. (ანგარიშის დასრულების წესები) 01 (ანგარიშის დასრულების წესები) და 12 ფურცელის (ფორმის ანგარიშ) დამატებითი განმარტებით, რომლებიც განსაზღვრულია ტენდერების განხორციელების წესებში. (IUL)226-G/PRIV/2012/46 (18 თებერვალი 2012) ინფორმაცია













٤ ٥ ٦ ٧ ٨ ٩ ١٠ ١١ ١٢ ١٣ ١٤ ١٥ ١٦ ١٧ ١٨ ١٩ ٢٠ ٢١ ٢٢ ٢٣ ٢٤ ٢٥ ٢٦ ٢٧ ٢٨ ٢٩ ٣٠ ٣١ ٣٢ ٣٣ ٣٤ ٣٥ ٣٦ ٣٧ ٣٨ ٣٩ ٤٠ ٤١ ٤٢ ٤٣ ٤٤ ٤٥ ٤٦ ٤٧ ٤٨ ٤٩ ٥٠ ٥١ ٥٢ ٥٣ ٥٤ ٥٥ ٥٦ ٥٧ ٥٨ ٥٩ ٦٠ ٦١ ٦٢ ٦٣ ٦٤ ٦٥ ٦٦ ٦٧ ٦٨ ٦٩ ٧٠ ٧١ ٧٢ ٧٣ ٧٤ ٧٥ ٧٦ ٧٧ ٧٨ ٧٩ ٨٠ ٨١ ٨٢ ٨٣ ٨٤ ٨٥ ٨٦ ٨٧ ٨٨ ٨٩ ٩٠ ٩١ ٩٢ ٩٣ ٩٤ ٩٥ ٩٦ ٩٧ ٩٨ ٩٩ ١٠٠

١٦٧-٤/١/٢٠١٢/٧٩ (IUL) :٢

١٦٧-٤/١/٢٠١٢/٧٩

١٦٧-٤/١/٢٠١٢/٧٩ (IUL) :٢

١٦٧-٤/١/٢٠١٢/٧٩ (IUL) :٢

٤٥	٤٦	٤٧	٤٨
13:00	١٦٧-٤/١/٢٠١٢/٧٩ (IUL) :٢	12	١٦٧-٤/١/٢٠١٢/٧٩ (IUL) :٢
11:30	١٦٧-٤/١/٢٠١٢/٧٩ (IUL) :٢	19	١٦٧-٤/١/٢٠١٢/٧٩ (IUL) :٢

15 1433

31 2012

١٦٧-٤/١/٢٠١٢/٧٨ (IUL) :٢

١٦٧-٤/١/٢٠١٢/٧٨ (IUL) :٢

١٦٧-٤/١/٢٠١٢/٧٨

١٦٧-٤/١/٢٠١٢/٧٨ (IUL) :٢

١٦٧-٤/١/٢٠١٢/٧٨ (IUL) :٢

٤٥	٤٦	٤٧	٤٨
11:00	١٦٧-٤/١/٢٠١٢/٧٨ (IUL) :٢	12	١٦٧-٤/١/٢٠١٢/٧٨ (IUL) :٢
11:00	١٦٧-٤/١/٢٠١٢/٧٨ (IUL) :٢	19	١٦٧-٤/١/٢٠١٢/٧٨ (IUL) :٢

15 1433

31 2012









٤٠٤ (IUL)435-A4/2012/24

٤٠٤

(IUL)435-A4/2012/23 08 (2012)

(IUL)435-A4/2012/23 08 2012

٤٠٤

1433

31

٤٠٤ (IUL)435-A4/2012/25

٤٠٤

٤٠٤

٤٠٤

<ul style="list-style-type: none"> <li><b>Main Specifications</b> <ul style="list-style-type: none"> <li>Item: A3 Printer</li> <li>Device Type: Printer</li> <li>Resolution: 1200 x 1200 dpi</li> <li>Media Size: A3,A4,A5 etc</li> <li>Copier Type: Digital</li> <li>Copy Speed: 20ppm OR higher</li> <li>Duplexing Print: Standard.</li> <li>Printing Technology: Laser Print</li> <li>PC Connection: Ethernet (100 Base-TX/10 Base-T) and Hi-Speed USB</li> <li>Operating System Support: MS Windows XP, MS Windows 2000, MS Windows Vista, Windows 7.</li> </ul> </li> </ul>
<ul style="list-style-type: none"> <li><b>Memory</b> <ul style="list-style-type: none"> <li>Min 32MB – Max 512MB</li> </ul> </li> </ul>
<ul style="list-style-type: none"> <li><b>Power</b> <ul style="list-style-type: none"> <li>Voltage Required: AC 230 V (50/60Hz)</li> </ul> </li> </ul>
<ul style="list-style-type: none"> <li><b>Warranty</b> <ul style="list-style-type: none"> <li>Minimum 1 Year Parts, Minimum 1 year service</li> </ul> </li> </ul>

Հասցե կարգի մասին:

- արհեստագործ: 65% ( արհեստագործները և նաև արհեստագործների արհեստագործները )
- ծառայող: 10% (արհեստագործները և նաև արհեստագործների արհեստագործները)
- աշխատատեղի: 10% (2010 օրվա արհեստագործների քանակի 2012 թվականին հասնելու նպատակով):
- 15% (աշխատատեղիների քանակի 2010 թվականին հասնելու նպատակով):

Գործազուրկների և անաշխատանքի մնացածների քանակը:

- Գործազուրկների և անաշխատանքի մնացածների քանակը:
- արհեստագործների և անաշխատանքի մնացածների քանակը:
- արհեստագործների և անաշխատանքի մնացածների քանակը:
- արհեստագործների և անաշխատանքի մնացածների քանակը:
- արհեստագործների և անաշխատանքի մնացածների քանակը:

Հարցազրույցի պայմաններ:

- Ներկայացված արհեստագործների և անաշխատանքի մնացածների քանակը:
- արհեստագործների և անաշխատանքի մնացածների քանակը:
- արհեստագործների և անաշխատանքի մնացածների քանակը:
- արհեստագործների և անաշխատանքի մնացածների քանակը:
- արհեստագործների և անաշխատանքի մնացածների քանակը:

Գործազուրկների և անաշխատանքի մնացածների քանակը:

Գործազուրկների և անաշխատանքի մնացածների քանակը: 14 օրվա ընթացքում 2012 թվականի օրվա 10:00 արևմտյան կողմից արհեստագործների և անաշխատանքի մնացածների քանակը:

Գործազուրկների և անաշխատանքի մնացածների քանակը:

Գործազուրկների և անաշխատանքի մնացածների քանակը: 14 օրվա ընթացքում 2012 թվականի օրվա 10:00 արևմտյան կողմից արհեստագործների և անաշխատանքի մնացածների քանակը:

Գործազուրկների և անաշխատանքի մնացածների քանակը:

Գործազուրկների և անաշխատանքի մնացածների քանակը: 14 օրվա ընթացքում 2012 թվականի օրվա 10:00 արևմտյան կողմից արհեստագործների և անաշխատանքի մնացածների քանակը: Հարցազրույցի համարները՝ zaidhan@drugcourt.gov.mv և 3018556 օրվա ընթացքում:

14 օրվա ընթացքում 2012 թվականի օրվա 10:00 արևմտյան կողմից արհեստագործների և անաշխատանքի մնացածների քանակը:

**Ministry of Finance and Treasury**

Malé, Republic of Maldives

Ref.No: (IUL)13-K/13/2012/123

Project Number: TEB/2012/46

**INVITATION FOR BIDS**

**Maldives Environmental Management Project**

IDA Credit No.: 4427-MAL

**Manufacture & Supply of Three (3) Waste Transfer Vessels**

IFB No.: 013/4427-MAL

1. The Government of the Republic of Maldives has received credit from the International Development Association (IDA) towards the cost of Maldives Environmental Management Project (MEMP), and it intends to apply part of the proceeds of this credit to eligible payments under the Contract for the **Manufacture & Supply of Three (3) Waste Transfer Vessels**.
2. The Ministry of Finance and Treasury, on behalf of Ministry of Environment and Energy (the Employer), invites bids from eligible and qualified bidders to the Manufacture & Supply of Three (3) Waste Transfer Vessels.
3. Bidding will be conducted through the International Competitive Bidding (ICB) procedures specified in the World Bank's Guidelines: Procurement under IBRD Loans and IDA Credits and Grants by World Bank Borrowers dated January 2011, and is open to all bidders from Eligible Source Countries as defined in the Guidelines.
4. A complete set of the Bidding Documents in electronic format may be obtained from Tender Evaluation Section of Ministry of Finance and Treasury, from **October 8, 2012 to November 12, 2012** between **0830 hrs and 1430 hrs** on all working days, upon payment of a non-refundable fee of **MVR 1,500.00 (Maldivian Rufiyaa One Thousand Five Hundred)**.
5. All bids shall be accompanied by a bid security equivalent to **USD 1,500.00 (Thousand Five Hundred US Dollars)** which shall be valid for 28 days beyond the validity of the Bid.
6. Bids shall be valid for a period of 91 days from the date of bid opening and shall be delivered to the Ministry of Finance and Treasury at the address specified below for Bids, on or before **1100 hrs** Maldivian time on **November 13, 2012**, at which time they will be opened in the presence of the Bidders who wish to attend the bid opening.
7. Qualification requirements are stated in the Bidding Document. Margin of preference shall not be applicable.
8. Interested eligible bidders may obtain further information from Ministry of Finance and Treasury and Treasury and inspect the Bidding Documents at the address given below,

Mr. Ismail Shafeeq  
Permanent Secretary  
Tender Evaluation Section  
Ministry of Finance and Treasury,  
Ameenee Magu,  
Malé, Maldives,  
Tel: (960) 3349266, (960) 3349106  
Fax: (960) 3320706, (960) 3324432  
E-Mail: [tender@finance.gov.mv](mailto:tender@finance.gov.mv)

9. This Invitation for Bid is also published in the Ministry of Finance and Treasury website [www.finance.gov.mv](http://www.finance.gov.mv)



ԱՆՏԵՑ ԼԱԽՆՔԻ ԿՈՄՊԵՆԻ  
ԴՆԱՅՆ ԿՐԳՐԱՅԻՆ

ԽՆՏԵՑ: IUL-123(A)2012/36

ՃԱԿՆԵՐ

ԱՆՏԵՑՆԵՐԻ ԿԱԶՄՈՒՄԸ:

ՃԱԿՆԵՐԻ ԿՐԳՐԱՅԻՆ ԴՆԱՅՆ ԿՐԳՐԱՅԻՆ ԿԱԶՄՈՒՄԸ:

ՎՆԱԿԱԿՆԵՐ	ԿՆԱԿ	ԿԱԶՄՈՒՄԸ
Size H 72” No. of Door: 2 door Doors: Full Glass with Frame Lock: with lock Color: Dark Brown/Dark Grey	ՔՐԱԿՆԵՐԻ ՆԱԽԵՑ	6

ՍԵՐՎՈՒՄԸ ԿՐԳՐԱՅԻՆ ԿԱԶՄՈՒՄԸ 2012 թվականի 06 օգոստոսի 10:00 և 12 օգոստոսի 10:00 ժամերին: ԱՆՏԵՑՆԵՐԻ ԿԱԶՄՈՒՄԸ ԿՐԳՐԱՅԻՆ ԿԱԶՄՈՒՄԸ 2012 թվականի 08 օգոստոսի 14:33 և 24 օգոստոսի 2012 թվականին:

08 օգոստոսի 1433  
24 օգոստոսի 2012

ԱՆՏԵՑ ԼԱԽՆՔԻ ԿՈՄՊԵՆԻ  
ԴՆԱՅՆ ԿՐԳՐԱՅԻՆ

ԽՆՏԵՑ: IUL-123(A)2012/38

ՃԱԿՆԵՐ

ԱՆՏԵՑՆԵՐԻ ԿԱԶՄՈՒՄԸ IUL-123(A)2012/30

ՃԱԿՆԵՐԻ ԿՐԳՐԱՅԻՆ ԿԱԶՄՈՒՄԸ 2012 թվականի 04 օգոստոսի 14:00 և 12 օգոստոսի 14:00 ժամերին: ԱՆՏԵՑՆԵՐԻ ԿԱԶՄՈՒՄԸ ԿՐԳՐԱՅԻՆ ԿԱԶՄՈՒՄԸ 2012 թվականի 08 օգոստոսի 14:33 և 24 օգոստոսի 2012 թվականին:

ՍԵՐՎՈՒՄԸ ԿՐԳՐԱՅԻՆ ԿԱԶՄՈՒՄԸ 2012 թվականի 06 օգոստոսի 14:00 և 12 օգոստոսի 14:00 ժամերին: ԱՆՏԵՑՆԵՐԻ ԿԱԶՄՈՒՄԸ ԿՐԳՐԱՅԻՆ ԿԱԶՄՈՒՄԸ 2012 թվականի 08 օգոստոսի 14:33 և 24 օգոստոսի 2012 թվականին:

08 օգոստոսի 1433  
24 օգոստոսի 2012



**FENAKA Corporation Limited**

Male' , Republic of Maldives

Iulaan No: 92/IUL/FENAKA/12

Date: 05th November 2012

**Invitation for Bids****Preparation of Bid Specifications for 150 kW / 188 KVA Cummins Open Generator Sets (Genuine)**

**GENSETS FOR:**

**Th. Dhiyamigili**  
**Th. Omadhoo**  
**Th. Kinbidhoo**  
**Th. Vandhoo**  
**L. Gaadhoo**  
**B. Kudarikilu**  
**Ha. Filladhoo**

Fenaka Corporation Limited wishes to tender the supply of **07 Nos Cummins 150kW/188KVA Open Generator Sets (Genuine)** for the above mentioned islands. Each generator set with the following specifications.

No.	Description	Unit	Qty
1	Spring type anti-vibration mounting	No.	6
2	Primary residential exhaust silencer	No.	1
3	Secondary residential exhaust silencer	No.	1
4	Silencer Grade, Industrial, Exhaust System with complete accessories, Bellows and System Fixing Kit.	Lot	1
5	Paralleling droop kit	Set	1
6	Alternator anti condensation heater	No.	1
7	Power cable terminator box c/w copper bus-bar to be connected to the Alternator	No.	1
8	Control and safety shutdown cable terminal link for remote control cable box to Be mounted on the base frame of the engine.	No.	1
9	Engine gauges for water temp, Lub oil, Temp, Lub oil press, Tachometer	Set	1
10	Hour run meter and battery charging meters	Set	1
11	Engine shutdown safety system	Set	1
12	Automatic Voltage Regulator (AVR)	No.	1
13	Electric Fuel Control (EFC)	No.	1
14	12 or 24Volt maintenance free 200A lead acid battery, c/w battery cable-2M, With 2 nos. Battery Clip and 2 nos. Suitable Cable lug	Set	1
15	Free standing 750 liters. Capacity day fuel tank. c/w sight glass and Raco type	No.	1
16	Fuel/ Water separators, c/w Stand, Tank level lower and high fuel tank level hand transfer, pump	Set	1
17	Fuel hose- high pressure, day tank to engine c/w fittings suitable for Fuel/water separator	M	12
18	Fuel hose-high pressure, engine to Fuel Tank c/w fittings	M	15
19	Heavy duty Air cleaner	Set	1
20	Set of engine/ Alternator manual, engine workshop manuals, Parts catalogues, Service -manuals and engine Set system Drawings / Panel board Drawings to be supplied for the Genset	Set	1
21	Genset Mounted Radiator	No.	1

22	Circuit Breaker 800 A, 690V IEC, 600V UL, 3 Pole, 100%, End Facing.	No.	1
23	Cable Entrance Box	No.	1
24	Power Command Control, Control Panel Mounted, Viewed from Generator End, Language: English, Key Switch, Warning Low Battery Voltage, Shut down: Low Coolant Level, Control Cabinet Heater.	No.	1
25	Led Acid Batteries, Wet.	No.	1
26	Battery Charger	No.	1
27	Certified Genset Factory Test Records	No.	1
28	1 Year Warranty	No.	1

- **The Bidder shall quote for all items**

- **Quotation shall indicate the following**

- ❖ Quotation shall indicate the unit prices, total price for each item and total price of the quotation.
- ❖ **Currency** (If not stated, shall be assumed as Maldivian Rufiyaa)
- ❖ **Delivery Period** (In days)
- ❖ **Technical Specification (s)** : All the relevant information (s) shall be complete to enable technical evaluation of the item(s) quoted
- ❖ **Quotation Validity**: Quotation Validity shall be minimum 30days from the date of quotation opening.
- ❖ **Company details**: shall submit company profile, registration copy, GST registration copy and contact details

- **Quotation Evaluation Criteria**

All quotation shall be evaluated on the following basis.

Proposal Cost: 75 points of total score  
Credit Period: 15 points of total score  
Delivery Period: 08 points of total score  
Experience: 02 points of total score

- **The Quotation shall be submitted in sealed envelope and addressed as follows:**

Iulaan No.92/IUL/FENAKA/12  
“Bid Specifications for 150 kW / 188 KVA Cummins Open Generator Sets (Genuine)”

Managing Director  
FENAKA Corporation Limited  
7th Floor, Port Complex Building,  
Hilaalee Magu,  
Maafannu,  
Male’ 20307  
Republic of Maldives

FENAKA Corporation Limited shall not be liable for the misplacement or premature opening for the unlabeled sealed quotation.

It is in FENAKA Corporations’ discretion to reject/cancel any proposal which does not comply with the terms, at anytime during the evaluation process. Also it is in FENAKA Corporations’ discretion to cancel this invitation to bid at any time.

Bid shall be opened on **Monday 19th November 2012 at 1400hrs** at FENAKA Corporation’s Head Office, 7th Floor meeting room, in the presence of those Bidders.



FENAKA Corporation Limited  
 7th Floor, Port Complex Building,  
 Hilaalee Magu,  
 Maafannu,  
 Male' 20307  
 Republic of Maldives  
 Email: info@fenaka.com.mv  
 Tel: (960) 3007555, Fax: (960) 3327555

**FENAKA Corporation Limited**  
 Male' , Republic of Maldives

Iulaan No: 93/IUL/FENAKA/12  
 Date: 05th November 2012

**Invitation for Bids**

**Preparation of Bid Specifications for 150 kW / 188 KVA Cummins Open Generator Sets (Genuine)**

**GENSETS FOR:**        **Ha Utheem**  
                               **Sh.Narudhoo**  
                               **HDh.Finey**  
                               **HDh.Nellaidhoo**  
                               **HDh.Kumundhoo**  
                               **HDh.Vaikaradhoo**  
                               **HDh.Kurinbi**

Fenaka Corporation Limited wishes to tender the supply of **07 Nos 150kW/188KVA Cummins Open Generator Sets (Genuine)** for the island power plants of. Each generator set with the following specifications.

No.	Description	Unit	Qty
1	Spring type anti-vibration mounting	No.	6
2	Primary residential exhaust silencer	No.	1
3	Secondary residential exhaust silencer	No.	1
4	Silencer Grade, Industrial, Exhaust System with complete accessories, Bellows and System Fixing Kit.	Lot	1
5	Paralleling droop kit	Set	1
6	Alternator anti condensation heater	No.	1
7	Power cable terminator box c/w copper bus-bar to be connected to the Alternator	No.	1
8	Control and safety shutdown cable terminal link for remote control cable box to Be mounted on the base frame of the engine.	No.	1
9	Engine gauges for water temp, Lube oil, Temp, Lube oil press, Tachometer	Set	1
10	Hour run meter and battery charging meters	Set	1
11	Engine shutdown safety system	Set	1
12	Automatic Voltage Regulator (AVR)	No.	1
13	Electric Fuel Control (EFC)	No.	1
14	12 or 24Volt maintenance free 200A lead acid battery, c/w battery cable-2M, With 2 nos. Battery Clip and 2 nos. Suitable Cable lug	Set	1
15	Free standing 750 liters. Capacity day fuel tank. c/w sight glass and Raco type	No.	1
16	Fuel/ Water separators, c/w Stand, Tank level lower and high fuel tank level hand transfer, pump	Set	1

17	Fuel hose- high pressure, day tank to engine c/w fittings suitable for Fuel/water separator	M	12
18	Fuel hose-high pressure, engine to Fuel Tank c/w fittings	M	15
19	Heavy duty Air cleaner	Set	1
20	Set of engine/ Alternator manual, engine workshop manuals, Parts catalogues, Service -manuals and engine Set system Drawings / Panel board Drawings to be supplied for the Genset	Set	1
21	Genset Mounted Radiator	No.	1
22	Circuit Breaker 800 A, 690V IEC, 600V UL, 3 Pole, 100%, End Facing.	No.	1
23	Cable Entrance Box	No.	1
24	Power Command Control, Control Panel Mounted, Viewed from Generator End, Language: English, Key Switch, Warning Low Battery Voltage, Shut down: Low Coolant Level, Control Cabinet Heater.	No.	1
25	Led Acid Batteries, Wet.	No.	1
26	Battery Charger	No.	1
27	Certified Genset Factory Test Records	No.	1
28	1 Year Warranty	No.	1

- **The Bidder shall quote for all items**

- **Quotation shall indicate the following**

- ❖ Quotation shall indicate the unit prices, total price for each item and total price of the quotation.
- ❖ **Currency** (If not stated, shall be assumed as Maldivian Rufiyaa)
- ❖ **Delivery Period** (In days)
- ❖ **Technical Specification (s)** : All the relevant information (s) shall be complete to enable technical evaluation of the item(s) quoted
- ❖ **Quotation Validity**: Quotation Validity shall be minimum 30days from the date of quotation opening.
- ❖ **Company details**: shall submit company profile, registration copy, GST registration copy and contact details

- **Quotation Evaluation Criteria**

All quotation shall be evaluated on the following basis.

Proposal Cost: 75 points of total score

Credit Period: 15 points of total score

Delivery Period: 08 points of total score

Experience: 02 points of total score

- **The Quotation shall be submitted in sealed envelope and addressed as follows:**

Iulaan No.93/IUL/FENAKA/12

“Bid Specifications for 150 kW / 188 KVA Cummins Open Generator Sets (Genuine)”

Managing Director

FENAKA Corporation Limited

7th Floor, Port Complex Building,

Hilaalee Magu,

Maafannu,

Male’ 20307

Republic of Maldives

FENAKA Corporation Limited shall not be liable for the misplacement or premature opening for the unlabeled sealed quotation.

It is in FENAKA Corporations' discretion to reject/cancel any proposal which does not comply with the terms, at anytime during the evaluation process. Also it is in FENAKA Corporations' discretion to cancel this invitation to bid at any time.

Bid shall be opened on **Monday 19th November 2012 at 1415hrs** at FENAKA Corporation's Head Office, 7th Floor meeting room, in the presence of those Bidders.

FENAKA Corporation Limited  
7th Floor, Port Complex Building,  
HilaaleeMagu,  
Maafannu,  
Male' 20307  
Republic of Maldives  
Email: info@fenaka.com.mv  
Tel: (960) 3007555, Fax: (960) 3327555

**FENAKA Corporation Limited**  
Male' , Republic of Maldives

Iulaan No: 94/IUL/FENAKA/12  
Date: 05th November 2012

**Invitation for Bids**

**Preparation of Bid Specifications for 200 kW / 250 KVA Cummins Open Generator Sets (Genuine)**

**GENSETS FOR:**

- R.Maduvvari**
- Ga. Gemanafushi**
- Gdh. Madaveli**
- L. Isdhoo – South**
- L. Hithadhoo**
- L. Gan-Mukurimagu**
- Lh. Kurendhoo**

**Background**

Fenaka Corporation Limited wishes to tender the supply of **7 Nos 200kW/250KVA Cummins Open Generator Sets (Genuine)** for the above mentioned islands. Each generator set with the following specifications.

No.	Description	Unit	Qty
1	Spring type anti-vibration mounting	No.	6
2	Primary residential exhaust silencer	No.	1
3	Secondary residential exhaust silencer	No.	1
4	Paralleling droop kit	Set	1
5	Alternator anti condensation heater	No.	1
6	Power cable terminator box c/w copper bus-bar to be connected to the Alternator	No.	1
7	Control and safety shutdown cable terminal link for remote control cable box to Be mounted on the base frame of the engine.	No.	1
8	Engine gauges for water temp, Lub oil, Temp, Lub oil press, Tachometer	Set	1

9	Hour run meter and battery charging meters	Set	1
10	Engine shutdown safety system	Set	1
11	Automatic Voltage Regulator (AVR)	No.	1
12	Electric Fuel Control (EFC)	No.	1
13	12 or 24Volt maintenance free 200A lead acid battery, c/w battery cable-2M, With 2 nos. Battery Clip and 2 nos. Suitable Cable lug	Set	1
14	Free standing 750 liters. Capacity day fuel tank. c/w sight glass and Raco type	No.	1
15	Fuel/ Water separators, c/w Stand, Tank level lower and high fuel tank level hand transfer, pump	Set	1
16	Fuel hose- high pressure, ¾ inch day tank to engine c/w fittings suitable for Fuel/water separator	M	12
17	Fuel hose-high pressure, ½ inch engine to Fuel Tank c/w fittings	M	15
18	Heavy duty Air cleaner	Set	1
19	Set of engine/ Alternator manual, engine workshop manuals, Parts catalogues, Service -manuals and engine Set system Drawings / Panel board Drawings to be supplied for the Genset	Set	1
20	Exhaust Pipe, SGP 4 inch (101.6 mm.) Dia x 206m (10feet) long	No.	2
21	Flanges, 4 x7 inch Dia x15 mm. thick (with ½ inch 6 hole	No.	15
22	Exhaust flexible connection, 203 mm (4x7 inch) dia, 12” long, c/w flange	No.	1
23	90° SPG Elbows 101.6 mm(4 inch) Dia	No.	2
24	Reducer, 101.6 mm.(4 inch) to Turbocharger outlet elbow c/w flange	No.	1
25	1/8” X 60” heat proof gasket materials for exhaust flanges	No.	1
26	Anchor bolt,100 mm long X 16 mm Dia. for anti-vibration mountings	No.	18
27	Bolts & Nuts, 3 x 1/2 inch c/w felt / spring washer	No.	35
28	Exhaust Primary Silencer, industrial type c/w Flange, suitable for 6mm. (4 inch) dia exhaust SGP pipe	No.	1
29	Exhaust Secondary Silencer, Residential type c/w Flange, suitable for 6mm. (4 inch) d Exhaust SGP pipe	No.	1
30	Anchor bolt, ½ x 3 inch long full thread c/w nut and washer	No.	18
31	Exhaust Silencer and pipe Insulation materials, for (2 Silencers)	Lot	1
32	Sheet Aluminum, 1mm. for Silencer and pipe for (2 Silencers)	No.	3
33	U Bolt, x ½” c/w nuts and washers for 4” dia exhaust pipe fixing	No.	8
34	Red led paint	Ltr	4
35	Red Oxide paint	Ltr	4
36	Heat Resistant paint	Ltr	4

- **The Bidder shall quote for all items**

- **Quotation shall indicate the following**

- ❖ Quotation shall indicate the unit prices, total price for each item and total price of the quotation.
- ❖ **Currency** (If not stated, shall be assumed as Maldivian Rufiyaa)
- ❖ **Delivery Period** (In days)
- ❖ **Technical Specification (s)** : All the relevant information (s) shall be complete to enable technical evaluation of the item(s) quoted
- ❖ **Quotation Validity:** Quotation Validity shall be minimum 30days from the date of quotation opening.
- ❖ **Company details:** shall submit company profile, registration copy, GST registration copy and contact details

- **Quotation Evaluation Criteria**

All quotation shall be evaluated on the following basis.

Proposal Cost: 75 points of total score  
Credit Period: 15 points of total score  
Delivery Period: 08 points of total score  
Experience: 02 points of total score

- **The Quotation shall be submitted in sealed envelope and addressed as follows:**

Iulaan No.94/IUL/FENAKA/12  
“Bid Specifications for 200 kW / 250 KVA Cummins Open Generator Sets (Genuine)”

Managing Director  
FENAKA Corporation Limited  
7th Floor, Port Complex Building,  
HilaaleeMagu,  
Maafannu,  
Male’ 20307  
Republic of Maldives

FENAKA Corporation Limited shall not be liable for the misplacement or premature opening for the unlabeled sealed quotation.

It is in FENAKA Corporations’ discretion to reject/cancel any proposal which does not comply with the terms, at anytime during the evaluation process. Also it is in FENAKA Corporations’ discretion to cancel this invitation to bid at any time.

Bid shall be opened on **Monday 19th November 2012 at 1430hrs** at FENAKA Corporation’s Head Office, 7th Floor meeting room, in the presence of those Bidders.

FENAKA Corporation Limited  
7th Floor, Port Complex Building,  
HilaaleeMagu,  
Maafannu,  
Male’ 20307  
Republic of Maldives  
Email: info@fenaka.com.mv  
Tel: (960) 3007555, Fax: (960) 3327555

**FENAKA Corporation Limited**  
Male’ , Republic of Maldives

Iulaan No: 95/IUL/FENAKA/12  
Date: 05th November 2012

**Invitation for Bids**

**Preparation of Bid Specifications for 200 kW / 250 KVA Cummins Open Generator Sets (Genuine)**

**GENSETS FOR:**

- N. Landhoo**
- B. Kendhoo**
- HDh.Nolhivaranfaru**
- Sh.Feevah**
- Sh.Lhaimagu**
- Sh.Maaungoodhoo**
- Sh.Foakaidhoo**
- R.Hulhudhuffaaruu**

## Background

Fenaka Corporation Limited wishes to tender the supply of **08 Nos 200kW/250KVA Cummins Open Generator Sets (Genuine)** for the above mentioned islands. Each generator set with the following specifications.

No.	Description	Unit	Qty
1	Spring type anti-vibration mounting	No.	6
2	Primary residential exhaust silencer	No.	1
3	Secondary residential exhaust silencer	No.	1
4	Paralleling droop kit	Set	1
5	Alternator anti condensation heater	No.	1
6	Power cable terminator box c/w copper bus-bar to be connected to the Alternator	No.	1
7	Control and safety shutdown cable terminal link for remote control cable box to Be mounted on the base frame of the engine.	No.	1
8	Engine gauges for water temp, Lub oil, Temp, Lub oil press, Tachometer	Set	1
9	Hour run meter and battery charging meters	Set	1
10	Engine shutdown safety system	Set	1
11	Automatic Voltage Regulator (AVR)	No.	1
12	Electric Fuel Control (EFC)	No.	1
13	12 or 24Volt maintenance free 200A lead acid battery, c/w battery cable-2M, With 2 nos. Battery Clip and 2 nos. Suitable Cable lug	Set	1
14	Free standing 750 liters. Capacity day fuel tank. c/w sight glass and Raco type	No.	1
15	Fuel/ Water separators, c/w Stand, Tank level lower and high fuel tank level hand transfer, pump	Set	1
16	Fuel hose- high pressure, ¾ inch day tank to engine c/w fittings suitable for Fuel/water separator	M	12
17	Fuel hose-high pressure, ½ inch engine to Fuel Tank c/w fittings	M	15
18	Heavy duty Air cleaner	Set	1
19	Set of engine/ Alternator manual, engine workshop manuals, Parts catalogues, Service - manuals and engine Set system Drawings / Panel board Drawings to be supplied for the Genset	Set	1
20	Exhaust Pipe, SGP 4 inch (101.6 mm.) Dia x 206m (10feet) long	No.	2
21	Flanges, 4 x7 inch Dia x15 mm. thick (with ½ inch 6 hole	No.	15
22	Exhaust flexible connection, 203 mm (4x7 inch) dia, 12” long, c/w flange	No.	1
23	90° SPG Elbows 101.6 mm(4 inch) Dia	No.	2
24	Reducer, 101.6 mm.(4 inch) to Turbocharger outlet elbow c/w flange	No.	1
25	1/8” X 60” heat proof gasket materials for exhaust flanges	No.	1
26	Anchor bolt,100 mm long X 16 mm Dia. for anti-vibration mountings	No.	18
27	Bolts & Nuts, 3 x 1/2 inch c/w felt / spring washer	No.	35
28	Exhaust Primary Silencer, industrial type c/w Flange, suitable for 6mm. (4 inch) dia exhaust SGP pipe	No.	1
29	Exhaust Secondary Silencer, Residential type c/w Flange, suitable for 6mm. (4 inch) d Exhaust SGP pipe	No.	1
30	Anchor bolt, ½ x 3 inch long full thread c/w nut and washer	No.	18
31	Exhaust Silencer and pipe Insulation materials, for (2 Silencers)	Lot	1
32	Sheet Aluminum, 1mm. for Silencer and pipe for (2 Silencers)	No.	3
33	U Bolt, x ½” c/w nuts and washers for 4” dia exhaust pipe fixing	No.	8
34	Red led paint	Ltr	4
35	Red Oxide paint	Ltr	4
36	Heat Resistant paint	Ltr	4

- **The Bidder shall quote for all items**
- **Quotation shall indicate the following**
  - ❖ Quotation shall indicate the unit prices, total price for each item and total price of the quotation.
  - ❖ **Currency** (If not stated, shall be assumed as Maldivian Rufiyaa)
  - ❖ **Delivery Period** (In days)
  - ❖ **Technical Specification (s)** : All the relevant information (s) shall be complete to enable technical evaluation of the item(s) quoted
  - ❖ **Quotation Validity**: Quotation Validity shall be minimum 30days from the date of quotation opening.
  - ❖ **Company details**: shall submit company profile, registration copy, GST registration copy and contact details
- **Quotation Evaluation Criteria**

All quotation shall be evaluated on the following basis.

Proposal Cost: 75 points of total score  
 Credit Period: 15 points of total score  
 Delivery Period: 08 points of total score  
 Experience: 02 points of total score

- **The Quotation shall be submitted in sealed envelope and addressed as follows:**

Iulaan No.95/IUL/FENAKA/12  
 “Bid Specifications for 200 kW / 250 KVA Cummins Open Generator Sets (Genuine)”

Managing Director  
 FENAKA Corporation Limited  
 7th Floor, Port Complex Building,  
 HilaaleeMagu,  
 Maafannu,  
 Male’ 20307  
 Republic of Maldives

FENAKA Corporation Limited shall not be liable for the misplacement or premature opening for the unlabeled sealed quotation.

It is in FENAKA Corporations’ discretion to reject/cancel any proposal which does not comply with the terms, at anytime during the evaluation process. Also it is in FENAKA Corporations’ discretion to cancel this invitation to bid at any time.

Bid shall be opened on **Monday 19th November 2012 at 1445hrs** at FENAKA Corporation’s Head Office, 7th Floor meeting room, in the presence of those Bidders.

FENAKA Corporation Limited  
 7th Floor, Port Complex Building,  
 HilaaleeMagu,  
 Maafannu,  
 Male’ 20307  
 Republic of Maldives  
 Email: info@fenaka.com.mv  
 Tel: (960) 3007555, Fax: (960) 3327555

**FENAKA Corporation Limited**

Male' , Republic of Maldives

Iulaan No: 96/IUL/FENAKA/12

Date: 05th November 2012

**Invitation for Bids****Preparation of Bid Specifications for 320 kW / 400 KVA Cummins Open Generator Sets (Genuine)**

**GENSETS FOR:**

- L. Maavah**
- N.Manadhoo**
- R.Alifushi**
- B. Dharavandhoo**
- Th. Thimarafushi**
- L. Gan-Mathimaradhoo**

**Background**

Fenaka Corporation Limited wishes to tender the supply of **06 Nos 320kW/400KVA Cummins Open Generator Sets (Genuine)** for the above mentioned islands. Each generator set with the following specifications.

No.	Description	Unit	Qty
1	Spring type anti-vibration mounting	No.	6
2	Primary residential exhaust silencer	No.	1
3	Secondary residential exhaust silencer	No.	1
4	Paralleling droop kit	Set	1
5	Alternator anti condensation heater	No.	1
6	Power cable terminator box c/w copper bus-bar to be connected to the Alternator	No.	1
7	Control and safety shutdown cable terminal link for remote control cable box to Be mounted on the base frame of the engine.	No.	1
8	Engine gauges for water temp, Lub oil, Temp, Lub oil press, Tachometer	Set	1
9	Hour run meter and battery charging meters	Set	1
10	Engine shutdown safety system	Set	1
11	Automatic Voltage Regulator (AVR)	No.	1
12	Electric Fuel Control (EFC)	No.	1
13	12 or 24Volt maintenance free 200A lead acid battery, c/w battery cable-2M, With 2 nos. Battery Clip and 2 nos. Suitable Cable lug	Set	1
14	Free standing 750 liters. Capacity day fuel tank. c/w sight glass and Raco type	No.	1
15	Fuel/ Water separators, c/w Stand, Tank level lower and high fuel tank level hand transfer, pump	Set	1
16	Fuel hose- high pressure, ¾ inch day tank to engine c/w fittings suitable for Fuel/water separator	M	12
17	Fuel hose-high pressure, ½ inch engine to Fuel Tank c/w fittings	M	15
18	Heavy duty Air cleaner	Set	1
19	Set of engine/ Alternator manual, engine workshop manuals, Parts catalogues, Service -manuals and engine Set system Drawings / Panel board Drawings to be supplied for the Genset	Set	1
20	Exhaust Pipe, SGP 4 inch (101.6 mm.) Dia x 206m (10feet) long	No.	2
21	Flanges, 4 x7 inch Dia x15 mm. thick (with ½ inch 6 hole	No.	15
22	Exhaust flexible connection, 203 mm (4x7 inch) dia, 12" long, c/w flange	No.	1
23	90° SPG Elbows 101.6 mm(4 inch) Dia	No.	2
24	Reducer, 101.6 mm.(4 inch) to Turbocharger outlet elbow c/w flange	No.	1



25	1/8" X 60" heat proof gasket materials for exhaust flanges	No.	1
26	Anchor bolt,100 mm long X 16 mm Dia. for anti-vibration mountings	No.	18
27	Bolts & Nuts, 3 x 1/2 inch c/w felt / spring washer	No.	35
28	Exhaust Primary Silencer, industrial type c/w Flange, suitable for 6mm. (4 inch) dia exhaust SGP pipe	No.	1
29	Exhaust Secondary Silencer, Residential type c/w Flange, suitable for 6mm. (4 inch) d Exhaust SGP pipe	No.	1
30	Anchor bolt, 1/2 x 3 inch long full thread c/w nut and washer	No.	18
31	Exhaust Silencer and pipe Insulation materials, for (2 Silencers)	Lot	1
32	Sheet Aluminum, 1mm. for Silencer and pipe for (2 Silencers)	No.	3
33	U Bolt, x 1/2" c/w nuts and washers for 4" dia exhaust pipe fixing	No.	8
34	Red led paint	Ltr	4
35	Red Oxide paint	Ltr	4
36	Heat Resistant paint	Ltr	4

- **The Bidder shall quote for all items**

- **Quotation shall indicate the following**

- ❖ Quotation shall indicate the unit prices, total price for each item and total price of the quotation.
- ❖ **Currency** (If not stated, shall be assumed as Maldivian Rufiyaa)
- ❖ **Delivery Period** (In days)
- ❖ **Technical Specification (s)** : All the relevant information (s) shall be complete to enable technical evaluation of the item(s) quoted
- ❖ **Quotation Validity**: Quotation Validity shall be minimum 30days from the date of quotation opening.
- ❖ **Company details**: shall submit company profile, registration copy, GST registration copy and contact details

- **Quotation Evaluation Criteria**

All quotation shall be evaluated on the following basis.

Proposal Cost: 75 points of total score

Credit Period: 15 points of total score

Delivery Period: 08 points of total score

Experience: 02 points of total score

- **The Quotation shall be submitted in sealed envelope and addressed as follows:**

Iulaan No.96/IUL/FENAKA/12

“Bid Specifications for 320 kW / 400 KVA Cummins Open Generator Sets (Genuine)”

Managing Director

FENAKA Corporation Limited

7th Floor, Port Complex Building,

HilaaleeMagu,

Maafannu,

Male’ 20307

Republic of Maldives

FENAKA Corporation Limited shall not be liable for the misplacement or premature opening for the unlabeled sealed quotation.

It is in FENAKA Corporations' discretion to reject/cancel any proposal which does not comply with the terms, at anytime during the evaluation process. Also it is in FENAKA Corporations' discretion to cancel this invitation to bid at any time.

Bid shall be opened on **Monday 19th November 2012 at 1500hrs** at FENAKA Corporation's Head Office, 7th Floor meeting room, in the presence of those Bidders.

FENAKA Corporation Limited  
7th Floor, Port Complex Building,  
Hilaalee Magu,  
Maafannu,  
Male' 20307  
Republic of Maldives  
Email: info@fenaka.com.mv  
Tel: (960) 3007555, Fax: (960) 3327555

**FENAKA Corporation Limited**  
Male' , Republic of Maldives

Iulaan No: 97/IUL/FENAKA/12  
Date: 05th November 2012

**Invitation for Bids**

**Preparation of Bid Specifications for 512 kW / 640 KVA Cummins Open Generator Sets (Genuine)**

**GENSETS FOR:**           **N. Velidhoo**  
   **Sh.Milandhoo**

**Background**

Fenaka Corporation Limited wishes to tender the supply of **02 Nos 512kW/640KVA Cummins Open Generator Sets (Genuine)** for the above mentioned islands. Each generator set with the following specifications.

No.	Description	Unit	Qty
1	Spring type anti-vibration mounting	No.	6
2	Primary residential exhaust silencer	No.	1
3	Secondary residential exhaust silencer	No.	1
4	Paralleling droop kit	Set	1
5	Alternator anti condensation heater	No.	1
6	Power cable terminator box c/w copper bus-bar to be connected to the alternator	No.	1
7	Control and safety shutdown cable terminal link for remote control cable box to Be mounted on the base frame of the engine.	No.	1
8	Engine gauges for water temp, Lub oil, Temp, Lub oil press, Tachometer	Set	1
9	Hour run meter and battery charging meters	Set	1
10	Engine shutdown safety system	Set	1
11	Automatic Voltage Regulator (AVR)	No.	1
12	Electric Fuel Control (EFC)	No.	1
13	12 or 24Volt maintenance free 200A lead acid battery, c/w battery cable-2M, With 2 nos. Battery Clip and 2 nos. Suitable Cable lug	Set	1
14	Free standing 750 liters. Capacity day fuel tank. c/w sight glass and Raco type	No.	1
15	Fuel/ Water separators, c/w Stand, Tank level lower and high fuel tank level hand transfer, pump	Set	1
16	Fuel hose- high pressure, day tank to engine c/w fittings suitable for Fuel/water separator	M	12

17	Fuel hose-high pressure, engine to Fuel Tank c/w fittings	M	15
18	Heavy duty Air cleaner	Set	1
19	Set of engine/ Alternator manual, engine workshop manuals, Parts catalogues, Service -manuals and engine Set system Drawings / Panel board Drawings to be supplied for the Genset	Set	1
20	Silencer Grade, Industrial, Exhaust System with complete accessories, Bellows and System Fixing Kit.	Lot.	1
21	Genset Mounted Radiator, 50C/122F, Genset Mounted Engine Coolant Mixture 50% Antifreeze, 50% Water.	No.	1
22	Circuit Breaker 800 A, 690V IEC, 600V UL, 3 Pole, 100%, End Facing.	No.	1
23	Cable Entrance Box	No.	1
24	Power Command Control 2100, Control Panel Mounted, Viewed from Generator End, Language: English, Key Switch, Warning Low Battery Voltage, Shut down: Low Coolant Level, Control Cabinet Heater.	No.	1
25	Led Acid Batteries, Wet.	No.	1
26	Battery Charger	No.	1
27	Certified Genset Factory Test Records	No.	1
28	1 Year Warranty	No.	1

- **The Bidder shall quote for all items**

- **Quotation shall indicate the following**

- ❖ Quotation shall indicate the unit prices, total price for each item and total price of the quotation.
- ❖ **Currency** (If not stated, shall be assumed as Maldivian Rufiyaa)
- ❖ **Delivery Period** (In days)
- ❖ **Technical Specification (s)** : All the relevant information (s) shall be complete to enable technical evaluation of the item(s) quoted
- ❖ **Quotation Validity**: Quotation Validity shall be minimum 30days from the date of quotation opening.
- ❖ **Company details**: shall submit company profile, registration copy, GST registration copy and contact details

- **Quotation Evaluation Criteria**

All quotation shall be evaluated on the following basis.

Proposal Cost: 75 points of total score

Credit Period: 15 points of total score

Delivery Period: 08 points of total score

Experience: 02 points of total score

- **The Quotation shall be submitted in sealed envelope and addressed as follows:**

Iulaan No.97/IUL/FENAKA/12

“Bid Specifications for 512 kW / 640 KVA Cummins Open Generator Sets (Genuine)”

Managing Director

FENAKA Corporation Limited

7th Floor, Port Complex Building,

Hilaalee Magu,

Maafannu,

Male’ 20307

Republic of Maldives

FENAKA Corporation Limited shall not be liable for the misplacement or premature opening for the unlabeled sealed quotation.

It is in FENAKA Corporations' discretion to reject/cancel any proposal which does not comply with the terms, at anytime during the evaluation process. Also it is in FENAKA Corporations' discretion to cancel this invitation to bid at any time.

Bid shall be opened on **Monday 19th November 2012 at 1515hrs** at FENAKA Corporation's Head Office, 7th Floor meeting room, in the presence of those Bidders.

FENAKA Corporation Limited  
7th Floor, Port Complex Building,  
HilaaleeMagu,  
Maafannu,  
Male' 20307  
Republic of Maldives  
Email: info@fenaka.com.mv  
Tel: (960) 3007555, Fax: (960) 3327555

**FENAKA Corporation Limited**  
Male' , Republic of Maldives

Iulaan No: 98/IUL/FENAKA/12  
Date: 05th November 2012

**Invitation for Bids**

**Preparation of Bid Specifications for 512 kW / 640 KVA Cummins Open Generator Sets (Genuine)**

**GENSETS FOR:**           **B. Eydhafushi**  
                                  **Lh. Hinnvaru**  
                                  **Gdh. Gahdhoo**

**Background**

Fenaka Corporation Limited wishes to tender the supply of **03 Nos 512 kW/ 640 KVA Cummins Open Generator Sets (Genuine)** for the above mentioned islands. Each generator set with the following specifications.

No.	Description	Unit	Qty
1	Spring type anti-vibration mounting	No.	6
2	Primary residential exhaust silencer	No.	1
3	Secondary residential exhaust silencer	No.	1
4	Paralleling droop kit	Set	1
5	Alternator anti condensation heater	No.	1
6	Power cable terminator box c/w copper bus-bar to be connected to the alternator	No.	1
7	Control and safety shutdown cable terminal link for remote control cable box to Be mounted on the base frame of the engine.	No.	1
8	Engine gauges for water temp, Lub oil, Temp, Lub oil press, Tachometer	Set	1
9	Hour run meter and battery charging meters	Set	1
10	Engine shutdown safety system	Set	1
11	Automatic Voltage Regulator (AVR)	No.	1
12	Electric Fuel Control (EFC)	No.	1
13	12 or 24Volt maintenance free 200A lead acid battery, c/w battery cable-2M, With 2 nos. Battery Clip and 2 nos. Suitable Cable lug	Set	1

14	Free standing 750 liters. Capacity day fuel tank. c/w sight glass and Raco type	No.	1
15	Fuel/ Water separators, c/w Stand, Tank level lower and high fuel tank level hand transfer, pump	Set	1
16	Fuel hose- high pressure, day tank to engine c/w fittings suitable for Fuel/water separator	M	12
17	Fuel hose-high pressure, engine to Fuel Tank c/w fittings	M	15
18	Heavy duty Air cleaner	Set	1
19	Set of engine/ Alternator manual, engine workshop manuals, Parts catalogues, Service -manuals and engine Set system Drawings / Panel board Drawings to be supplied for the Genset	Set	1
20	Silencer Grade, Industrial, Exhaust System with complete accessories, Bellows and System Fixing Kit.	Lot.	1
21	Genset Mounted Radiator, 50C/122F, Genset Mounted Engine Coolant Mixture 50% Antifreeze, 50% Water.	No.	1
22	Circuit Breaker 800 A, 690V IEC, 600V UL, 3 Pole, 100%, End Facing.	No.	1
23	Cable Entrance Box	No.	1
24	Power Command Control 2100, Control Panel Mounted, Viewed from Generator End, Language: English, Key Switch, Warning Low Battery Voltage, Shut down: Low Coolant Level, Control Cabinet Heater.	No.	1
25	Led Acid Batteries, Wet.	No.	1
26	Battery Charger	No.	1
27	Certified Genset Factory Test Records	No.	1
28	1 Year Warranty	No.	1

- **The Bidder shall quote for all items**

- **Quotation shall indicate the following**

- ❖ Quotation shall indicate the unit prices, total price for each item and total price of the quotation.
- ❖ **Currency** (If not stated, shall be assumed as Maldivian Rufiyaa)
- ❖ **Delivery Period** (In days)
- ❖ **Technical Specification (s)** : All the relevant information (s) shall be complete to enable technical evaluation of the item(s) quoted
- ❖ **Quotation Validity**: Quotation Validity shall be minimum 30days from the date of quotation opening.
- ❖ **Company details**: shall submit company profile, registration copy, GST registration copy and contact details

- **Quotation Evaluation Criteria**

All quotation shall be evaluated on the following basis.

Proposal Cost: 75 points of total score

Credit Period: 15 points of total score

Delivery Period: 08 points of total score

Experience: 02 points of total score

- **The Quotation shall be submitted in sealed envelope and addressed as follows:**

Iulaan No.98/IUL/FENAKA/12

“Bid Specifications for 512 kW / 640 KVA Cummins Open Generator Sets (Genuine)”

Managing Director

FENAKA Corporation Limited

7th Floor, Port Complex Building,  
HilaaleeMagu,  
Maafannu,  
Male' 20307  
Republic of Maldives

FENAKA Corporation Limited shall not be liable for the misplacement or premature opening for the unlabeled sealed quotation.

It is in FENAKA Corporations' discretion to reject/cancel any proposal which does not comply with the terms, at anytime during the evaluation process. Also it is in FENAKA Corporations' discretion to cancel this invitation to bid at any time.

Bid shall be opened on **Monday 19th November 2012 at 1530hrs** at FENAKA Corporation's Head Office, 7th Floor meeting room, in the presence of those Bidders.

FENAKA Corporation Limited  
7th Floor, Port Complex Building,  
HilaaleeMagu,  
Maafannu,  
Male' 20307  
Republic of Maldives  
Email: info@fenaka.com.mv  
Tel: (960) 3007555, Fax: (960) 3327555

**FENAKA Corporation Limited**  
Male' , Republic of Maldives

Iulaan No: 99/IUL/FENAKA/12  
Date: 05th November 2012

**Invitation for Bids**

**Preparation of Bid Specifications for 640 kW / 800 KVA Cummins Open Generator Sets (Genuine)**

**GENSETS FOR:**            **Lh. Naifaru**  
                                      **Ga. Villingili**

**Background**

Fenaka Corporation Limited wishes to tender the supply of **02 Nos 640kW/800KVA Cummins Open Generator Set (Genuine)** for the above mentioned islands. Each generator set with the following specifications.

No.	Description	Unit	Qty
1	Spring type anti-vibration mounting	No.	6
2	Primary residential exhaust silencer	No.	1
3	Secondary residential exhaust silencer	No.	1
4	Paralleling droop kit	Set	1
5	Alternator anti condensation heater	No.	1
6	Power cable terminator box c/w copper bus-bar to be connected to the Alternator	No.	1
7	Control and safety shutdown cable terminal link for remote control cable box to Be mounted on the base frame of the engine.	No.	1
8	Engine gauges for water temp, Lub oil, Temp, Lub oil press, Tachometer	Set	1
9	Hour run meter and battery charging meters	Set	1

10	Engine shutdown safety system	Set	1
11	Automatic Voltage Regulator (AVR)	No.	1
12	Electric Fuel Control (EFC)	No.	1
13	12 or 24Volt maintenance free 200A lead acid battery, c/w battery cable-2M, With 2 nos. Battery Clip and 2 nos. Suitable Cable lug	Set	1
14	Free standing 750 liters. Capacity day fuel tank. c/w sight glass and Raco type	No.	1
15	Fuel/ Water separators, c/w Stand, Tank level lower and high fuel tank level hand transfer, pump	Set	1
16	Fuel hose- high pressure, day tank to engine c/w fittings suitable for Fuel/water separator	M	12
17	Fuel hose-high pressure, engine to Fuel Tank c/w fittings	M	15
18	Heavy duty Air cleaner	Set	1
19	Set of engine/ Alternator manual, engine workshop manuals, Parts catalogues, Service - manuals and engine Set system Drawings.	Set	1
20	Silencer Grade, Industrial, Inlet 8 Inch, Outlet 8 inch, In-Line Entry Exhaust System with complete accessories, Bellows and System Fixing Kit.	No.	2
21	Genset Mounted Radiator, Genset Mounted Engine Coolant Mixture 50% Antifreeze, 50% Water.	No.	15
22	Circuit Breaker	No.	1
23	Cable Entrance Box	No.	2
24	Power Command Control, Control Panel Mounted, Viewed from Generator End, Language: English, Key Switch, Warning Low Battery Voltage, Shut down: Low Coolant Level, Control Cabinet Heater.	No.	1
25	Led Acid Batteries, Wet.	No.	1
26	Battery Charger	No.	18
27	Certified Genset Factory Test Records	No.	1
28	1 Year Warranty	No.	1

- **The Bidder shall quote for all items**

- **Quotation shall indicate the following**

- ❖ Quotation shall indicate the unit prices, total price for each item and total price of the quotation.
- ❖ Currency (If not stated, shall be assumed as Maldivian Rufiyaa)
- ❖ Delivery Period (In days)
- ❖ Technical Specification (s) : All the relevant information (s) shall be complete to enable technical evaluation of the item(s) quoted
- ❖ Quotation Validity: Quotation Validity shall be minimum 30days from the date of quotation opening.
- ❖ Company details: shall submit company profile, registration copy, GST registration copy and contact details

- **Quotation Evaluation Criteria**

All quotation shall be evaluated on the following basis.

Proposal Cost: 75 points of total score

Credit Period: 15 points of total score

Delivery Period: 08 points of total score

Experience: 02 points of total score

- **The Quotation shall be submitted in sealed envelope and addressed as follows:**

Iulaan No.99/IUL/FENAKA/12

“Bid Specifications for 640 kW / 800 KVA Cummins Open Generator Sets (Genuine)”

Managing Director  
 FENAKA Corporation Limited  
 7th Floor, Port Complex Building,  
 HilaaleeMagu,  
 Maafannu,  
 Male' 20307  
 Republic of Maldives

FENAKA Corporation Limited shall not be liable for the misplacement or premature opening for the unlabeled sealed quotation.

It is in FENAKA Corporations' discretion to reject/cancel any proposal which does not comply with the terms, at anytime during the evaluation process. Also it is in FENAKA Corporations' discretion to cancel this invitation to bid at any time.

Bid shall be opened on **Monday 19th November 2012 at 1545hrs** at FENAKA Corporation's Head Office, 7th Floor meeting room, in the presence of those Bidders.

FENAKA Corporation Limited  
 7th Floor, Port Complex Building,  
 HilaaleeMagu,  
 Maafannu,  
 Male' 20307  
 Republic of Maldives  
 Email: info@fenaka.com.mv  
 Tel: (960) 3007555, Fax: (960) 3327555

މުޢާމިލާތުގެ ނަންބަރު: 92/IUL/FENAKA/12  
 ދިވެހިރާއްޖޭގެ ޖުމްހޫރިއްޔާއި ގުޅިގެން

ނަންބަރު: 92/IUL/FENAKA/12

ދިވެހިރާއްޖޭގެ ޖުމްހޫރިއްޔާއި ގުޅިގެން

މިއިތުރު ލިޔެކިޔުންތަކުގެ ތެރޭގައި ބަޔާންކޮށްފައިވާ 150kW/188KVA ނަންބަރު 07 (ހަތަރު) ގެ ޕްރޮޖެކްޓް ސަބަބުން  
 (ޕްރޮޖެކްޓް) ގެ ސަބަބުން ޖުމްހޫރިއްޔާއި ގުޅިގެން ޕްރޮޖެކްޓް ސަބަބުން ޖުމްހޫރިއްޔާއި ގުޅިގެން ޕްރޮޖެކްޓް ސަބަބުން

No.	Description	Unit	Qty
1	Spring type anti-vibration mounting	No.	6
2	Primary residential exhaust silencer	No.	1
3	Secondary residential exhaust silencer	No.	1
4	Silencer Grade, Industrial, Exhaust System with complete accessories, Bellows and System Fixing Kit.	Lot	1
5	Paralleling droop kit	Set	1
6	Alternator anti condensation heater	No.	1
7	Power cable terminator box c/w copper bus-bar to be connected to the Alternator	No.	1
8	Control and safety shutdown cable terminal link for remote control cable box to Be mounted on the base frame of the engine.	No.	1



9	Engine gauges for water temp, Lub oil, Temp, Lub oil press, Tachometer	Set	1
10	Hour run meter and battery charging meters	Set	1
11	Engine shutdown safety system	Set	1
12	Automatic Voltage Regulator (AVR)	No.	1
13	Electric Fuel Control (EFC)	No.	1
14	12 or 24Volt maintenance free 200A lead acid battery, c/w battery cable-2M, With 2 nos. Battery Clip and 2 nos. Suitable Cable lug	Set	1
15	Free standing 750 liters. Capacity day fuel tank. c/w sight glass and Raco type	No.	1
16	Fuel/ Water separators, c/w Stand, Tank level lower and high fuel tank level hand transfer, pump	Set	1
17	Fuel hose- high pressure, day tank to engine c/w fittings suitable for Fuel/water separator	M	12
18	Fuel hose-high pressure, engine to Fuel Tank c/w fittings	M	15
19	Heavy duty Air cleaner	Set	1
20	Set of engine/ Alternator manual, engine workshop manuals, Parts catalogues, Service -manuals and engine Set system Drawings / Panel board Drawings to be supplied for the Genset	Set	1
21	Genset Mounted Radiator	No.	1
22	Circuit Breaker 800 A, 690V IEC, 600V UL, 3 Pole, 100%, End Facing.	No.	1
23	Cable Entrance Box	No.	1
24	Power Command Control, Control Panel Mounted, Viwed from Generator End, Langage: English, Key Switch, Warning Low Battery Voltage, Shut down: Low Coolant Level, Control Cabinet Heater.	No.	1
25	Led Acid Batteries, Wet.	No.	1
26	Battery Charger	No.	1
27	Certified Genset Factory Test Records	No.	1
28	1 Year Warranty	No.	1

අන්තර්ජාලයේ දැක්වෙන පිටපත් සහ අනෙකුත් අවශ්‍ය වන සියලුම දේ ඇතුළත් වේ.

දැක්වෙන පරිදි:

- ජනප්‍රිය සංචාරකයන්ගේ අයි. ( ඔබේ ප්‍රධාන අවධානය අතරින් සියලුම දේ ඇතුළත් වේ.)
- සංචාරකයන්ගේ දැක්වීම්:
- ජනප්‍රිය සංචාරකයන්ගේ දැක්වීම්:
- දැක්වීම් සහ අනෙකුත් දේ 30 පැය තුළින් සපුරා ඇත.
- දැක්වීම් දැක්වීම ( දැක්වීම් පිටපත්, දැක්වීම් පිටපත් සහ අනෙකුත් දේ ඇතුළත් වේ.)
- දැක්වීම් පිටපත්, දැක්වීම් පිටපත් සහ අනෙකුත් දේ ඇතුළත් වේ.
- දැක්වීම් පිටපත් සහ අනෙකුත් දේ ඇතුළත් වේ.

අන්තර්ජාලයේ දැක්වෙන පරිදි:

අයි 75 පිටපත්

15 x 08  
 08 x 02

15 x 08  
 08 x 02

Managing Director  
 FenakaCorporationLtd  
 Iulaan No: 92 /IUL/FENAKA/12  
 Port Complex.7th Floor  
 HilaaleeMagu,  
 Maafannu  
 Male'

92/IUL/FENAKA/12  
 7  
 02

14:00  
 19

3007555  
 20  
 05

93/IUL/FENAKA/12

150kW/188KVA  
 07

No.	Description	Unit	Qty
1	Spring type anti-vibration mounting	No.	6
2	Primary residential exhaust silencer	No.	1
3	Secondary residential exhaust silencer	No.	1
4	Silencer Grade, Industrial, Exhaust System with complete accessories, Bellows and System Fixing Kit.	Lot	1
5	Paralleling droop kit	Set	1
6	Alternator anti condensation heater	No.	1
7	Power cable terminator box c/w copper bus-bar to be connected to the Alternator	No.	1
8	Control and safety shutdown cable terminal link for remote control cable box to Be mounted on the base frame of the engine.	No.	1
9	Engine gauges for water temp, Lube oil, Temp, Lube oil press, Tachometer	Set	1
10	Hour run meter and battery charging meters	Set	1
11	Engine shutdown safety system	Set	1
12	Automatic Voltage Regulator (AVR)	No.	1
13	Electric Fuel Control (EFC)	No.	1
14	12 or 24Volt maintenance free 200A lead acid battery, c/w battery cable-2M, With 2 nos. Battery Clip and 2 nos. Suitable Cable lug	Set	1
15	Free standing 750 liters. Capacity day fuel tank. c/w sight glass and Raco type	No.	1
16	Fuel/ Water separators, c/w Stand, Tank level lower and high fuel tank level hand transfer, pump	Set	1
17	Fuel hose- high pressure, day tank to engine c/w fittings suitable for Fuel/water separator	M	12
18	Fuel hose-high pressure, engine to Fuel Tank c/w fittings	M	15
19	Heavy duty Air cleaner	Set	1
20	Set of engine/ Alternator manual, engine workshop manuals, Parts catalogues, Service -manuals and engine Set system Drawings / Panel board Drawings to be supplied for the Genset	Set	1
21	Genset Mounted Radiator	No.	1
22	Circuit Breaker 800 A, 690V IEC, 600V UL, 3 Pole, 100%, End Facing.	No.	1
23	Cable Entrance Box	No.	1
24	Power Command Control, Control Panel Mounted, Viwed from Generator End, Langage: English, Key Switch, Warning Low Battery Voltage, Shut down: Low Coolant Level, Control Cabinet Heater.	No.	1
25	Led Acid Batteries, Wet.	No.	1
26	Battery Charger	No.	1
27	Certified Genset Factory Test Records	No.	1
28	1 Year Warranty	No.	1

رئیس شرکت در خصوص این قرارداد و شرایط آن توافق کرده اند.

تاریخ امضاء:

این قرارداد در تاریخ ... در محل ... منعقد گردید.

این قرارداد در ...

... در ...

... در ...

این قرارداد در تاریخ 30 ... منعقد گردید.



سرسہ: 94/IUL/FENAKA/12

**ایئر کنڈیشننگ مینوفیکچرنگ**

جی 2، جی 3 اور جی 4 کے لیے ایئر کنڈیشننگ سسٹم کی فراہمی اور تنصیب۔ ڈی 1، ڈی 2 اور ڈی 3 کے لیے ایئر سٹریمر فراہم کرنے والے ایئر سٹریمر کے ساتھ، جی 4 کے لیے ایئر سٹریمر کے ساتھ، جی 5 کے لیے ایئر سٹریمر کے ساتھ، جی 6 کے لیے ایئر سٹریمر کے ساتھ، جی 7 کے لیے ایئر سٹریمر کے ساتھ، جی 8 کے لیے ایئر سٹریمر کے ساتھ، جی 9 کے لیے ایئر سٹریمر کے ساتھ، جی 10 کے لیے ایئر سٹریمر کے ساتھ، جی 11 کے لیے ایئر سٹریمر کے ساتھ، جی 12 کے لیے ایئر سٹریمر کے ساتھ، جی 13 کے لیے ایئر سٹریمر کے ساتھ، جی 14 کے لیے ایئر سٹریمر کے ساتھ، جی 15 کے لیے ایئر سٹریمر کے ساتھ، جی 16 کے لیے ایئر سٹریمر کے ساتھ، جی 17 کے لیے ایئر سٹریمر کے ساتھ، جی 18 کے لیے ایئر سٹریمر کے ساتھ، جی 19 کے لیے ایئر سٹریمر کے ساتھ، جی 20 کے لیے ایئر سٹریمر کے ساتھ، جی 21 کے لیے ایئر سٹریمر کے ساتھ، جی 22 کے لیے ایئر سٹریمر کے ساتھ، جی 23 کے لیے ایئر سٹریمر کے ساتھ، جی 24 کے لیے ایئر سٹریمر کے ساتھ، جی 25 کے لیے ایئر سٹریمر کے ساتھ، جی 26 کے لیے ایئر سٹریمر کے ساتھ، جی 27 کے لیے ایئر سٹریمر کے ساتھ، جی 28 کے لیے ایئر سٹریمر کے ساتھ۔

No.	Description	Unit	Qty
1	Spring type anti-vibration mounting	No.	6
2	Primary residential exhaust silencer	No.	1
3	Secondary residential exhaust silencer	No.	1
4	Paralleling droop kit	Set	1
5	Alternator anti condensation heater	No.	1
6	Power cable terminator box c/w copper bus-bar to be connected to the Alternator	No.	1
7	Control and safety shutdown cable terminal link for remote control cable box to Be mounted on the base frame of the engine.	No.	1
8	Engine gauges for water temp, Lub oil, Temp, Lub oil press, Tachometer	Set	1
9	Hour run meter and battery charging meters	Set	1
10	Engine shutdown safety system	Set	1
11	Automatic Voltage Regulator (AVR)	No.	1
12	Electric Fuel Control (EFC)	No.	1
13	12 or 24Volt maintenance free 200A lead acid battery, c/w battery cable-2M, With 2 nos. Battery Clip and 2 nos. Suitable Cable lug	Set	1
14	Free standing 750 liters. Capacity day fuel tank. c/w sight glass and Raco type	No.	1
15	Fuel/ Water separators, c/w Stand, Tank level lower and high fuel tank level hand transfer, pump	Set	1
16	Fuel hose- high pressure, 3/4 inch day tank to engine c/w fittings suitable for Fuel/water separator	M	12
17	Fuel hose-high pressure, 1/2 inch engine to Fuel Tank c/w fittings	M	15
18	Heavy duty Air cleaner	Set	1
19	Set of engine/ Alternator manual, engine workshop manuals, Parts catalogues, Service -manuals and engine Set system Drawings / Panel board Drawings to be supplied for the Genset	Set	1
20	Exhaust Pipe, SGP 4 inch (101.6 mm.) Dia x 206m (10feet) long	No.	2
21	Flanges, 4 x7 inch Dia x15 mm. thick (with 1/2 inch 6 hole	No.	15
22	Exhaust flexible connection, 203 mm (4x7 inch) dia, 12" long, c/w flange	No.	1
23	90° SPG Elbows 101.6 mm(4 inch) Dia	No.	2
24	Reducer, 101.6 mm.(4 inch) to Turbocharger outlet elbow c/w flange	No.	1
25	1/8" X 60" heat proof gasket materials for exhaust flanges	No.	1
26	Anchor bolt,100 mm long X 16 mm Dia. for anti-vibration mountings	No.	18
27	Bolts & Nuts, 3 x 1/2 inch c/w felt / spring washer	No.	35
28	Exhaust Primary Silencer, industrial type c/w Flange, suitable for 6mm. (4 inch) dia exhaust SGP pipe	No.	1

29	Exhaust Secondary Silencer, Residential type c/w Flange, suitable for 6mm. (4 inch) d Exhaust SGP pipe	No.	1
30	Anchor bolt, 1/2 x 3 inch long full thread c/w nut and washer	No.	18
31	Exhaust Silencer and pipe Insulation materials, for (2 Silencers)	Lot	1
32	Sheet Aluminum, 1mm. for Silencer and pipe for (2 Silencers)	No.	3
33	U Bolt, x 1/2" c/w nuts and washers for 4" dia exhaust pipe fixing	No.	8
34	Red led paint	Ltr	4
35	Red Oxide paint	Ltr	4
36	Heat Resistant paint	Ltr	4

අනුමැතියක් ලෙස පැහැදිලි කර ඇති මෙම අංශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.

ප්‍රකාශය:

- කොටස් සංපූර්ණයෙන්ම ඇති (විකුණු වීම් සඳහා) ප්‍රකාශයේ දැක්වූ සියලුම අංශ සපුරා ඇත. අනුමැතියක් ලෙස පැහැදිලි කර ඇති මෙම අංශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.
- අනුමැතියක් ලෙස පැහැදිලි කර ඇති මෙම අංශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.
- ප්‍රකාශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.
- ප්‍රකාශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.
- ප්‍රකාශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.
- ප්‍රකාශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.
- ප්‍රකාශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.
- ප්‍රකාශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.
- ප්‍රකාශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.
- ප්‍රකාශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.

අනුමැතියක් ලෙස පැහැදිලි කර ඇති මෙම අංශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.

අංශ 75 ක් ඇත.

- අංශ 75 ක් ඇත.
- අංශ 75 ක් ඇත.
- අංශ 75 ක් ඇත.
- අංශ 75 ක් ඇත.
- අංශ 75 ක් ඇත.
- අංශ 75 ක් ඇත.
- අංශ 75 ක් ඇත.
- අංශ 75 ක් ඇත.
- අංශ 75 ක් ඇත.
- අංශ 75 ක් ඇත.

අනුමැතියක් ලෙස පැහැදිලි කර ඇති මෙම අංශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.

අනුමැතියක් ලෙස පැහැදිලි කර ඇති මෙම අංශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.

Managing Director  
 FenakaCorporationLtd  
 Iulaan No: 94 /IUL/FENAKA/12  
 Port Complex.7th Floor  
 HilaaleeMagu,  
 Maafannu  
 Male'

අනුමැතියක් ලෙස පැහැදිලි කර ඇති මෙම අංශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.  
 අනුමැතියක් ලෙස පැහැදිලි කර ඇති මෙම අංශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.  
 අනුමැතියක් ලෙස පැහැදිලි කර ඇති මෙම අංශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.  
 අනුමැතියක් ලෙස පැහැදිලි කර ඇති මෙම අංශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.  
 අනුමැතියක් ලෙස පැහැදිලි කර ඇති මෙම අංශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.  
 අනුමැතියක් ලෙස පැහැදිලි කර ඇති මෙම අංශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.  
 අනුමැතියක් ලෙස පැහැදිලි කර ඇති මෙම අංශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.  
 අනුමැතියක් ලෙස පැහැදිලි කර ඇති මෙම අංශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.  
 අනුමැතියක් ලෙස පැහැදිලි කර ඇති මෙම අංශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.  
 අනුමැතියක් ලෙස පැහැදිලි කර ඇති මෙම අංශයේ දැක්වූ සියලුම අංශ සපුරා ඇත.



16	Fuel hose- high pressure, ¾ inch day tank to engine c/w fittings suitable for Fuel/water separator	M	12
17	Fuel hose-high pressure, ½ inch engine to Fuel Tank c/w fittings	M	15
18	Heavy duty Air cleaner	Set	1
19	Set of engine/ Alternator manual, engine workshop manuals, Parts catalogues, Service - manuals and engine Set system Drawings / Panel board Drawings to be supplied for the Genset	Set	1
20	Exhaust Pipe, SGP 4 inch (101.6 mm.) Dia x 206m (10feet) long	No.	2
21	Flanges, 4 x7 inch Dia x15 mm. thick (with ½ inch 6 hole	No.	15
22	Exhaust flexible connection, 203 mm (4x7 inch) dia, 12" long, c/w flange	No.	1
23	90° SPG Elbows 101.6 mm(4 inch) Dia	No.	2
24	Reducer, 101.6 mm.(4 inch) to Turbocharger outlet elbow c/w flange	No.	1
25	1/8" X 60" heat proof gasket materials for exhaust flanges	No.	1
26	Anchor bolt,100 mm long X 16 mm Dia. for anti-vibration mountings	No.	18
27	Bolts & Nuts, 3 x 1/2 inch c/w felt / spring washer	No.	35
28	Exhaust Primary Silencer, industrial type c/w Flange, suitable for 6mm. (4 inch) dia exhaust SGP pipe	No.	1
29	Exhaust Secondary Silencer, Residential type c/w Flange, suitable for 6mm. (4 inch) d Exhaust SGP pipe	No.	1
30	Anchor bolt, ½ x 3 inch long full thread c/w nut and washer	No.	18
31	Exhaust Silencer and pipe Insulation materials, for (2 Silencers)	Lot	1
32	Sheet Aluminum, 1mm. for Silencer and pipe for (2 Silencers)	No.	3
33	U Bolt, x ½" c/w nuts and washers for 4" dia exhaust pipe fixing	No.	8
34	Red led paint	Ltr	4
35	Red Oxide paint	Ltr	4
36	Heat Resistant paint	Ltr	4

رئیس‌مسئول پروژه در خصوص تجهیزاتی که در جدول فوق الذکر درج شده است، خواهشمند است نسبت به تهیه و تحویل آن‌ها اقدام فرمایید.

تاریخ: ۱۳۹۸/۰۵/۰۵

این نامه جهت اطلاع و پیگیری در خصوص تجهیزاتی که در جدول فوق الذکر درج شده است، به شما ارسال می‌گردد. خواهشمند است نسبت به تهیه و تحویل آن‌ها اقدام فرمایید. (در صورت نیاز به توضیحات بیشتر، می‌توانید با این دفتر تماس بگیرید.)  
 - خواهشمند است نسبت به تهیه و تحویل آن‌ها اقدام فرمایید.  
 - خواهشمند است نسبت به تهیه و تحویل آن‌ها اقدام فرمایید.

تاریخ: ۱۳۹۸/۰۵/۰۵  
 - خواهشمند است نسبت به تهیه و تحویل آن‌ها اقدام فرمایید.  
 - خواهشمند است نسبت به تهیه و تحویل آن‌ها اقدام فرمایید.  
 - خواهشمند است نسبت به تهیه و تحویل آن‌ها اقدام فرمایید.

رئیس‌مسئول پروژه در خصوص تجهیزاتی که در جدول فوق الذکر درج شده است، خواهشمند است نسبت به تهیه و تحویل آن‌ها اقدام فرمایید.

تاریخ: ۱۳۹۸/۰۵/۰۵

تاریخ: ۱۳۹۸/۰۵/۰۵ | تاریخ: ۱۳۹۸/۰۵/۰۵  
 - خواهشمند است نسبت به تهیه و تحویل آن‌ها اقدام فرمایید.  
 - خواهشمند است نسبت به تهیه و تحویل آن‌ها اقدام فرمایید.



08  
08 x

02

08  
 02  
 08 x

Managing Director  
 FenakaCorporationLtd  
 Iulaan No: 95 /IUL/FENAKA/12  
 Port Complex.7th Floor  
 HilaaleeMagu,  
 Maafannu  
 Male'

95/IUL/FENAKA/12  
 7  
 14:45

14:45  
 19  
 2012  
 14:45

3007555  
 20  
 1433  
 05

96/IUL/FENAKA/12

96/IUL/FENAKA/12

320kW/400KVA

320kW/400KVA  
 06  
 320kW/400KVA

No.	Description	Unit	Qty
1	Spring type anti-vibration mounting	No.	6
2	Primary residential exhaust silencer	No.	1
3	Secondary residential exhaust silencer	No.	1

4	Paralleling droop kit	Set	1
5	Alternator anti condensation heater	No.	1
6	Power cable terminator box c/w copper bus-bar to be connected to the Alternator	No.	1
7	Control and safety shutdown cable terminal link for remote control cable box to Be mounted on the base frame of the engine.	No.	1
8	Engine gauges for water temp, Lub oil, Temp, Lub oil press, Tachometer	Set	1
9	Hour run meter and battery charging meters	Set	1
10	Engine shutdown safety system	Set	1
11	Automatic Voltage Regulator (AVR)	No.	1
12	Electric Fuel Control (EFC)	No.	1
13	12 or 24Volt maintenance free 200A lead acid battery, c/w battery cable-2M, With 2 nos. Battery Clip and 2 nos. Suitable Cable lug	Set	1
14	Free standing 750 liters. Capacity day fuel tank. c/w sight glass and Racco type	No.	1
15	Fuel/ Water separators, c/w Stand, Tank level lower and high fuel tank level hand transfer, pump	Set	1
16	Fuel hose- high pressure, ¾ inch day tank to engine c/w fittings suitable for Fuel/water separator	M	12
17	Fuel hose-high pressure, ½ inch engine to Fuel Tank c/w fittings	M	15
18	Heavy duty Air cleaner	Set	1
19	Set of engine/ Alternator manual, engine workshop manuals, Parts catalogues, Service -manuals and engine Set system Drawings / Panel board Drawings to be supplied for the Genset	Set	1
20	Silencer Grade, Industrial, Exhaust System with complete accessories, Bellows and System Fixing Kit.	Lot.	1
21	Genset Mounted Radiator, 50C/122F, Genset Mounted Engine Coolant Mixture 50% Antifreeze, 50% Water.	No.	1
22	Circuit Breaker 800 A, 690V IEC, 600V UL, 3 Pole, 100%, End Facing.	No.	1
23	Cable Entrance Box	No.	1
24	Power Command Control 2100, Control Panel Mounted, Viewed from Generator End, Language: English, Key Switch, Warning Low Battery Voltage, Shut down: Low Coolant Level, Control Cabinet Heater.	No.	1
25	Led Acid Batteries, Wet.	No.	1
26	Battery Charger	No.	1
27	Certified Genset Factory Test Records	No.	1
28	1 Year Warranty	No.	1

دستورالعمل‌های نصب و راه‌اندازی را از سازنده دستگاه بخوانید.

توجهات:

· هنگامی که موتور را روشن می‌کنید، دقت کنید که موتور با بار مناسب راه‌اندازی شود. (در صورتی که موتور با بار نادرست راه‌اندازی شود، ممکن است آسیب‌ها رخ دهد.)

· از قطع کردن موتور خودداری کنید.

· سوزش‌های موتور را بررسی کنید.

· سطح روغن موتور را بررسی کنید.

· در صورتی که موتور را برای مدت طولانی خاموش می‌کنید، باید به مدت 30 دقیقه آن را روشن کنید.

• ( )  
 •  
 •

•

• 75

•

• 15

• 15 x

• 08

• 08 x

• 02

•

•

Managing Director FenakaCorporationLtd Iulaan No: 96 /IUL/FENAKA/12 Port Complex.7th Floor HilaaleeMagu, Maafannu Male'	• • 96/IUL/FENAKA/12 • 7 • •
---	---

• 15:00  
 • 7  
 • 19  
 • 15:00

•  
 •  
 •  
 • 3007555

20

05

قۇرۇلۇش ئىشلىرىنى تەكشۈرۈش ۋە تەكشۈرۈش ئورگانى  
 قۇرۇلۇش ئىشلىرىنى تەكشۈرۈش ئورگانى

سۈرۈش نۇمۇرى: 97/IUL/FENAKA/12

تەكشۈرۈش ئورگانىنىڭ تەكشۈرۈش ئورگانى

512kW/640KVA گېنېراتور ئورگانىنىڭ تەكشۈرۈش ئورگانى. قۇرۇلۇش ئىشلىرىنى تەكشۈرۈش ئورگانى. 02 (تۈزۈش) ئورگانىنىڭ تەكشۈرۈش ئورگانى. تەكشۈرۈش ئورگانىنىڭ تەكشۈرۈش ئورگانى. قۇرۇلۇش ئىشلىرىنى تەكشۈرۈش ئورگانى.

No.	Description	Unit	Qty
1	Spring type anti-vibration mounting	No.	6
2	Primary residential exhaust silencer	No.	1
3	Secondary residential exhaust silencer	No.	1
4	Paralleling droop kit	Set	1
5	Alternator anti condensation heater	No.	1
6	Power cable terminator box c/w copper bus-bar to be connected to the alternator	No.	1
7	Control and safety shutdown cable terminal link for remote control cable box to Be mounted on the base frame of the engine.	No.	1
8	Engine gauges for water temp, Lub oil, Temp, Lub oil press, Tachometer	Set	1
9	Hour run meter and battery charging meters	Set	1
10	Engine shutdown safety system	Set	1
11	Automatic Voltage Regulator (AVR)	No.	1
12	Electric Fuel Control (EFC)	No.	1
13	12 or 24Volt maintenance free 200A lead acid battery, c/w battery cable-2M, With 2 nos. Battery Clip and 2 nos. Suitable Cable lug	Set	1
14	Free standing 750 liters. Capacity day fuel tank. c/w sight glass and Raco type	No.	1
15	Fuel/ Water separators, c/w Stand, Tank level lower and high fuel tank level hand transfer, pump	Set	1
16	Fuel hose- high pressure, day tank to engine c/w fittings suitable for Fuel/water separator	M	12
17	Fuel hose-high pressure, engine to Fuel Tank c/w fittings	M	15
18	Heavy duty Air cleaner	Set	1
19	Set of engine/ Alternator manual, engine workshop manuals, Parts catalogues, Service -manuals and engine Set system Drawings / Panel board Drawings to be supplied for the Genset	Set	1
20	Silencer Grade, Industrial, Exhaust System with complete accessories, Bellows and System Fixing Kit.	Lot.	1
21	Genset Mounted Radiator, 50C/122F, Genset Mounted Engine Coolant Mixture 50% Antifreeze, 50% Water.	No.	1
22	Circuit Breaker 800 A, 690V IEC, 600V UL, 3 Pole, 100%, End Facing.	No.	1
23	Cable Entrance Box	No.	1
24	Power Command Control 2100, Control Panel Mounted, Viewed from Generator End, Language: English, Key Switch, Warning Low Battery Voltage, Shut down: Low Coolant Level, Control Cabinet Heater.	No.	1
25	Led Acid Batteries, Wet.	No.	1
26	Battery Charger	No.	1

27	Certified Genset Factory Test Records	No.	1
28	1 Year Warranty	No.	1

අනුමත කාර්මික සවිද්ධාගාරයක සිටින විටකදී අවම වශයෙන් 30 ක් පැයක් පුළුල්ව පරීක්ෂා කළ බවට සහතික කර ඇත.

අනුමත කාර්මික සවිද්ධාගාරයක සිටින විටකදී:

- සියලුම කාර්මික සවිද්ධාගාරයන් අතිරික්තව පරීක්ෂා කළ බවට සහතික කර ඇත. (සියලුම කාර්මික සවිද්ධාගාරයන් අතිරික්තව පරීක්ෂා කළ බවට සහතික කර ඇත.)
- සියලුම කාර්මික සවිද්ධාගාරයන් ඉහලින් සඳහන් කර ඇත.
- සියලුම කාර්මික සවිද්ධාගාරයන් ඉහලින් සඳහන් කර ඇත.
- සියලුම කාර්මික සවිද්ධාගාරයන් 30 ක් පැයක් පුළුල්ව පරීක්ෂා කළ බවට සහතික කර ඇත.
- සියලුම කාර්මික සවිද්ධාගාරයන් (සියලුම කාර්මික සවිද්ධාගාරයන්) පරීක්ෂා කළ බවට සහතික කර ඇත. සියලුම කාර්මික සවිද්ධාගාරයන් පරීක්ෂා කළ බවට සහතික කර ඇත.
- සියලුම කාර්මික සවිද්ධාගාරයන් පරීක්ෂා කළ බවට සහතික කර ඇත.

අනුමත කාර්මික සවිද්ධාගාරයක සිටින විටකදී:

අතිරික්තව 75 ක් පැයක් පුළුල්ව පරීක්ෂා කළ බවට සහතික කර ඇත.

- සියලුම කාර්මික සවිද්ධාගාරයන් අතිරික්තව පරීක්ෂා කළ බවට සහතික කර ඇත.  $අතිරික්තව \times 75$
- සියලුම කාර්මික සවිද්ධාගාරයන් අතිරික්තව පරීක්ෂා කළ බවට සහතික කර ඇත.  $අතිරික්තව \times 15$
- සියලුම කාර්මික සවිද්ධාගාරයන් අතිරික්තව පරීක්ෂා කළ බවට සහතික කර ඇත.  $අතිරික්තව \times 15$
- සියලුම කාර්මික සවිද්ධාගාරයන් අතිරික්තව පරීක්ෂා කළ බවට සහතික කර ඇත.  $අතිරික්තව \times 08$
- සියලුම කාර්මික සවිද්ධාගාරයන් අතිරික්තව පරීක්ෂා කළ බවට සහතික කර ඇත.  $අතිරික්තව \times 08$
- සියලුම කාර්මික සවිද්ධාගාරයන් අතිරික්තව පරීක්ෂා කළ බවට සහතික කර ඇත.  $අතිරික්තව \times 02$

සියලුම කාර්මික සවිද්ධාගාරයන් අතිරික්තව පරීක්ෂා කළ බවට සහතික කර ඇත.

අනුමත කාර්මික සවිද්ධාගාරයක සිටින විටකදී අවම වශයෙන් 30 ක් පැයක් පුළුල්ව පරීක්ෂා කළ බවට සහතික කර ඇත.

Managing Director FenakaCorporationLtd Iulaan No: 97 /IUL/FENAKA/12 Port Complex.7th Floor HilaaleeMagu, Maafannu Male'	අනුමත කාර්මික සවිද්ධාගාරයක සිටින විටකදී අතිරික්තව 75 ක් පැයක් පුළුල්ව පරීක්ෂා කළ බවට සහතික කර ඇත. 97/IUL/FENAKA/12 අතිරික්තව 7 ක් පැයක් පුළුල්ව පරීක්ෂා කළ බවට සහතික කර ඇත. අතිරික්තව 7 ක් පැයක් පුළුල්ව පරීක්ෂා කළ බවට සහතික කර ඇත.
---	--

අනුමත කාර්මික සවිද්ධාගාරයක සිටින විටකදී අවම වශයෙන් 30 ක් පැයක් පුළුල්ව පරීක්ෂා කළ බවට සහතික කර ඇත. 2012 ඔක්තෝබර් 19 දිනට පෙර 15:15 වන විටකදී අතිරික්තව පරීක්ෂා කළ බවට සහතික කර ඇත. (අතිරික්තව 7 ක් පැයක් පුළුල්ව පරීක්ෂා කළ බවට සහතික කර ඇත.) සියලුම කාර්මික සවිද්ධාගාරයන් අතිරික්තව පරීක්ෂා කළ බවට සහතික කර ඇත. 2012 ඔක්තෝබර් 19 දිනට පෙර 15:15 වන විටකදී අතිරික්තව පරීක්ෂා කළ බවට සහතික කර ඇත.

2012 05 20 1433 3007555

98/IUL/FENAKA/12

Technical Specifications

512kW/640KVA 03 (Generator)

No.	Description	Unit	Qty
1	Spring type anti-vibration mounting	No.	6
2	Primary residential exhaust silencer	No.	1
3	Secondary residential exhaust silencer	No.	1
4	Paralleling droop kit	Set	1
5	Alternator anti condensation heater	No.	1
6	Power cable terminator box c/w copper bus-bar to be connected to the alternator	No.	1
7	Control and safety shutdown cable terminal link for remote control cable box to Be mounted on the base frame of the engine.	No.	1
8	Engine gauges for water temp, Lub oil, Temp, Lub oil press, Tachometer	Set	1
9	Hour run meter and battery charging meters	Set	1
10	Engine shutdown safety system	Set	1
11	Automatic Voltage Regulator (AVR)	No.	1
12	Electric Fuel Control (EFC)	No.	1
13	12 or 24Volt maintenance free 200A lead acid battery, c/w battery cable-2M, With 2 nos. Battery Clip and 2 nos. Suitable Cable lug	Set	1
14	Free standing 750 liters. Capacity day fuel tank. c/w sight glass and Raco type	No.	1
15	Fuel/ Water separators, c/w Stand, Tank level lower and high fuel tank level hand transfer, pump	Set	1
16	Fuel hose- high pressure, day tank to engine c/w fittings suitable for Fuel/water separator	M	12
17	Fuel hose-high pressure, engine to Fuel Tank c/w fittings	M	15
18	Heavy duty Air cleaner	Set	1
19	Set of engine/ Alternator manual, engine workshop manuals, Parts catalogues, Service -manuals and engine Set system Drawings / Panel board Drawings to be supplied for the Genset	Set	1
20	Silencer Grade, Industrial, Exhaust System with complete accessories, Bellows and System Fixing Kit.	Lot.	1

21	Genset Mounted Radiator, 50C/122F, Genset Mounted Engine Coolant Mixture 50% Antifreeze, 50% Water.	No.	1
22	Circuit Breaker 800 A, 690V IEC, 600V UL, 3 Pole, 100%, End Facing.	No.	1
23	Cable Entrance Box	No.	1
24	Power Command Control 2100, Control Panel Mounted, Viwed from Generator End, Langage: English, Key Switch, Warning Low Battery Voltage, Shut down: Low Coolant Level, Control Cabinet Heater.	No.	1
25	Led Acid Batteries, Wet.	No.	1
26	Battery Charger	No.	1
27	Certified Genset Factory Test Records	No.	1
28	1 Year Warranty	No.	1

රජයේ සේවයේ දැක්වූ කාර්යයන් සම්බන්ධයෙන් ලබාදෙනු ලබන මෙම මාදිලිය.

රජයේ සේවයේ.

- සියලුම දේපළ මිලදී ගැනීමේදී (හවසන් කරනු ලබන මාදිලියේ දේපළ මිලදී ගැනීමේදී) අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ. අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ.
- සියලුම දේපළ මිලදී ගැනීමේදී (හවසන් කරනු ලබන මාදිලියේ දේපළ මිලදී ගැනීමේදී) අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ. අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ.
- සියලුම දේපළ මිලදී ගැනීමේදී (හවසන් කරනු ලබන මාදිලියේ දේපළ මිලදී ගැනීමේදී) අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ. අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ.
- රජයේ සේවයේ දැක්වූ කාර්යයන් සම්බන්ධයෙන් ලබාදෙනු ලබන මෙම මාදිලියේ දේපළ මිලදී ගැනීමේදී (හවසන් කරනු ලබන මාදිලියේ දේපළ මිලදී ගැනීමේදී) අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ. අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ.
- සියලුම දේපළ මිලදී ගැනීමේදී (හවසන් කරනු ලබන මාදිලියේ දේපළ මිලදී ගැනීමේදී) අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ. අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ.
- සියලුම දේපළ මිලදී ගැනීමේදී (හවසන් කරනු ලබන මාදිලියේ දේපළ මිලදී ගැනීමේදී) අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ. අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ.

රජයේ සේවයේ දැක්වූ කාර්යයන් සම්බන්ධයෙන් ලබාදෙනු ලබන මෙම මාදිලිය.

75 කොටස්

රජයේ සේවයේ දැක්වූ කාර්යයන් සම්බන්ධයෙන් ලබාදෙනු ලබන මෙම මාදිලියේ දේපළ මිලදී ගැනීමේදී (හවසන් කරනු ලබන මාදිලියේ දේපළ මිලදී ගැනීමේදී) අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ. අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ.

රජයේ සේවයේ දැක්වූ කාර්යයන් සම්බන්ධයෙන් ලබාදෙනු ලබන මෙම මාදිලියේ දේපළ මිලදී ගැනීමේදී (හවසන් කරනු ලබන මාදිලියේ දේපළ මිලදී ගැනීමේදී) අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ. අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ.

රජයේ සේවයේ දැක්වූ කාර්යයන් සම්බන්ධයෙන් ලබාදෙනු ලබන මෙම මාදිලියේ දේපළ මිලදී ගැනීමේදී (හවසන් කරනු ලබන මාදිලියේ දේපළ මිලදී ගැනීමේදී) අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ. අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ.

<p>Managing Director Fenaka Corporation Ltd Iulaan No: 98 /IUL/FENAKA/12 Port Complex.7th Floor Hilaalee Magu, Maafannu Male'</p>	<p>රජයේ සේවයේ දැක්වූ කාර්යයන් සම්බන්ධයෙන් ලබාදෙනු ලබන මෙම මාදිලියේ දේපළ මිලදී ගැනීමේදී (හවසන් කරනු ලබන මාදිලියේ දේපළ මිලදී ගැනීමේදී) අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ. අලුත් කොටස් භාවිතයට ලක්වීමට හේතු වීමට හැකි වේ.</p> <p>98/IUL/FENAKA/12</p> <p>7 වන මහල</p>
---	--

2012 19 15:30 2012 19 15:30 2012 19 15:30 2012 19 15:30 2012 19 15:30

3007555 20 1433 05

2012 05 1433 3007555

99/IUL/FENAKA/12

640kW/800KVA

640kW/800KVA 02 15:30 2012 19 15:30 2012 19 15:30 2012 19 15:30 2012 19 15:30

No.	Description	Unit	Qty
1	Spring type anti-vibration mounting	No.	6
2	Primary residential exhaust silencer	No.	1
3	Secondary residential exhaust silencer	No.	1
4	Paralleling droop kit	Set	1
5	Alternator anti condensation heater	No.	1
6	Power cable terminator box c/w copper bus-bar to be connected to the Alternator	No.	1
7	Control and safety shutdown cable terminal link for remote control cable box to Be mounted on the base frame of the engine.	No.	1
8	Engine gauges for water temp, Lub oil, Temp, Lub oil press, Tachometer	Set	1
9	Hour run meter and battery charging meters	Set	1
10	Engine shutdown safety system	Set	1
11	Automatic Voltage Regulator (AVR)	No.	1
12	Electric Fuel Control (EFC)	No.	1
13	12 or 24Volt maintenance free 200A lead acid battery, c/w battery cable-2M, With 2 nos. Battery Clip and 2 nos. Suitable Cable lug	Set	1
14	Free standing 750 liters. Capacity day fuel tank. c/w sight glass and Raco type	No.	1
15	Fuel/ Water separators, c/w Stand, Tank level lower and high fuel tank level hand transfer, pump	Set	1







دۇئا رۇقۇم سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش  
 ئۆلچەمىنى چۈشەندۈرۈش ۋە ئۆلچەمىنى چۈشەندۈرۈش  
 دۇئا، قىسقىچە

MHSC-IU/CSD/2012/55 نىسبەتەن:

تەلپات

تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش

تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش  
 MHSC-IU/CSD/2012/45 نىسبەتەن تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش  
 (22 نۆمۇر 2012) تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش  
 تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش

#	description	qty
1	Service tag (9G3R3G1, Service tag 463R3G1), (specs: Dell hot plugable, 3.5inch, 300GB, SAS, 15KRPM, Model edge 2950	08 drives
2	Service Tag(5JTL25s), (specs:Dell hot plugable, 3.5-inch, 600 GB, 6gbps SAS, 15KRPM, Model: Power vault 3000i	8 drives
3	Power vault (TM) MD3000i Disc storage controller Module	2

تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش

1. تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش  
 (تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش)
2. تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش  
 تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش
3. تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش  
 تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش
4. تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش:  
 ۋە تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش 1 نىسبەتەن  
 تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش 3 نىسبەتەن
5. تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش  
 تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش
6. تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش  
 تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش
7. تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش  
 تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش، تەلپات سۈمۈرۈش ئۆلچەمىنى چۈشەندۈرۈش

8. အိတ်ကွပ်ကဲရေး အဖွဲ့ဝင်များကို အကဲဖြတ်ရာတွင် အစားအသွယ် လိုအပ်သည့် အခြေအနေအထား၊ အခွင့်အလမ်း၊ အတွေ့အကြုံ၊ အသိပညာ၊ အသက်အရွယ်၊ အကျွမ်းကျင်မှု၊ အစားအသွယ်လျက်ရှိမှု၊ အကျွမ်းကျင်မှုစာရွက်စာတမ်းများ၊ အကျွမ်းကျင်မှုစာရွက်စာတမ်းများ အစရှိသည့် အချက်များကို အလေးချိန်ပေးသွားမည်။

9. အိတ်ကွပ်ကဲရေး အဖွဲ့ဝင်များကို အကဲဖြတ်ရာတွင် အခွင့်အလမ်း၊ အတွေ့အကြုံ၊ အသိပညာ၊ အသက်အရွယ်၊ အကျွမ်းကျင်မှုစာရွက်စာတမ်းများ အစရှိသည့် အချက်များကို အလေးချိန်ပေးသွားမည်။

10. အိတ်ကွပ်ကဲရေး အဖွဲ့ဝင်များကို အကဲဖြတ်ရာတွင် အခွင့်အလမ်း၊ အတွေ့အကြုံ၊ အသိပညာ၊ အသက်အရွယ်၊ အကျွမ်းကျင်မှုစာရွက်စာတမ်းများ အစရှိသည့် အချက်များကို အလေးချိန်ပေးသွားမည်။

11. အိတ်ကွပ်ကဲရေး အဖွဲ့ဝင်များကို အကဲဖြတ်ရာတွင် အခွင့်အလမ်း၊ အတွေ့အကြုံ၊ အသိပညာ၊ အသက်အရွယ်၊ အကျွမ်းကျင်မှုစာရွက်စာတမ်းများ အစရှိသည့် အချက်များကို အလေးချိန်ပေးသွားမည်။

အကျွမ်းကျင်မှုစာရွက်စာတမ်းများ

	အကျွမ်းကျင်မှုစာရွက်စာတမ်းများ	အကျွမ်းကျင်မှုစာရွက်စာတမ်းများ
1	အိတ်ကွပ်ကဲရေး	55%
2	အိတ်ကွပ်ကဲရေး အဖွဲ့ဝင်များ	10%
3	အိတ်ကွပ်ကဲရေး	10%
4	အိတ်ကွပ်ကဲရေး	25%

• အိတ်ကွပ်ကဲရေး အဖွဲ့ဝင်များကို အကဲဖြတ်ရာတွင် အခွင့်အလမ်း၊ အတွေ့အကြုံ၊ အသိပညာ၊ အသက်အရွယ်၊ အကျွမ်းကျင်မှုစာရွက်စာတမ်းများ အစရှိသည့် အချက်များကို အလေးချိန်ပေးသွားမည်။ 13 မတ်လ 2012 ခုနှစ်မှစ၍ 14:00 နာရီ မှစ၍ အိတ်ကွပ်ကဲရေး အဖွဲ့ဝင်များကို အကဲဖြတ်ရာတွင် အခွင့်အလမ်း၊ အတွေ့အကြုံ၊ အသိပညာ၊ အသက်အရွယ်၊ အကျွမ်းကျင်မှုစာရွက်စာတမ်းများ အစရှိသည့် အချက်များကို အလေးချိန်ပေးသွားမည်။

20 နာရီ မှစ၍ 1433

05 မတ်လ 2012

အိတ်ကွပ်ကဲရေး အဖွဲ့ဝင်များကို အကဲဖြတ်ရာတွင် အခွင့်အလမ်း၊ အတွေ့အကြုံ၊ အသိပညာ၊ အသက်အရွယ်၊ အကျွမ်းကျင်မှုစာရွက်စာတမ်းများ အစရှိသည့် အချက်များကို အလေးချိန်ပေးသွားမည်။

အိတ်ကွပ်ကဲရေး အဖွဲ့ဝင်များကို အကဲဖြတ်ရာတွင် အခွင့်အလမ်း၊ အတွေ့အကြုံ၊ အသိပညာ၊ အသက်အရွယ်၊ အကျွမ်းကျင်မှုစာရွက်စာတမ်းများ အစရှိသည့် အချက်များကို အလေးချိန်ပေးသွားမည်။ (IUL)167-E/1/2012/80

အကျွမ်းကျင်မှုစာရွက်စာတမ်းများ

အိတ်ကွပ်ကဲရေး အဖွဲ့ဝင်များကို အကဲဖြတ်ရာတွင် အခွင့်အလမ်း၊ အတွေ့အကြုံ၊ အသိပညာ၊ အသက်အရွယ်၊ အကျွမ်းကျင်မှုစာရွက်စာတမ်းများ အစရှိသည့် အချက်များကို အလေးချိန်ပေးသွားမည်။

အိတ်ကွပ်ကဲရေး အဖွဲ့ဝင်များကို အကဲဖြတ်ရာတွင် အခွင့်အလမ်း၊ အတွေ့အကြုံ၊ အသိပညာ၊ အသက်အရွယ်၊ အကျွမ်းကျင်မှုစာရွက်စာတမ်းများ အစရှိသည့် အချက်များကို အလေးချိန်ပေးသွားမည်။

- Intel Core i3
- Genuine Microsoft Windows 7 professional
- Microsoft Office 2007 or 2010 professional and other necessary software installed

Computer specification link: <http://www.ncit.gov.mv/index.php/en/itstandards/> >> Desktop and Mobile Computing >> Hardware Standard >> Desktop-and-Mobile-Computing-Hardware-Standard-V13-01022012.pdf

အိတ်ကွပ်ကဲရေး အဖွဲ့ဝင်များကို အကဲဖြတ်ရာတွင် အခွင့်အလမ်း၊ အတွေ့အကြုံ၊ အသိပညာ၊ အသက်အရွယ်၊ အကျွမ်းကျင်မှုစာရွက်စာတမ်းများ အစရှိသည့် အချက်များကို အလေးချိန်ပေးသွားမည်။

17 နာရီ မှစ၍ 1433

1 မတ်လ 2012

دېرسونچې څو زونې  
د، جرفورمېنچ.

سره سم: (IUL)23-AP/1/2012/266

اړخونه

سره سمونې په ځان کې سره سمونې ته دې اړه وکړي چې دې سره سمونې،  
چې د سره سمونې اړه سره سمونې سره سمونې، د سره سمونې  
د سره سمونې سره سمونې، سره سمونې سره سمونې سره سمونې سره سمونې  
اړه سم. ج. د سره سمونې اړه سره سمونې سره سمونې سره سمونې  
سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې  
سره سمونې.

د، د یادونه کولو لپاره چې د سره سمونې سره سمونې 2012  
سره سمونې 06 ورسره سمونې سره سمونې 11:30 اړه سره سمونې  
اړه سمونې (سره سمونې سره سمونې، سره سمونې) اړه  
سره سمونې سره سمونې سره سمونې سره سمونې 2012 سره سمونې  
12 ورسره سمونې سره سمونې 11:00 اړه سره سمونې سره سمونې  
سره سمونې (سره سمونې سره سمونې، سره سمونې) اړه سره سمونې  
اړه سره سمونې سره سمونې سره سمونې سره سمونې.

اړه سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې  
سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې  
سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې.

13 فرورمېنچ 1433  
30 د سره سمونې 2012

د سره سمونې سره سمونې سره سمونې  
د، جرفورمېنچ

سره سم: 113-PRC/I-2012/168

اړخونه

د سره سمونې سره سمونې 20 د سره سمونې سره سمونې (20'x20')  
اړه سره سمونې سره سمونې 20 د سره سمونې سره سمونې (40'x20')  
سره سمونې سره سمونې 113-PRC/I-2012/142 اړه سمونې  
سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې  
سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې.

د، د سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې  
سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې  
سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې

د سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې  
ج. د سره سمونې سره سمونې سره سمونې

سره سم: (IUL)440-MS/440/2012/25

اړخونه

د سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې  
د، د سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې  
سره سمونې سره سمونې 07 سره سمونې سره سمونې 2012 سره سمونې  
د سره سمونې سره سمونې 2:30 د سره سمونې سره سمونې سره سمونې  
13 سره سمونې سره سمونې 2012 سره سمونې سره سمونې 2:30 د  
د سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې

6 د سره سمونې سره سمونې سره سمونې  
3 اړه سمونې (سره سمونې سره سمونې)  
3 اړه سمونې سره سمونې (سره سمونې سره سمونې)  
3 اړه سمونې سره سمونې (سره سمونې سره سمونې)  
8 د سره سمونې سره سمونې (سره سمونې سره سمونې)  
1 د سره سمونې سره سمونې A4 سره سمونې  
1 د سره سمونې سره سمونې

1 د سره سمونې سره سمونې 4 سره سمونې، 24 د سره سمونې سره سمونې  
سره سمونې سره سمونې

1 د سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې  
د سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې  
سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې  
سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې.

16 فرورمېنچ 1433  
01 سره سمونې 2012

2012 و سره سمونې سره سمونې 12:00 اړه سره سمونې سره سمونې  
سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې  
19 سره سمونې سره سمونې 2012 و سره سمونې سره سمونې 12:00 اړه  
سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې  
سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې  
سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې  
سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې سره سمونې.

20 فرورمېنچ 1433  
05 سره سمونې 2012

دعا رقم 2012/54  
 رقم 2012/54  
 رقم 2012/54

MHSC-IU/CSD/2012/54

العدد 2012/54

دعا رقم 2012/54  
 رقم 2012/54  
 رقم 2012/54

No	Laundry washing machine no1		Serial Number	Model Number	Qty
	<b>IMESA 70 kg Spare parts</b>	<b>Cod Mod</b>	<b>L200504177</b>	<b>RC70IMIEL N6XA</b>	
1	ROLLER BEARING NU2220 EPC	1937CNU22L30			10
2	ROLLER BEARING LMP314EPC	1937N314			10
3	FRONT FLANGE LM23/30 RC50	2990307x			4
4	REAR FLANGE LM23/330 RC50	2993013x			2
5	RING SEAL 110/140/12	3940at114012			10
6	KASSETTA 130 X 160 X14.5/16 NBR	3940kas13160			10
7	ELECTRO VALVE	2950ES112NCA			4
	<b>Laundry washing machine no 2</b>		<b>L200706047</b>		
	<b>IMESA 70 kg Spare parts</b>				
1	REAR FLANGE LM 14/18230RC 30/40	2010103X			2
2	FRONT FLANGE LM23/30 RC40	2980910X			4
3	o ring	3940ANEORING			5
4	RING SAEL 85/110 /12	3940at8112			3
5	KASSETA 110X140X14.5/16 NBR	3940ka11x14			2
6	ELECTRO VALVE	2950EASNCG34			4
7	SAFFIENTTO DETERGENT	940917X			2
8	BELT	3939CTC2532			4
	<b>Laundry washing machine no 3-4-5-6</b>			<b>LM30</b>	
	<b>IMESA 30 kg</b>				
1	ELECTRO VALVE	290ES100NCA			4
2	BELT	3939CTI2240			4
3	BELLOWS VASCHTT DETERGENT	95038			2
4	EL6 CPU Inin RS232 For Rc	2952MCPUI95	L200112096	R30 IMIELN6XC	2

	Laundry Dryer 40kg		Serial Number	Model Number	Qty
	<b>ADC- DRYER no 1-2-3</b>			<b>120ES</b>	
1	PILLOW BLOCK BEARING	100205			8







**Maldives Ports Limited**  
Male', Republic of Maldives

05th November 2012  
Ref No: 113-PRC/I-2012/164

**ANNOUNCEMENT**

Maldives Ports Limited is inviting for proposals to undertake Insurance to cover for the Fixed Assets of this company.

Interested parties are invited to attend a pre-bid meeting scheduled to be held at the head office of Maldives Ports Limited on 14th November 2012 at 1400hrs and submit the proposals in writing to the address given below on 22nd November 2012 at 1400hrs.

Maldives Ports Limited  
Port Building  
Boduthakurufaanu Magu  
Male 20250  
Republic of Maldives

Proposals will only be accepted from the parties who have attended the pre-bid information session.

**ފޮނުވާލާ ފަރާތްތަކަށް ފޮނުވާލާ ފަރާތްތަކަށް**

މި ފޮނުވާލާ ފަރާތްތަކަށް ފޮނުވާލާ ފަރާތްތަކަށް  
މި ފޮނުވާލާ ފަރާތްތަކަށް

ސަރުކާރުގެ: (IUL)220-AF/1/2012/116

**ފޮނުވާލާ ފަރާތްތަކަށް ފޮނުވާލާ ފަރާތްތަކަށް**

މި ފޮނުވާލާ ފަރާތްތަކަށް ފޮނުވާލާ ފަރާތްތަކަށް ފޮނުވާލާ ފަރާތްތަކަށް

މި ފޮނުވާލާ ފަރާތްތަކަށް ފޮނުވާލާ ފަރާތްތަކަށް (1 ފޮނުވާލާ ފަރާތްތަކަށް)	މި ފޮނުވާލާ ފަރާތްތަކަށް ފޮނުވާލާ ފަރާތްތަކަށް (1 ފޮނުވާލާ ފަރާތްތަކަށް)
މި ފޮނުވާލާ ފަރާތްތަކަށް ފޮނުވާލާ ފަރާތްތަކަށް މި ފޮނުވާލާ ފަރާތްތަކަށް ފޮނުވާލާ ފަރާތްތަކަށް	މި ފޮނުވާލާ ފަރާތްތަކަށް ފޮނުވާލާ ފަރާތްތަކަށް މި ފޮނުވާލާ ފަރާތްތަކަށް ފޮނުވާލާ ފަރާތްތަކަށް
މި ފޮނުވާލާ ފަރާތްތަކަށް ފޮނުވާލާ ފަރާތްތަކަށް 10,000/- ފޮނުވާލާ ފަރާތްތަކަށް	މި ފޮނުވާލާ ފަރާތްތަކަށް ފޮނުވާލާ ފަރާތްތަކަށް 8,500/- ފޮނުވާލާ ފަރާތްތަކަށް
މި ފޮނުވާލާ ފަރާތްތަކަށް ފޮނުވާލާ ފަރާތްތަކަށް 3,500/- ފޮނުވާލާ ފަރާތްތަކަށް	މި ފޮނުވާލާ ފަރާތްތަކަށް ފޮނުވާލާ ފަރާތްތަކަށް 40% ފޮނުވާލާ ފަރާތްތަކަށް









**1. 2012 22**

2012 13 22  
2012 13 22

**2. 2012 13**

- 1. 2012 13 22
- 2. 2012 13 22
- 3. 2012 13 22
- 4. 2012 13 22
- 5. 2012 13 22
- 6. 2012 13 22
- 7. 2012 13 22
- 8. 2012 13 22
- 9. 2012 13 22
- 10. 2012 13 22
- 11. 2012 13 22
- 12. 2012 13 22
- 13. 2012 13 22
- 14. 2012 13 22
- 15. 2012 13 22
- 16. 2012 13 22
- 17. 2012 13 22
- 18. 2012 13 22
- 19. 2012 13 22
- 20. 2012 13 22
- 21. 2012 13 22
- 22. 2012 13 22
- 23. 2012 13 22
- 24. 2012 13 22
- 25. 2012 13 22
- 26. 2012 13 22
- 27. 2012 13 22
- 28. 2012 13 22
- 29. 2012 13 22
- 30. 2012 13 22
- 31. 2012 13 22
- 32. 2012 13 22
- 33. 2012 13 22
- 34. 2012 13 22
- 35. 2012 13 22
- 36. 2012 13 22
- 37. 2012 13 22
- 38. 2012 13 22
- 39. 2012 13 22
- 40. 2012 13 22
- 41. 2012 13 22
- 42. 2012 13 22
- 43. 2012 13 22
- 44. 2012 13 22
- 45. 2012 13 22
- 46. 2012 13 22
- 47. 2012 13 22
- 48. 2012 13 22
- 49. 2012 13 22
- 50. 2012 13 22

**3. 2012 15:00**

2012 15:00

**4. 2012 15:00**

2012 15:00

מס' 144-A/2012/644:2

החלטות

ד"ר: הנהלת בית דין מנהלת את ההליכה

MS1:

01: הנהלת בית דין

הנהלת בית דין מנהלת את ההליכה / ד"ר

ד"ר: 5610/- (הנהלת בית דין)

הנהלת בית דין: 2000/- (הנהלת בית דין)

הנהלת בית דין מנהלת את ההליכה 40% והנהלת בית דין מנהלת את ההליכה  
הנהלת בית דין מנהלת את ההליכה והנהלת בית דין מנהלת את ההליכה.

הנהלת בית דין מנהלת את ההליכה והנהלת בית דין מנהלת את ההליכה  
הנהלת בית דין מנהלת את ההליכה והנהלת בית דין מנהלת את ההליכה.

הנהלת בית דין מנהלת את ההליכה:

1. הנהלת בית דין מנהלת את ההליכה והנהלת בית דין מנהלת את ההליכה.
2. הנהלת בית דין מנהלת את ההליכה והנהלת בית דין מנהלת את ההליכה.
3. הנהלת בית דין מנהלת את ההליכה והנהלת בית דין מנהלת את ההליכה.
4. הנהלת בית דין מנהלת את ההליכה והנהלת בית דין מנהלת את ההליכה.
5. הנהלת בית דין מנהלת את ההליכה והנהלת בית דין מנהלת את ההליכה.
6. הנהלת בית דין מנהלת את ההליכה והנהלת בית דין מנהלת את ההליכה.
7. הנהלת בית דין מנהלת את ההליכה והנהלת בית דין מנהלת את ההליכה.
8. הנהלת בית דין מנהלת את ההליכה והנהלת בית דין מנהלת את ההליכה.
9. הנהלת בית דין מנהלת את ההליכה והנהלת בית דין מנהלת את ההליכה.

הנהלת בית דין מנהלת את ההליכה והנהלת בית דין מנהלת את ההליכה.  
הנהלת בית דין מנהלת את ההליכה והנהלת בית דין מנהלת את ההליכה.

ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.

1. සේවා සම්බන්ධ කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.
2. ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.
3. ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.
4. ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.
5. ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.
6. ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.

ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත. 08 ඔක්තෝබර් 2012 වසරේදී 12:00 ට පසුව සේවා සම්බන්ධ කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත. ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත. [www.civilcourt.gov.mv](http://www.civilcourt.gov.mv) වෙබ් අඩවියේදී සටහන් කර ඇත.

\* ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත. (04 ඔක්තෝබර් 2012) 144-A/2012/547 වැනි අංකයේදී සටහන් කර ඇත. ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.

29 ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.  
15 ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.

සේවා සම්බන්ධ කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.

ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත. I - 2012/ 170

ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.	
දිනය:	ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.
ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.	ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.
01	ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.
ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.	ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.
ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.	ඉදිරිපත් කර ඇති පත්වලට පිටුපසින් සටහන් කර ඇත.









دۆڭلەپ ئاۋۇستىننىڭ ئىقتىسادى  
دۆڭلەپ ئاۋۇستىننىڭ ئىقتىسادى

سۈنۈش نومۇرى: (IUL) 425-A1/A/2012/203

تۆمۈر ئۆسۈمۈك

دۆڭلەپ ئاۋۇستىننىڭ ئىقتىسادى	دۆڭلەپ ئاۋۇستىننىڭ ئىقتىسادى
ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2	ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2
ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2	ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2
ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2	ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2
ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2	ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2
ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2	ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2
ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2	ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2
ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2	ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2
ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2	ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2
ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2	ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2

1. دۆڭلەپ ئاۋۇستىننىڭ ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2  
ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2
2. دۆڭلەپ ئاۋۇستىننىڭ ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2  
ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2
3. دۆڭلەپ ئاۋۇستىننىڭ ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2  
ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2
4. دۆڭلەپ ئاۋۇستىننىڭ ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2  
ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2
5. دۆڭلەپ ئاۋۇستىننىڭ ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2  
ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2

دۆڭلەپ ئاۋۇستىننىڭ ئىقتىسادى

1. دۆڭلەپ ئاۋۇستىننىڭ ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2  
ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2
2. دۆڭلەپ ئاۋۇستىننىڭ ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2  
ئىقتىسادى ئۆسۈمۈك ئۆسۈمۈك 2













2	2	2	2	2	2	2	2	2	2
4	4	4	4	4	4	4	4	4	4
5020.00	5020.00	5020.00	5020.00	5020.00	5020.00	5020.00	5020.00	5020.00	5020.00
1500.00	1500.00	1500.00	1500.00	1500.00	1500.00	1500.00	1500.00	1500.00	1500.00
01	01	01	01	01	01	01	01	01	01

1. 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024

2. 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024

3. 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024

4. 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024

5. 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024

6. 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024

7. 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024 2023-2024









1. **සේවාව:** පුද්ගලික සේවාව / පුද්ගලික සේවාව සඳහා  
 2. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 3. **මුදල:** රු. 4465.00  
 4. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 5. **මුදල:** රු. 1500.00  
 6. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 7. **මුදල:** රු. 01

8. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 9. **මුදල:** රු. 01  
 10. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 11. **මුදල:** රු. 01  
 12. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 13. **මුදල:** රු. 01  
 14. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 15. **මුදල:** රු. 01

16. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 17. **මුදල:** රු. 01  
 18. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 19. **මුදල:** රු. 01  
 20. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 21. **මුදල:** රු. 01  
 22. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 23. **මුදල:** රු. 01

24. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 25. **මුදල:** රු. 01  
 26. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 27. **මුදල:** රු. 01  
 28. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 29. **මුදල:** රු. 01  
 30. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 31. **මුදල:** රු. 01

32. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 33. **මුදල:** රු. 01  
 34. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 35. **මුදල:** රු. 01  
 36. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 37. **මුදල:** රු. 01  
 38. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 39. **මුදල:** රු. 01  
 40. **විස්තරය:** පුද්ගලික සේවාව සඳහා  
 41. **මුදල:** රු. 01

شماره پرونده: 2/52/1/A-95(IUL)

تاریخچه

در خصوص تاریخچه پرونده...

تاریخچه:	از تاریخ ... تا تاریخ ...
شماره پرونده:	شماره پرونده ...
تاریخچه پرونده:	01 ( ... )
تاریخچه پرونده:	GS 3
تاریخچه پرونده:	1. تاریخچه ... 2. تاریخچه ... GS-2 تاریخچه ...
تاریخچه پرونده:	1. تاریخچه ... 2. تاریخچه ... 3. تاریخچه ... 4. تاریخچه ... 5. تاریخچه ... 6. تاریخچه ... 7. تاریخچه ...













**پي ٽي ڊي رڪارڊ**  
 سڙڻ نمبر: (IUL)23-ES/1/2012/264  
 22 آڪٽوبر 2012

دسٽوٽي ۽ ٻي رڪارڊ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ، ڇوڪر ۽ ڇوڪرن ۽ ٻين  
 ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ.

ڏيکارڻ	ٻي رڪارڊ ۽ ٻي رڪارڊ	
ڪارڊ نمبر: MS3	ڏيکارڻ نمبر: 01 ٻي رڪارڊ ۽ ٻي رڪارڊ	ٻي رڪارڊ ۽ ٻي رڪارڊ
	ڏيکارڻ نمبر: 7035/- ٻي رڪارڊ	ٻي رڪارڊ
	ڏيکارڻ نمبر: 2000/- ٻي رڪارڊ	ٻي رڪارڊ ۽ ٻي رڪارڊ
	ٻي رڪارڊ ۽ ٻي رڪارڊ ۽ ٻي رڪارڊ ۽ ٻي رڪارڊ	ٻي رڪارڊ ۽ ٻي رڪارڊ
دسٽوٽي ۽ ٻي رڪارڊ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ	ٻي رڪارڊ ۽ ٻي رڪارڊ ۽ ٻي رڪارڊ ۽ ٻي رڪارڊ	ٻي رڪارڊ ۽ ٻي رڪارڊ
ڏيکارڻ	ٻي رڪارڊ ۽ ٻي رڪارڊ	
ڪارڊ نمبر: MS3	ڏيکارڻ نمبر: 01 ٻي رڪارڊ ۽ ٻي رڪارڊ	ٻي رڪارڊ ۽ ٻي رڪارڊ
	ڏيکارڻ نمبر: 7035/- ٻي رڪارڊ	ٻي رڪارڊ
	ڏيکارڻ نمبر: 2000/- ٻي رڪارڊ	ٻي رڪارڊ ۽ ٻي رڪارڊ
	ٻي رڪارڊ ۽ ٻي رڪارڊ	ٻي رڪارڊ ۽ ٻي رڪارڊ
دسٽوٽي ۽ ٻي رڪارڊ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ	ٻي رڪارڊ ۽ ٻي رڪارڊ ۽ ٻي رڪارڊ ۽ ٻي رڪارڊ	ٻي رڪارڊ ۽ ٻي رڪارڊ
1. ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ ۽ ٻي رڪارڊ ڪري ڏيکارڻ	ٻي رڪارڊ ۽ ٻي رڪارڊ ۽ ٻي رڪارڊ ۽ ٻي رڪارڊ	ٻي رڪارڊ ۽ ٻي رڪارڊ







<p>7. ބުނެވޭ ފެންވަރު ދަށުން ބަލާ ދަތުރުތަކުގެ ދަށުން ފަރުވާ ދެއްވާނީ ސަރުކާރުގެ ފަރާތުންނެވެ. ސަރުކާރުގެ ފަރާތުން ފަރުވާ ދެއްވަންޖެހޭ ފަރާތްތަކުގެ ނަންބަރު 1112 ގައި ފާހަގަ ކުރެއްވުމަށް ފާސަދާރުކޮށްފައި ވެއެވެ. ސަރުކާރުގެ ފަރާތުން ފަރުވާ ދެއްވަންޖެހޭ ފަރާތްތަކުގެ ނަންބަރު 1112 ގައި ފާހަގަ ކުރެއްވުމަށް ފާސަދާރުކޮށްފައި ވެއެވެ.</p> <p>8. ސަރުކާރުގެ ފަރާތުން ފަރުވާ ދެއްވަންޖެހޭ ފަރާތްތަކުގެ ނަންބަރު 1112 ގައި ފާހަގަ ކުރެއްވުމަށް ފާސަދާރުކޮށްފައި ވެއެވެ. ސަރުކާރުގެ ފަރާތުން ފަރުވާ ދެއްވަންޖެހޭ ފަރާތްތަކުގެ ނަންބަރު 1112 ގައި ފާހަގަ ކުރެއްވުމަށް ފާސަދާރުކޮށްފައި ވެއެވެ.</p>	
<p>07 ނޮވެމްބަރ 2012 ވާ ބަންދު ދުވަހުގެ 02:30 ގެ ފަހަތުން ފެށިގެން ދިވެހި ސަރުކާރުގެ ފަރާތުން ފަރުވާ ދެއްވަންޖެހޭ ފަރާތްތަކުގެ ނަންބަރު 1112 ގައި ފާހަގަ ކުރެއްވުމަށް ފާސަދާރުކޮށްފައި ވެއެވެ. ސަރުކާރުގެ ފަރާތުން ފަރުވާ ދެއްވަންޖެހޭ ފަރާތްތަކުގެ ނަންބަރު 1112 ގައި ފާހަގަ ކުރެއްވުމަށް ފާސަދާރުކޮށްފައި ވެއެވެ.</p>	<p>ސަރުކާރުގެ ފަރާތުން ފަރުވާ ދެއްވަންޖެހޭ ފަރާތްތަކުގެ ނަންބަރު 1112 ގައި ފާހަގަ ކުރެއްވުމަށް ފާސަދާރުކޮށްފައި ވެއެވެ.</p>
<p>ދިވެހި ސަރުކާރުގެ ފަރާތުން ފަރުވާ ދެއްވަންޖެހޭ ފަރާތްތަކުގެ ނަންބަރު 1112 ގައި ފާހަގަ ކުރެއްވުމަށް ފާސަދާރުކޮށްފައި ވެއެވެ. ސަރުކާރުގެ ފަރާތުން ފަރުވާ ދެއްވަންޖެހޭ ފަރާތްތަކުގެ ނަންބަރު 1112 ގައި ފާހަގަ ކުރެއްވުމަށް ފާސަދާރުކޮށްފައި ވެއެވެ.</p>	<p>ދިވެހި ސަރުކާރުގެ ފަރާތުން ފަރުވާ ދެއްވަންޖެހޭ ފަރާތްތަކުގެ ނަންބަރު 1112 ގައި ފާހަގަ ކުރެއްވުމަށް ފާސަދާރުކޮށްފައި ވެއެވެ.</p>

ދިވެހި ސަރުކާރުގެ ފަރާތުން ފަރުވާ ދެއްވަންޖެހޭ ފަރާތްތަކުގެ ނަންބަރު 1112 ގައި ފާހަގަ ކުރެއްވުމަށް ފާސަދާރުކޮށްފައި ވެއެވެ.

<p>(IUL)23-ES/1/2012/262</p>	<p><b>ބުނެވޭ ފެންވަރު ދަށުން ބަލާ ދަތުރުތަކުގެ ދަށުން ފަރުވާ ދެއްވާނީ ސަރުކާރުގެ ފަރާތުންނެވެ.</b></p>
<p>21 ނޮވެމްބަރ 2012</p>	<p><b>ބުނެވޭ ފެންވަރު ދަށުން ބަލާ ދަތުރުތަކުގެ ދަށުން ފަރުވާ ދެއްވާނީ ސަރުކާރުގެ ފަރާތުންނެވެ.</b></p>

ދިވެހި ސަރުކާރުގެ ފަރާތުން ފަރުވާ ދެއްވަންޖެހޭ ފަރާތްތަކުގެ ނަންބަރު 1112 ގައި ފާހަގަ ކުރެއްވުމަށް ފާސަދާރުކޮށްފައި ވެއެވެ. ސަރުކާރުގެ ފަރާތުން ފަރުވާ ދެއްވަންޖެހޭ ފަރާތްތަކުގެ ނަންބަރު 1112 ގައި ފާހަގަ ކުރެއްވުމަށް ފާސަދާރުކޮށްފައި ވެއެވެ.

ދަތުރު	ޕްރިޔަރުތަކުގެ ގޮތުގައި	ޕްރިޔަރުތަކުގެ ގޮތުގައި
EX1	01	8835/- ދިރިއުޅޭ ފަރާތްތަކުގެ ފަރާތުން
	2000/- ދިރިއުޅޭ ފަރާތްތަކުގެ ފަރާތުން	ސަރުކާރުގެ ފަރާތުން ފަރުވާ ދެއްވަންޖެހޭ ފަރާތްތަކުގެ ފަރާތުން
		ސަރުކާރުގެ ފަރާތުން ފަރުވާ ދެއްވަންޖެހޭ ފަރާތްތަކުގެ ފަރާތުން













<p>טעם פון די פראגע</p>	<p>אנטיקעסערע פראגע</p>
<p>די פראגע די פראגע</p>	<p>אנטיקעסערע פראגע אנטיקעסערע פראגע</p>
<p>די פראגע</p>	<p>1. די פראגע פון די פראגע די פראגע פון די פראגע די פראגע פון די פראגע</p>
<p>די פראגע</p>	<p>1. די פראגע פון די פראגע 2. די פראגע פון די פראגע 3. די פראגע פון די פראגע 4. די פראגע פון די פראגע 5. די פראגע פון די פראגע 6. די פראגע פון די פראגע 7. די פראגע פון די פראגע 8. די פראגע פון די פראגע</p>





سرفہم: (IUL)MISL004-HR/1/2012/04

**مذکورہ سے تعلق رکھنے والے تمام دستاویزات اور تصدیقی کارروائیوں کے لئے**

مذکورہ سے تعلق رکھنے والے تمام دستاویزات اور تصدیقی کارروائیوں کے لئے منظور کی جائیں گی۔

رقم	مذکورہ سے تعلق رکھنے والے تمام دستاویزات اور تصدیقی کارروائیوں کے لئے
2	مذکورہ سے تعلق رکھنے والے تمام دستاویزات اور تصدیقی کارروائیوں کے لئے منظور کی جائیں گی۔
9890/-	مذکورہ سے تعلق رکھنے والے تمام دستاویزات اور تصدیقی کارروائیوں کے لئے منظور کی جائیں گی۔
2000/-	مذکورہ سے تعلق رکھنے والے تمام دستاویزات اور تصدیقی کارروائیوں کے لئے منظور کی جائیں گی۔
	مذکورہ سے تعلق رکھنے والے تمام دستاویزات اور تصدیقی کارروائیوں کے لئے منظور کی جائیں گی۔
01	مذکورہ سے تعلق رکھنے والے تمام دستاویزات اور تصدیقی کارروائیوں کے لئے منظور کی جائیں گی۔
1.	مذکورہ سے تعلق رکھنے والے تمام دستاویزات اور تصدیقی کارروائیوں کے لئے منظور کی جائیں گی۔
2.	مذکورہ سے تعلق رکھنے والے تمام دستاویزات اور تصدیقی کارروائیوں کے لئے منظور کی جائیں گی۔
3.	مذکورہ سے تعلق رکھنے والے تمام دستاویزات اور تصدیقی کارروائیوں کے لئے منظور کی جائیں گی۔
4.	مذکورہ سے تعلق رکھنے والے تمام دستاویزات اور تصدیقی کارروائیوں کے لئے منظور کی جائیں گی۔















2012

GS66/IUL/2012/30

31

2012

2012	2012	2012	2012
1000/-	2012	3875/-	2012
3	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012
2012	2012	2012	2012









سنة 2012/036/A/IL/116

موضوع الدعوى

الادعاءات المدعى بها ان ارضه التى تقع فى منطقة ... تابعة له وحده ...

دعوى: ان ارضه التى تقع فى منطقة ... تابعة له وحده ...

المساحة: 16

الدعوى: 21 - 35 ارضه.

مستند:

- شهادة اربعة اشخاص من قريته بالقرية.
- اقراره بانه ارضه التى تقع فى منطقة ... تابعة له وحده ...
- اقراره بانه ارضه التى تقع فى منطقة ... تابعة له وحده ...
- اقراره بانه ارضه التى تقع فى منطقة ... تابعة له وحده ...
- اقراره بانه ارضه التى تقع فى منطقة ... تابعة له وحده ...

دعوى: ان ارضه التى تقع فى منطقة ... تابعة له وحده ...

الادعاءات المدعى بها ان ارضه التى تقع فى منطقة ... تابعة له وحده ...

دعوى: ان ارضه التى تقع فى منطقة ... تابعة له وحده ...

دعوى: ان ارضه التى تقع فى منطقة ... تابعة له وحده ...

الادعاءات المدعى بها ان ارضه التى تقع فى منطقة ... تابعة له وحده ...

دعوى: ان ارضه التى تقع فى منطقة ... تابعة له وحده ...

دعوى: ان ارضه التى تقع فى منطقة ... تابعة له وحده ...

دعوى: ان ارضه التى تقع فى منطقة ... تابعة له وحده ...

دعوى: ان ارضه التى تقع فى منطقة ... تابعة له وحده ...

دعوى: ان ارضه التى تقع فى منطقة ... تابعة له وحده ...

فوجی فرائض اور دیگر سہولتیں اور دیگر فرائض:  
جس میں شامل ہے، راجد میں ہرگز کسی طرح کی سہولت اور دیگر سہولتیں  
دفعہ ۱۱۱ اور ۱۱۲ کے تحت پیش کردہ ہیں۔  
اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں  
اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں

ایمپلوائمنٹ ڈیپارٹمنٹ : فون - 3338800 سروے اور دیگر : [employment@macl.aero](mailto:employment@macl.aero)

16 فروری 2012  
01 ستمبر 2012

دوستانہ اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں  
اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں

سروے: AAM/2012/0001

### ایمپلوائمنٹ

جس میں شامل ہے اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں

دفعہ: جس میں شامل ہے اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں  
اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں  
اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں  
اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں

جس میں شامل ہے اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں  
اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں  
اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں  
اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں  
اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں  
اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں  
اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں  
اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں

جس میں شامل ہے اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں  
اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں  
اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں  
اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں اور دیگر سہولتیں

4 ستمبر 2012







<p>01 (14) 01</p>	<p>06 (14) 06</p>
<p>03:00 08:00 06:00</p>	<p>15,000/-</p>
<p>1. 2. 3. 4.</p>	<p>1. 2. 3. 4.</p>
<p>1. 2. 3. 4.</p>	<p>1. 2. 3. 4.</p>
<p>1. 2.</p>	<p>1. 2.</p>

3. ڪوٺڻ جو سڃاڻپ ڪرڻ (اڻ ڄاتل ڪوٺڻ جو سڃاڻپ ڪرڻ)
4. ڪوٺڻ جو نالو ڏيکارڻ ۽ ڪوٺڻ جو (ڏيکارڻ ۽ ڪوٺڻ جو نالو ڏيکارڻ)
5. ڪوٺڻ جو ڪوٺڻ جو نالو ڏيکارڻ، ڪوٺڻ جو نالو ڏيکارڻ.

ڏيکارڻ جو سڃاڻپ:

ڏيکارڻ جو نالو ڏيکارڻ ۽ ڪوٺڻ جو نالو ڏيکارڻ 18 ڏيکارڻ 2012 جو ڏيکارڻ جو نالو ڏيکارڻ 14:00 ۽ ڪوٺڻ جو نالو ڏيکارڻ ڪوٺڻ جو نالو ڏيکارڻ ۽ ڪوٺڻ جو نالو ڏيکارڻ ڪوٺڻ جو نالو ڏيکارڻ ڪوٺڻ جو نالو ڏيکارڻ [secretariat@ncit.gov.mv](mailto:secretariat@ncit.gov.mv) ڪوٺڻ جو نالو ڏيکارڻ.

ڏيکارڻ جو نالو ڏيکارڻ ۽ ڪوٺڻ جو نالو ڏيکارڻ ڪوٺڻ جو نالو ڏيکارڻ [secretariat@ncit.gov.mv](mailto:secretariat@ncit.gov.mv) ڪوٺڻ جو نالو ڏيکارڻ.

ڪوٺڻ جو نالو ڏيکارڻ:

ڪوٺڻ جو نالو ڏيکارڻ ڪوٺڻ جو نالو ڏيکارڻ ڪوٺڻ جو نالو ڏيکارڻ

64، ڪوٺڻ جو نالو ڏيکارڻ، ڪوٺڻ جو نالو ڏيکارڻ

ڪوٺڻ جو نالو ڏيکارڻ: (960) 334 4000، ڪوٺڻ جو نالو ڏيکارڻ: (960) 334 4004

ڪوٺڻ جو نالو ڏيکارڻ: [secretariat@ncit.gov.mv](mailto:secretariat@ncit.gov.mv)

ڪوٺڻ جو نالو ڏيکارڻ: [www.ncit.gov.mv](http://www.ncit.gov.mv)

20 ڏيکارڻ جو نالو ڏيکارڻ 1433

05 ڏيکارڻ جو نالو ڏيکارڻ 2012

ڪوٺڻ جو نالو ڏيکارڻ ڪوٺڻ جو نالو ڏيکارڻ ڪوٺڻ جو نالو ڏيکارڻ ڪوٺڻ جو نالو ڏيکارڻ

ڪوٺڻ جو نالو ڏيکارڻ: (IUL)415-HR/415/2012/18

### ڪوٺڻ جو نالو ڏيکارڻ

#### ڪوٺڻ جو نالو ڏيکارڻ

ڪوٺڻ جو نالو ڏيکارڻ ڪوٺڻ جو نالو ڏيکارڻ ڪوٺڻ جو نالو ڏيکارڻ ڪوٺڻ جو نالو ڏيکارڻ

ڏيکارڻ جو نالو:	ڏيکارڻ جو نالو (ڏيکارڻ جو نالو)	ڏيکارڻ جو نالو:	ڏيکارڻ جو نالو:
ڏيکارڻ جو نالو:	232649	ڏيکارڻ جو نالو:	01
ڏيکارڻ جو نالو:	ڪوٺڻ جو نالو ڏيکارڻ	ڏيکارڻ جو نالو:	ڪوٺڻ جو نالو ڏيکارڻ
ڏيکارڻ جو نالو:	ڪوٺڻ جو نالو ڏيکارڻ	ڏيکارڻ جو نالو:	ڪوٺڻ جو نالو ڏيکارڻ
ڏيکارڻ جو نالو:	ڪوٺڻ جو نالو ڏيکارڻ	ڏيکارڻ جو نالو:	ڪوٺڻ جو نالو ڏيکارڻ





سۇمما: (IUL)220-AF/1/2012/117

قۇرغۇچى ئىشلىتىش

بۇ مەبلەغ ئىشلىتىش رەقۇمى كۆپ قاتلاملىق ئۆزگەرتىش ئىشلىتىش ئىشلىتىش.

<p>دۆلەت:</p> <p>ئۆزبېكىستان ئىشلىتىش ئىشلىتىش ئىشلىتىش (1 مىلليون) /          ئىسپانىيە ئىشلىتىش ئىشلىتىش ئىشلىتىش (1 مىلليون)</p>	
<p>قۇرغۇچى ئىشلىتىش ئىشلىتىش ئىشلىتىش / ئىشلىتىش ئىشلىتىش ئىشلىتىش</p>	<p>ئىشلىتىش ئىشلىتىش</p>
<p>ئىشلىتىش ئىشلىتىش 8500/-          ئىسپانىيە ئىشلىتىش 7000/-</p>	<p>ئىشلىتىش ئىشلىتىش</p>
<p>ئىشلىتىش ئىشلىتىش ئىشلىتىش</p> <p>ئىشلىتىش ئىشلىتىش: 2,500/-          ئىشلىتىش ئىشلىتىش: 40%          ئىشلىتىش ئىشلىتىش: 200/-          ئىشلىتىش ئىشلىتىش (ئىشلىتىش ئىشلىتىش)</p> <p>ئىسپانىيە ئىشلىتىش ئىشلىتىش</p> <p>ئىشلىتىش ئىشلىتىش: 2,500/-          ئىشلىتىش ئىشلىتىش: 40%          ئىشلىتىش ئىشلىتىش: 175/-          ئىشلىتىش ئىشلىتىش (ئىشلىتىش ئىشلىتىش)</p>	<p>ئىشلىتىش ئىشلىتىش ئىشلىتىش</p>
<ul style="list-style-type: none"> <li>- ئىشلىتىش ئىشلىتىش ئىشلىتىش ئىشلىتىش ئىشلىتىش</li> <li>- ئىشلىتىش ئىشلىتىش ئىشلىتىش ئىشلىتىش ئىشلىتىش</li> <li>- ئىشلىتىش ئىشلىتىش ئىشلىتىش ئىشلىتىش ئىشلىتىش</li> <li>- ئىشلىتىش ئىشلىتىش ئىشلىتىش ئىشلىتىش ئىشلىتىش</li> <li>- ئىشلىتىش ئىشلىتىش ئىشلىتىش ئىشلىتىش ئىشلىتىش</li> <li>- ئىشلىتىش ئىشلىتىش ئىشلىتىش ئىشلىتىش ئىشلىتىش</li> </ul>	<p>دۆلەت ئىشلىتىش ئىشلىتىش          ئىشلىتىش ئىشلىتىش          ئىشلىتىش ئىشلىتىش          ئىشلىتىش ئىشلىتىش          ئىشلىتىش ئىشلىتىش          ئىشلىتىش ئىشلىتىش</p>













މަސަލާއެއްގެ ގޮތުގައި ދިވެހިސަރުކާރުގެ ފަރާތުން ދަތުރު ފަދަ ސަރުކާރުގެ ޖަލްސާތަކުގައި ބައިވެރިވާ ފުރުޞަތު ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.

މި ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.

15 ފެބްރުއަރީ 2012

31 ޖުލައި 2012

އެއްވެސް ބަޔާންކޮށްފައި ނުވާ ފަރާތްތަކުގެ ފަރާތުން ދަތުރު ފަދަ ސަރުކާރުގެ ޖަލްސާތަކުގައި ބައިވެރިވާ ފުރުޞަތު ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.

މި ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ. 2012 (އެފްރީލް) ފެބްރުއަރީ 12:30 ގައި ދިވެހިސަރުކާރުގެ ފަރާތުން ދަތުރު ފަދަ ސަރުކާރުގެ ޖަލްސާތަކުގައި ބައިވެރިވާ ފުރުޞަތު ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ. ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ. <http://www.stomaldives.com/downloads> ގައި ބަޔާންކޮށްފައި ވެއެވެ.

ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ. ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.

މި ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ. ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.

ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ. ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.

ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ. ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.

ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ. ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.

01 ފެބްރުއަރީ 2012

ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.

60-ADM/2012/284 ނަންބަރު

އިތުރު ފަލަތް

މި ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.

1 ފެބްރުއަރީ 2012

1 ފެބްރުއަރީ 2012

މި ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.

ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.

އިތުރު ފަލަތް

މި ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.

މި ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.

މި ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.

މި ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.

- ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.
- ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.
- ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.

މި ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.

- ފޯމުގެ ނަންބަރު 7940633 ގައި ބަޔާންކޮށްފައި ވެއެވެ.









































































3. (a) 12 months after the date of the award, the award shall be subject to the following conditions:  
The award shall be subject to the following conditions:

(b) The award shall be subject to the following conditions:

(c) The award shall be subject to the following conditions:

(d) The award shall be subject to the following conditions:

(e) The award shall be subject to the following conditions:

(f) The award shall be subject to the following conditions:

(g) The award shall be subject to the following conditions:

(h) The award shall be subject to the following conditions:

(i) The award shall be subject to the following conditions:

(j) The award shall be subject to the following conditions:

(k) The award shall be subject to the following conditions:

(l) The award shall be subject to the following conditions:

(m) The award shall be subject to the following conditions:

(n) The award shall be subject to the following conditions:

(o) The award shall be subject to the following conditions:

(p) The award shall be subject to the following conditions:

(q) The award shall be subject to the following conditions:

(r) The award shall be subject to the following conditions:

(s) The award shall be subject to the following conditions:

(t) The award shall be subject to the following conditions:

(u) The award shall be subject to the following conditions:

(v) The award shall be subject to the following conditions:















Գրական և արվեստագիտական գործերի մրցույթի հարցեր

1. Գրական և արվեստագիտական գործերի մրցույթի հարցեր :
  - 25 գրական (ա) Գրական և արվեստագիտական գործերի մրցույթի հարցերի մրցույթը
2. Ներդրումներ :
  - 25 գրական (ա) Գրական և արվեստագիտական գործերի մրցույթը
  - 20 գրական (բ) Ներդրումներ և մրցույթի արդյունքներ
3. Պրոբլեմներ :
  - 05 գրական (ա) Պրոբլեմներ 21 - 25 և նրանք խոսքեր
  - 07 գրական (բ) Պրոբլեմներ 25 և նրանք խոսքեր (Գրական 07 խոսքեր)
4. Գրական և արվեստագիտական գործերի մրցույթի հարցեր :
  - 10 գրական (ա) Գրական և արվեստագիտական գործերի մրցույթի հարցեր
  - 04 գրական (բ) Գրական և արվեստագիտական գործերի մրցույթի հարցեր և նրանք խոսքեր
5. Գրական և արվեստագիտական գործերի մրցույթի հարցեր :
  - 03 գրական (ա) Գրական և արվեստագիտական գործերի մրցույթի հարցեր 21 և նրանք խոսքեր
  - 04 գրական (բ) Գրական և արվեստագիտական գործերի մրցույթի հարցեր 21 և նրանք խոսքեր 1 և նրանք խոսքեր
  - 04 գրական (գ) Գրական և արվեստագիտական գործերի մրցույթի հարցեր (Գրական 08 խոսքեր)
6. Գրական և արվեստագիտական գործերի մրցույթի հարցեր :
  - 03 գրական (ա) Գրական և արվեստագիտական գործերի մրցույթի հարցեր
  - 03 գրական (բ) Գրական և արվեստագիտական գործերի մրցույթի հարցեր
  - 03 գրական (գ) Գրական և արվեստագիտական գործերի մրցույթի հարցեր և նրանք խոսքեր
7. Գրական և արվեստագիտական գործերի մրցույթի հարցեր :
  - 10 գրական (ա) Գրական և արվեստագիտական գործերի մրցույթի հարցեր և նրանք խոսքեր
  - 10 գրական (բ) Գրական և արվեստագիտական գործերի մրցույթի հարցեր և նրանք խոսքեր
  - 05 գրական (գ) Գրական և արվեստագիտական գործերի մրցույթի հարցեր և նրանք խոսքեր
  - 05 գրական (դ) Գրական և արվեստագիտական գործերի մրցույթի հարցեր և նրանք խոսքեր

Գրական և արվեստագիտական գործերի մրցույթի հարցեր : \_\_\_\_\_























