



ਯੂਨੀਵਰਸਿਟੀ ਜੰਮੂ
ਫ਼ਾਈਲ ਨੰਬਰ

ਯੂਨੀਵਰਸਿਟੀ ਜੰਮੂ ਫ਼ਾਈਲ ਨੰਬਰ
ਯੂਨੀਵਰਸਿਟੀ ਜੰਮੂ ਫ਼ਾਈਲ ਨੰਬਰ

171-M(F2)/IUL/2022/400

04 ਅਕਤੂਬਰ 2022

PC-171/2022/W-L073

ਯੂਨੀਵਰਸਿਟੀ ਜੰਮੂ ਫ਼ਾਈਲ ਨੰਬਰ

ਯੂਨੀਵਰਸਿਟੀ ਜੰਮੂ ਫ਼ਾਈਲ ਨੰਬਰ

ਯੂਨੀਵਰਸਿਟੀ ਜੰਮੂ ਫ਼ਾਈਲ ਨੰਬਰ

ਯੂਨੀਵਰਸਿਟੀ ਜੰਮੂ ਫ਼ਾਈਲ ਨੰਬਰ

ਯੂਨੀਵਰਸਿਟੀ ਜੰਮੂ ਫ਼ਾਈਲ ਨੰਬਰ

Procurement of Lift mounted Van

සමුදායීකරණ කටයුතු සඳහා වන ප්‍රවේශන කොන්දිසිතින්

	දැනට ඇත.
13.4	සෑම සේවකයෙකුම සේවයේ සිටින අතර සේවයේ සිටින සෑම සේවකයෙකුම 13.3 ක් වන කොන්දිසිතින් යටතේ සේවයේ සිටිය යුතුය.
13.5	සේවයේ සිටින සෑම සේවකයෙකුම සේවයේ සිටින සෑම සේවකයෙකුම 5 (පහ) ක් වන කොන්දිසිතින් යටතේ සේවයේ සිටිය යුතුය.
13.6	13.5 ක් වන කොන්දිසිතින් යටතේ සේවයේ සිටින සෑම සේවකයෙකුම සේවයේ සිටිය යුතුය.
13.7	සේවයේ සිටින සෑම සේවකයෙකුම සේවයේ සිටින සෑම සේවකයෙකුම සේවයේ සිටිය යුතුය.
13.8	සේවයේ සිටින සෑම සේවකයෙකුම සේවයේ සිටින සෑම සේවකයෙකුම 90 ක් වන කොන්දිසිතින් යටතේ සේවයේ සිටිය යුතුය.
14.0	අදාළ කොන්දිසිතින් යටතේ සේවයේ සිටිය යුතුය
14.1	අදාළ කොන්දිසිතින් යටතේ සේවයේ සිටිය යුතුය.
14.2	අදාළ කොන්දිසිතින් යටතේ සේවයේ සිටිය යුතුය. 250,000/- (දෙසියයට දසය) ක් වන කොන්දිසිතින් යටතේ සේවයේ සිටිය යුතුය.
14.3	අදාළ කොන්දිසිතින් යටතේ සේවයේ සිටිය යුතුය. 45 (සියයට දසය) ක් වන කොන්දිසිතින් යටතේ සේවයේ සිටිය යුතුය.
14.4	අදාළ කොන්දිසිතින් යටතේ සේවයේ සිටිය යුතුය. 30 ක් වන කොන්දිසිතින් යටතේ සේවයේ සිටිය යුතුය.
14.5	අදාළ කොන්දිසිතින් යටතේ සේවයේ සිටිය යුතුය. 15% (සියයට පහ) ක් වන කොන්දිසිතින් යටතේ සේවයේ සිටිය යුතුය.
15.0	ප්‍රවේශන කොන්දිසිතින්
15.1	සේවයේ සිටින සෑම සේවකයෙකුම සේවයේ සිටින සෑම සේවකයෙකුම 500,000/- (පහ දසය) ක් වන කොන්දිසිතින් යටතේ සේවයේ සිටිය යුතුය.
15.2	සේවයේ සිටින සෑම සේවකයෙකුම සේවයේ සිටින සෑම සේවකයෙකුම 60 ක් වන කොන්දිසිතින් යටතේ සේවයේ සිටිය යුතුය.

Form of Performance Bank Guarantee (Unconditional)

To:
[name & address of Purchaser]
.....

WHEREAS [name and address of Supplier] (hereinafter called "the Supplier") has undertaken, in pursuance of Contract No. dated to execute [name of Contract and brief description of Works] (hereinafter called "the Contract");

AND WHEREAS it has been stipulated by you in the said Contract that the Supplier shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with his obligations in accordance with the Contract;

AND WHEREAS we have agreed to give the Supplier such a Bank Guarantee;

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Supplier, up to a total of *..... [amount of Guarantee] [amount in words], such sum being payable in the types and proportions of currencies in which the Contract Price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of [amount of Guarantee] as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

*An amount is to be inserted by the Guarantor, representing the percentage of the Contract Price specified in the Contract, in Maldivian Rufiyaa.

We hereby waive the necessity of your demanding the said debt from the Supplier before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Works to be performed there under or of any of the Contract documents which may be made between you and the Supplier shall in any way release us from any liability under this Guarantee, and we hereby waive notice of any such change, addition, or modification.

This Guarantee shall be valid until the date of issue of the Defects Correction Certificate.

SIGNATURE AND SEAL OF THE GUARANTOR
Name of Bank
Address
.....
Date

Form of Bank Guarantee for Advance Payment

To:
[name & address of Purchaser]
.....
.....

[name of Contract]

Gentlemen:

In accordance with the provisions of the Conditions of Contract, of the above-mentioned Contract,
.....[name and address of Supplier] (hereinafter called "the Supplier") shall deposit with
..... [name of Purchaser] a Bank Guarantee to guarantee his proper and faithful performance under the said Clause of the Contract in an amount of[amount of Guarantee]
.....[amount in words].

We, the
[Bank or Financial Institution], as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as Surety merely, the payment to
..... [name of Purchaser] on his first demand without whatsoever right of objection on our part and without his first claim to the Supplier, in the amount not exceeding *.....
..... [amount of Guarantee].....
..... [amount in words].

We further agree that no change or addition to or other modification of the terms of the Contract or of Works to be performed there under or of any of the Contract documents which may be made between
.....[name of Purchaser] and the Supplier, shall in any way release us from any liability under this Guarantee, and we hereby waive notice of any such change, addition, or modification.

* An amount is to be inserted by the Bank or Financial Institution representing the amount of the Advance Payment, in Maldivian Rufiyaa.

This Guarantee shall remain valid and in full effect from the date of the advance payment under the Contract until[name of Purchaser] receives full repayment of the same amount from the Supplier.

Yours truly,
SIGNATURE AND SEAL:
NAME & ADDRESS OF BANK/INSTITUTION

Lift Mounted VAN SPECIFICATION

Vehicle Model	VTL135-F
Vehicle Type	Van
Engine Type	V6 engine
Displacement	3.5L
Manufacturing Date	2019 - 2021
Transmission Type	Automatic
Brake system	Front type: Power antilock disc Rear type: Power antilock disc Parking brake: Rear Brake integrated caliper, hand operated
Fuel Capacity	95 Liters
Fuel Type	Petrol
Steering Type	Power steering
Drive Side	Right hand drive
Suspensio	Front configuration: Front independent MacPherson strut suspension w/stabilizer bar Front shock absorber type: Gas-pressurized Rear configuration: Solid rear axle, leaf springs Rear shock absorber type: Gas-pressurized

Seating Capacity	02
Length	6,790 mm
Height	3,400 mm
Wheelbase:	3,300 mm
Control system	Electrohydraulic

Hydraulic jack for vehicle stabilization

Bucket Requirements

Platform Height	11.5 Meters
Working Height	13.5 Meters
Max Outreach	8.4 Meters
Max Capacity	230 Kilograms
Lift Rotation	360°
Fly boom articulation	140°

Under mounted bucket

Non-slip mat for under mounted bucket

Operator LED display to bucket control to shows boom functionality

WARRANTY minimum 1 YEAR parts warranty


Maldives Police Requirements

1. 2x Amber LED flashing beacons to the roof – one to front and one to rear
2. 2x Amber LED strobes to the front grille (flush fitted)
3. 2x Amber LED strobes to the rear door pillars
4. Wireless reverse sensors to rear of bucket
5. Reverse camera, 5.0” color LCD screen in cab and monitor to rear of van

6. Hi-vis red & reflective yellow chevrons to both sides – 5 inch each color single line
7. Chevrons to the bucket
8. Walk in bucket (under-mounted), with integral door latch interlock
9. Dual joystick proportional control system
10. 4x Low level LED Beacons to the roof – one to each corner
11. Single tier racking to nearside only
12. 2 x amber strobe to machine knuckle – activates with PTO
13. 110-Volt power line, outlets at pedestal and bucket
14. 2 x Interior LED strip light –at each side door
15. Stabilizer side door interlock for added safety when operating with 2+ people
16. Operator LED display to bucket controls – shows boom functionality
17. Traffic direction LED arrow for rear door
18. Low Voltage insulation, certified to 1Kv
19. 4X6 Car LED Grid Police Strobe Light Emergency Remote Wireless Control Grill Signal Warning Flashing Beacon
20. 02 persons Training
21. Service Manual and Parts catalogue (vehicle separate , boom separate)



Vehicle Side look



Sample Racking

පොදු සේවා දෙපාර්තමේන්තුව, පොලීසියේ රථ පොදු සේවයේ පිරිසිදු කිරීමේ

පිරිසිදු කිරීමේ 8 (අට) වර්ග (පිරිසිදු කිරීම)

පිරිසිදු කිරීමේ	පිරිසිදු කිරීමේ	මිල	පිරිසිදු කිරීමේ	රථ පොදු සේවයේ	#
			පිරිසිදු කිරීමේ 6 වර්ග පිරිසිදු කිරීමේ 1 වර්ග පිරිසිදු කිරීමේ 1 වර්ග	1	1
	පිරිසිදු කිරීමේ				

1 ބަޔާން

މިއަހަރުގެ ބަޔާން
(2 ވަނަ ބަޔާން ގެ ގޮތުގައި)

2 ބަޔާން

މިއަހަރުގެ ބަޔާން ގެ ގޮތުގައި ބަޔާންކޮށްފައިވާ ގޮތުގައި
(19 ވަނަ ބަޔާން ގެ ގޮތުގައި)

1	މިއަހަރުގެ ބަޔާން ގެ ގޮތުގައި ބަޔާންކޮށްފައިވާ ގޮތުގައި (މިއަހަރުގެ ބަޔާން ގެ ގޮތުގައި)
1.1	ސަރުކާރުގެ ބަޔާން
1.2	މިއަހަރުގެ ބަޔާން ގެ ގޮތުގައި ބަޔާންކޮށްފައިވާ ގޮތުގައި
1.3	މިއަހަރުގެ ބަޔާން ގެ ގޮތުގައި ބަޔާންކޮށްފައިވާ ގޮތުގައި
1.4	މިއަހަރުގެ ބަޔާން ގެ ގޮތުގައި ބަޔާންކޮށްފައިވާ ގޮތުގައި
1.5	މިއަހަރުގެ ބަޔާން ގެ ގޮތުގައި ބަޔާންކޮށްފައިވާ ގޮތުގައި
1.6	މިއަހަރުގެ ބަޔާން ގެ ގޮތުގައި ބަޔާންކޮށްފައިވާ ގޮތުގައި
1.7	މިއަހަރުގެ ބަޔާން ގެ ގޮތުގައި ބަޔާންކޮށްފައިވާ ގޮތުގައި
1.8	މިއަހަރުގެ ބަޔާން ގެ ގޮތުގައި ބަޔާންކޮށްފައިވާ ގޮތުގައި

