# ހ. ދިވެހި ރާއްޖެ

## ހ. ދިވެހި ރާއްޖެ

1. ދ. ދިވެހި ރާއްޖެ

## ދ. ދިވެހި ރާއްޖެ

1. ދ. ދިވެހި ރާއްޖެ

## ދ. ދިވެހި ރާއްޖެ

- ދ. ދިވެހި ރާއްޖެ

- ދ. ދިވެހި ރާއްޖެ 3003119

**Heavy Duty Printer / Photocopy Machine**

| Function | | Print |
|---|---|---|
| | | Automatic 2-sided Printing with network connectivity |
| Compatible Operating System | | Windows 10, (32/64-bite)<br>Windows 8.1 (32/64-bite)<br>Windows 7 (32/64-bite)<br>Windows Vista (32/64-bite)<br>Windows Sever 2012 (32/64-bite)<br>Windows Sever 2008 R2 (32/64-bite)<br>Windows Sever 2008 (32/64-bite)<br>Mac OS *2 10.6.8 ~, Linux *2 |
| Duplex | | Yes |
| Warranty (Service and Parts | | Minimum 1 Year Parts, Minimum 1 year service |

- Power Consumption 1420W or Less

- Print Resolution 2400 x 1200 dpi minimum
- Scan Resolution 600dpi, 300dpi, 150dpi, 100dpi,
- Scan Features USB (JPG, PDF)
- Scanning speed 7
- Automatic 2 side Scanning Reversing automatic document
- Noise Level Approx. 3w (USB Connection)
- Approx. 1.5w (Wired LAN Connection)
- Power Requirement 220-240,50/60Hz
- Toner cartridge Black White, (Bundled 7000+)
- Monthly Duty Cycle 75,000 +, Pages
- Maximum Paper Capacity 2000+ Pages
- Paper Input Capacity Cassettes: 550 X 2 Sheet
- Bypass tray: 100 sheets
- Total: 1200 sheet minimum
- RADF Capacity 100 sheets
- Paper Size
- Standard Cassette A3, A4, A4R, A5, A5R B4,
- Multi – Purpose
- Tray
- A3, B4, B5, A5. Legal*1, Letter, Executive, Foolscap, Index Card (
- 3x5")
- Envelop: iso-c5, No10, Monarch, DL
- Custom: Width 76.2-304.8mm, Length 120.0-457.2mm)
- Paper Weight Standard Cassette 60-128g/m2
- Multi – Purpose
- Tray
- 60-220g/m2
- Paper Type Plain, Heavy, Label, Envelop
- Print speed A4: 30ppm, minimum
- A3: 15ppm, minimum
- Copy speed A4: 30ppm, minimum
- A3: 15ppm, minimum
- Copy Resolution 1200 x 600 dpi minimum
- **Connectivity & Software**
- Standard Interface USB 2.0 high Speed
- 10 Base –T / 100 Bae –TX /1000 Base –T
- Network Interface Supported Protocol: TCP /IP (Frame Type: Ethernet II)
- Print Application: LPD, RAW, IIP / IIPS, FTP, WSD
- Please include Cartridge / Toner / Drum Details –

**ތިއުނު ގަބޫލުކުރާނެ:**

* ށ.ސ.ބ.ގ ކާޑާ / ލެޒަރ / ލައިޓް ސޯސް ތިއުނު ގަބޫލުކުރާނެ ކަމަށް ބަލައި ގެންނަންވާ ލިޔުންތައް.

* ކާޑާ / ލެޒަރ - ފްލެޓްބެޑް ސްކޭނަރ ކަންތައް ކުރެވޭ ގޮތަށް / ވަކި ގޮތަކަށް ބަދަލުކުރެވޭ ކާޑާ ތަކެއް ތިއުނު ގަބޫލުކުރާނެ ކަމަށް ބަލައި ގެންނަންވާ ލިޔުންތައް. (ތ ގެ ފްލެޓްބެޑް / ފިޝްބެޑް ސްކޭނަރ ހުރި ކަމަށް ބަލައި ގެންނަންވާ ލިޔުންތައް)

ﺱ. ﺇﺭﻭﻮﺮ ﺗﺮﻮﺮﻮﺮﻮﺮ ﻮﺮﻮﺮ

ﺭﺭﺪﺮﺮ ﺮﺮﺭﺮﺮﺮ ﺗﺘﺮﺮﺮﺮ ﺘﺘﺮ ﺮﺮ ﺮﺮﺮﺮﺮ (ﺩ. ﻮﺮﺮﺮﺮﺮﺮ، ﺮﺮﺮ ﺗﻮﺮﺪﺮ ﺮﺮﺮﺮﺮ 12 ﻮﺮﺮ ﻮﺮﺮﺮﺮ، ﺪﺮﺮﺮﺪﺮ)

## 2. ﺮﺮﺮﺮ ﺗﺮﺮﺮﺮﺮﺮﺮ ﺮﺮﺮﺮﺮ

ﺭ. ﺮﺮﺮﺮ ﺗﺮﺮﺮﺪﺮﺮ 2022 ﺘﺘﺮﺮﺮ 15 ﺮ ﺘﺮﺮﺮﺮ ﺮﺮﺮﺮﺮ 13:30 ﺘﺮﺮ ﺭﺭﺪﺮﺮ ﺮﺮﺭﺮﺮ ﺗﺘﺮﺮﺮ (ﺩ. ﻮﺮﺮﺮﺮﺮ / ﺮﺮﺮﺮ ﺗﻮﺮﺪﺮ ﺮﺮﺮﺮﺮ، 12 ﻮﺮﺮ ﻮﺮﺮﺮﺮ) ﻮﺮﺮﺮﺮ ﺮﺮﺮﺮﺮ ﺮﺮﺮﺮﺮﺮﺮﺮ ﺘﺘﺮﺪﺮ.

ﺭ. ﺮﺮﺮﺮ ﺗﺮﺮﺮﺪﺮﺮﺮﺮ ﺗﺮﺮﺮﺮﺮﺮ ﺮﺮﺮﺮﺮ ﺮﺮﺮﺮﺮﺮ ﺮﺮﺮﺮﺮ ﺘﺘﺮﺮﺮ ﺮﺮﺮﺮﺮ ﺮﺮﺮﺮﺮ ﺮﺮﺮﺮﺮ.

## 3. ﺮﺮﺮﺮﺮﺮ ﺮﺮﺮﺮﺮﺮﺮ ﺮﺮﺮﺮﺮﺮ

ﺭ. ﺮﺮﺮﺮﺮﺮ ﺮﺮﺮﺮﺮ ﺮﺮﺮﺮﺮ ﺪﺮﺮﺮﺮ ﺮﺮﺮﺮﺮﺮﺮﺮ ﺮﺮ ﺮﺮﺮﺮﺮﺮﺮﺮﺮﺮﺮﺮ ﺮﺮﺮ ﺮﺮﺮ ﺮﺮﺮﺮﺮ ﺮﺮﺮﺮﺮﺮﺮ

ނ. ފަސާރަތުގެ ޖުމްލަ ތަކު -500,000/ ( ފަސްހާސް ) ރިޔާ ތެރޭގައި ވަކި ޖަމާޢަތަކަށް، ތަރައްގީގެ ފަސާރަތުގެ ފާހަގަކުރެވިފައިވާ 10.43 ގެ (ށ) ގެ 4، 5، 6 ވ ހައިދަތައް ކަނޑައަޅާ ހަމަ ކުރިން -500,000/ (ފަސްހާސް ) ރިޔާ ތެރެއިން ދޫކުރާ ގޮތަށް ތަންފީޒު ކުރުމުގެ 1% ތަކުރުގެ ކުރިން ބަލަހައްޓާ ފައިސާ ދައްކާ ފަރާތްތަކުން ފަސާރަތުގެ ޖުމްލަ ތަކު ތަރައްގީގެ 10% ދެއްކުމަށް ގެންނަންވާނެ.

## 5. ތަކެތި ތަކުރުގައި ބަލަހައްޓަންޖެހޭ ގުނަވަންތަ ގޮތް

| | ގުނަވަންތަ | ފާހަގަ |
|---|---|---|
| 1. | ހައި | 70 ފާހަގަ |
| 2. | ތަކުރުގެ ދުވަސް | 20 ފާހަގަ |
| 3. | ތަކުރު ކުރި | 10 ފާހަގަ |
| | ޖުމްލަ | 100 ފާހަގަ |

## ގުނަވަންތަ ކުރެއްވުމުގެ ފަރާތް

1. ހައި: 60 ފާސަދީ (ތަކުރު ކުރި ހައި / ފަރާތުގެ ހައި × 60)
2. ތަކުރުގެ ދުވަސް: 25 ފާސަދީ (ތަކުރު ކުރި ދުވަސް / ފަރާތުގެ ދުވަސް × 25)
3. ތަކުރު ކުރި: 15 ފާހަގަ (ފަރާތުން ތަކުރު ކުރި ތަކެތި ބަލައި ބަލައި ބަލައ

ކ. ތިއްބެ ކަމެއް ގެނައުމަށް ކުރަމުންދާ ވަޒީފާ ގެންގުވުމުގެ ތެރެއިން ކަނޑައެޅިގެންވާ ގޮތަށް ކަނޑައެޅިގެންވާ ކަމެއް ކަމުގައި ވާ ނަމަ