



سندھ حکومت
سیکرٹریٹ

سرکار سندھ کے نام سے درخواست کی جا رہی ہے کہ وہ اس درخواست کو منظور کر لیں اور اس کے مطابق سب سے پہلے اس کی منظوری دے دی جائے۔
سرکار سندھ کے نام سے:

ایڈووکیٹ سرکار سندھ: C-381/TUL/2022/79

16 مارچ 2022

سرکار سندھ کے نام سے درخواست کی جا رہی ہے کہ وہ اس درخواست کو منظور کر لیں اور اس کے مطابق سب سے پہلے اس کی منظوری دے دی جائے۔
سرکار سندھ کے نام سے:

3.3.2 לא יתקבלו פירושים שיש להם תוקף מיוחד, אלא פירושים שיש להם תוקף כללי. פירושים אלו ייקראו "פירושים כלליים".

3.3.4 פירוש שיש לו תוקף מיוחד ייקרא "פירוש מיוחד". פירושים אלו ייקראו "פירושים מיוחדים".

3.3.5 פירושים אלו ייקראו "פירושים מיוחדים", ויש להם תוקף מיוחד. פירושים אלו ייקראו "פירושים מיוחדים".

4. דבריו ופירושיהם 4.1 פירוש לא ייקרא "פירוש" אלא אם כן הוא פירוש מיוחד. פירושים אלו ייקראו "פירושים מיוחדים".

5. פירוש מיוחד 5.1 פירוש מיוחד ייקרא "פירוש מיוחד" אם הוא פירוש מיוחד. פירושים אלו ייקראו "פירושים מיוחדים".

6. דבריו ופירושיהם 6.1 פירוש לא ייקרא "פירוש" אלא אם כן הוא פירוש מיוחד. פירושים אלו ייקראו "פירושים מיוחדים".

6.2 פירוש לא ייקרא "פירוש" אלא אם כן הוא פירוש מיוחד. פירושים אלו ייקראו "פירושים מיוחדים".

(ס) פירוש מיוחד

7. פירוש מיוחד 7.1 פירוש מיוחד ייקרא "פירוש מיוחד" אם הוא פירוש מיוחד. פירושים אלו ייקראו "פירושים מיוחדים".

7.1.1 פירוש מיוחד (פירוש מיוחד-1)

7.1.2 פירוש מיוחד (פירוש מיוחד-2)

7.1.3 פירוש מיוחד (פירוש מיוחד-3)

7.1.4 פירוש מיוחד (פירוש מיוחד-4)

7.1.5 פירוש מיוחד (פירוש מיוחד-5)

7.1.6 פירוש מיוחד (פירוש מיוחד-6)

7.1.7 פירוש מיוחד (פירוש מיוחד-7)

16.3.1

16.3.2

17.1

17.2

17.3

17.4

18.1

18.2

18.3

19.1

20.1

20.2

20.2

20.3

21.1

21.1

21.2

21.3

21.4

21.5

21.6

21.7

21.8

21.9

	21.2	22	22
22.1	22.1.1	22.1.2	22.1.3
23.1	24.1	25.1	26.1
27.1	27.2	27.3	28.1
28.2			

2 - 2

2022

1. 2022	
1.1	2022
1.2	2022
2. 2022	
2.1	2022
2.2	C-381/IUL/2022/79
3. 2022	
3.1	2022
	2022
	2022
3.2	2022
3.3	2022
4. 2022	
4.1	2022
4.2	2022
4.3	2022
5. 2022	
	2022
	2022
	2022
	2022

3 - حَقَّقُوا

زَمْرَةٌ وَفِيهَا مَثَلٌ

1. زَمْرَةٌ وَفِيهَا مَثَلٌ		
	مَثَلٌ	-1.1
	مَثَلٌ فِيهَا مَثَلٌ وَفِيهَا مَثَلٌ	-1.2
	مَثَلٌ فِيهَا مَثَلٌ	-1.3
	مَثَلٌ فِيهَا مَثَلٌ	-1.4
	مَثَلٌ فِيهَا مَثَلٌ وَفِيهَا مَثَلٌ	-1.5
	مَثَلٌ فِيهَا مَثَلٌ	-1.6
	مَثَلٌ فِيهَا مَثَلٌ	-1.7
	مَثَلٌ فِيهَا مَثَلٌ	-1.8
2. زَمْرَةٌ وَفِيهَا مَثَلٌ (مَثَلٌ فِيهَا مَثَلٌ وَفِيهَا مَثَلٌ) مَثَلٌ فِيهَا مَثَلٌ وَفِيهَا مَثَلٌ (مَثَلٌ فِيهَا مَثَلٌ وَفِيهَا مَثَلٌ)		
	مَثَلٌ	#
	مَثَلٌ فِيهَا مَثَلٌ	
	مَثَلٌ فِيهَا مَثَلٌ	
	مَثَلٌ فِيهَا مَثَلٌ	
3. مَثَلٌ فِيهَا مَثَلٌ وَفِيهَا مَثَلٌ		

Form of Bid Security (Bank Guarantee)

WHEREAS,“*name of Bidder*” (hereinafter called “the Bidder”) has submitted his Bid for the Tender no.....issued by the Ministry of Education onfor Supplying/Purchasing of“*name of Contract*” (hereinafter called “the Bid”).

KNOW ALL PEOPLE by these presents that We “*name of Bank*” of “*name of country*” having our registered office at (hereinafter called “the Bank”) are bound unto“*name of Purchaser*” (hereinafter called “the Purchaser”) in the sum of *..... for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors, and assigns by these presents.

SEALED with the Common Seal of the said Bank thisday of20.....

THE CONDITIONS of this obligation are:

- (1) If, after Bid opening, the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid;
or
- (2) If the Bidder having been notified of the acceptance of his Bid by the Purchaser during the period of Bid validity:
 - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, if required; or
 - (b) fails or refuses to furnish the Performance Security, in accordance with the Instruction to Bidders; or
 - (c) does not accept the correction of the Bid Price pursuant to Clause 27,

* The Bidder should insert the amount of the Guarantee in words and figures denominated in Maldivian Rufiyaa. This figure should be the same as shown in Clause 16.1 of the Instructions to Bidders.

we undertake to pay to the Purchaser up to the above amount upon receipt of his first written demand, without the Purchaser’s having to substantiate his demand, provided that in his demand the Purchaser will note that the amount claimed by him is due to him owing to the occurrence of one or any of the three conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date days after the deadline for submission of bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Purchaser, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE..... SIGNATURE OF THE BANK

WITNESS SEAL

“*signature, name, and address*”

Form of Performance Bank Guarantee (Unconditional)

To:
"name & address of Purchaser"
.....
.....

WHEREAS "name and address of Supplier" (hereinafter called "the Supplier") has undertaken, in pursuance of Contract No. dated to execute "name of Contract and brief description of Works" (hereinafter called "the Contract");

AND WHEREAS it has been stipulated by you in the said Contract that the Supplier shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with his obligations in accordance with the Contract;

AND WHEREAS we have agreed to give the Supplier such a Bank Guarantee;

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Supplier, up to a total of *..... "amount of Guarantee" "amount in words", such sum being payable in the types and proportions of currencies in which the Contract Price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of "amount of Guarantee" as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

*An amount is to be inserted by the Guarantor, representing the percentage of the Contract Price specified in the Contract, in Maldivian Rufiyaa.

We hereby waive the necessity of your demanding the said debt from the Supplier before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Works to be performed there under or of any of the Contract documents which may be made between you and the Supplier shall in any way release us from any liability under this Guarantee, and we hereby waive notice of any such change, addition, or modification.

This Guarantee shall be valid until the date of issue of the Defects Correction Certificate.

SIGNATURE AND SEAL OF THE GUARANTOR

Name of Bank

Address

.....

.....

Date

Form of Bank Guarantee for Advance Payment

To:
"name & address of Purchaser"
.....
.....
"name of Contract"

Gentlemen:

In accordance with the provisions of the Conditions of Contract, of the above-mentioned Contract, "name and address of Supplier" (hereinafter called "the Supplier") shall deposit with "name of Purchaser" a Bank Guarantee to guarantee his proper and faithful performance under the said Clause of the Contract in an amount of "amount of Guarantee" "amount in words".

We, the
"Bank or Financial Institution", as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as Surety merely, the payment to "name of Purchaser" on his first demand without whatsoever right of objection on our part and without his first claim to the Supplier, in the amount not exceeding *..... "amount of Guarantee".....
..... "amount in words".

We further agree that no change or addition to or other modification of the terms of the Contract or of Works to be performed there under or of any of the Contract documents which may be made between "name of Purchaser" and the Supplier, shall in any way release us from any liability under this Guarantee, and we hereby waive notice of any such change, addition, or modification.

* An amount is to be inserted by the Bank or Financial Institution representing the amount of the Advance Payment, in Maldivian Rufiyaa.

This Guarantee shall remain valid and in full effect from the date of the advance payment under the Contract until "name of Purchaser" receives full repayment of the same amount from the Supplier.

Yours truly,
SIGNATURE AND SEAL:
NAME & ADDRESS OF BANK/INSTITUTION

GLS2-0 Glass Bottle Crusher (Wide Mouth Counter Height Single Feed 300KG/PH)

Specifications

BRAND	EXPLECO LIMITED GLS2-0 GLASS BOTTLE CRUSHER (WIDE MOUTH COUNTER HEIGHT SINGLE FEED 300KG/PH)
SPECIFICATION	
DIM	W690 (27") x H1056 (42") x 602 (24")
WEIGHT	120kg (264lbs) 130kg packed (287lbs)
REDUCTION	10:1 (Safe to handle sand)
NOISE LEVEL	60-90db
MOTOR SIZE	USA 2.2kw CSA
FEED CAPACITY	Wide Mouth 300kg/ph
BIN SIZE	20l (5 Gallon) 40kg (85lbs)
FULL BIN CAPACITY	160 x 330ml
POWER	220v 60hz NEMA L6-20 plug
CONSUMABLES	See Specifications
WARRANTY	12 Months (Excluding Consumables)
PARTICLE DISTRIBUTION	GLVscreen
CONSUMABLES	
BOTTOM SCREEN	Approx 3-5T
HAMMER SET	Approx 9-12T
TOP SAFETY SHROUD	Approx 9-12T
SAFETY COLLAR / FLAP	Approx 9-12T
PARTICLE DISTRIBUTION	
DECK 1	>3.4mm 10%
DECK 2	3.4mm - 1.7mm 25%
DECK 3	1.7mm - 1.1mm 20%
DECK 4	1.1mm - 0.4mm 30%
DECK 5	< 0.4mm 15%

Metal And Steel Shredder Machine Specifications	
BRAND	HONEST
SPECIFICATION	
PRODUCT NAME	INDUSTRY USED METAL SCRAP CAR SHELL STEEL SHREDDER MACHINE
CONDITION	NEW
PLASTIC TYPE	PVC, PET, ABS, PP/PE, PE, PP, PC, PMMA, PA, PS, METAL
MACHINE TYPE	PLASTIC, STEEL, METAL SHREDDER
MAX. PRODUCTION CAPACITY (KG/H)	2000
PRODUCTION CAPACITY (KG/H)	100-2000 KG/H
USE	WASTE METALS CRUSHING
SHAFT DESIGN	DOUBLE
VOLTAGE	380V/50Hz
DIMENSION (L*W*H)	1200*600*1000MM
POWER (KW)	5
WEIGHT (T)	0.32
WARRANTY	1 YEAR
KEY SELLING POINTS	MULTIFUNCTIONAL
CORE COMPONENTS	MOTOR
BLADES MATERIAL	9CrSi/D2/SKD-11
RAW MATERIAL	STEEL DRUM, ZIP-TOP CAN, AND OTHER
CRUSHING MATERIAL	WASTE PLASTIC LUMPS SHREDDING CRUSHING RECYCLING
USAGE	METAL SHREDDER MACHINE
TYPE	SHREDDER MACHINE
FUNCTION	PLASTIC CUTTER GRINDER CRUSHER SHREDDER MACHINE

سوم سؤره - 5

لاسهه سوره ٤٤ سجده	
سوره سوره	سوره سوره
سوره سوره ٤٤ سجده لاسهه سوره ٤٤ سجده	سوره سوره ٤٤ سجده
سوره سوره ٤٤ سجده سوره سوره ٤٤ سجده	33.1
سوره سوره ٤٤ سجده سوره سوره ٤٤ سجده	33.2
سوره سوره ٤٤ سجده	33.3
سوره سوره ٤٤ سجده	33.4
سوره سوره ٤٤ سجده	37

دسه اړه لاسوهنه او نورو نيمه رسمي سندونو په اړه د دغه اړه لاسوهنه او نورو نيمه رسمي سندونو په اړه	دسه اړه لاسوهنه او نورو نيمه رسمي سندونو په اړه د دغه اړه لاسوهنه او نورو نيمه رسمي سندونو په اړه
څه:	څه:
مړه:	مړه:
دغه:	دغه:
دغه: #	دغه: #
دغه مړه سند:	دغه مړه سند:
دغه اړه لاسوهنه او نورو نيمه رسمي سندونو په اړه:	دغه اړه لاسوهنه او نورو نيمه رسمي سندونو په اړه:

سُورَةُ السَّحْرِ / السَّحَرِ / السَّحَرِ / السَّحَرِ

سُورَةُ السَّحْرِ / السَّحَرِ / السَّحَرِ / السَّحَرِ

سُورَةُ السَّحْرِ / السَّحَرِ / السَّحَرِ / السَّحَرِ

سُورَةُ السَّحْرِ / السَّحَرِ / السَّحَرِ / السَّحَرِ

1- سُورَةُ السَّحْرِ / السَّحَرِ / السَّحَرِ / السَّحَرِ

سُورَةُ السَّحْرِ / السَّحَرِ / السَّحَرِ / السَّحَرِ

2- سُورَةُ السَّحْرِ / السَّحَرِ / السَّحَرِ / السَّحَرِ

CMS100 Chipper Mulcher Shredder Specifications

BRAND	REDROO CMS100 CHIPPER MULCHER SHREDDER
ENGINE	
ENGINE TYPE	31HP (26KW) BRIGGS & STRATTON V-TWIN VANGUARD ELECTRIC START (STANDARD)
ENGINE DRIVE	OVER CENTRE LEVER BELT ENGAGEMENT
GENERAL	
LENGTH	2280MM (90")
WIDTH	1320MM (55")
HEIGHT	1670MM (66")
WEIGHT	660KG (1452 LBS)
COUPLING	50MM (2") QUICK RELEASE
TYRES	145R12 STEEL BELTED RADIAL
CHIPPER	
CHIPPER HOPPER SIZE	490MM (19 1/2") X 390MM (15 1/2")
CHIPPER DISC	500MM (20") DIA. X 25MM (1") THICK
CHIPPER KNIVES	CHIPPER TWIN DOUBLE BEVEL (REVERSIBLE)
IN FEED OPENING	125MM (5") X 125MM (5")
CHIPPING CAPACITY	100MM (4") INTERMITTENT
CHIP SIZE	6MM (1/4") - 19MM (3/4")
MULCHER	
MULCHER HOPPER SIZE	570MM (22") X 500MM (20")
IN FEED OPENING	500MM (20") X 225MM (9")
MULCHING CAPACITY	35MM (1 1/2") BRANCHES
HAMMERS	60 X 12MM (1/2") REVERSIBLE FREE SWINGING
ROTOR SHAFT	60MM (2 3/8")
DISCHARGE	
DIRECTLY ONTO THE GROUND	45MM (1 3/4") STANDARD 30MM (1 3/16") OPTIONAL 62MM (2 3/8") OPTIONAL
OPTIONS	
	REAR DISCHARGE DUST MINIMIZING H2O JET SPARE TYRE

GLS2.0 Glass Bottle Crusher (Wide Mouth Counter Height Single Feed 300KG/PH)

Specifications

BRAND	EXPLECO LIMITED GLS2.0 GLASS BOTTLE CRUSHER (WIDE MOUTH COUNTER HEIGHT SINGLE FEED 300KG/PH)
SPECIFICATION	
DIM	W690 (27") x H1056 (42") x 602 (24")
WEIGHT	120kg (264lbs) 130kg packed (287lbs)
REDUCTION	10:1 (Safe to handle sand)
NOISE LEVEL	60-90db
MOTOR SIZE	USA 2.2kw CSA
FEED CAPACITY	Wide Mouth 300kg/ph
BIN SIZE	20l (5 Gallon) 40kg (85lbs)
FULL BIN CAPACITY	160 x 330ml
POWER	220v 60hz NEMA L6-20 plug
CONSUMABLES	See Specifications
WARRANTY	12 Months (Excluding Consumables)
PARTICLE DISTRIBUTION	GLVscreen
CONSUMABLES	
BOTTOM SCREEN	Approx 3-5T
HAMMER SET	Approx 9-12T
TOP SAFETY SHROUD	Approx 9-12T
SAFETY COLLAR / FLAP	Approx 9-12T
PARTICLE DISTRIBUTION	
DECK 1	>3.4mm 10%
DECK 2	3.4mm - 1.7mm 25%
DECK 3	1.7mm - 1.1mm 20%
DECK 4	1.1mm - 0.4mm 30%
DECK 5	< 0.4mm 15%

Metal And Steel Shredder Machine Specifications

BRAND	HONEST
SPECIFICATION	
PRODUCT NAME	INDUSTRY USED METAL SCRAP CAR SHELL STEEL SHREDDER MACHINE
CONDITION	NEW
PLASTIC TYPE	PVC, PET, ABS, PP/PE, PE, PP, PC, PMMA, PA, PS, METAL
MACHINE TYPE	PLASTIC, STEEL, METAL SHREDDER
MAX. PRODUCTION CAPACITY (KG/H)	2000
PRODUCTION CAPACITY (KG/H)	100-2000 KG/H
USE	WASTE METALS CRUSHING
SHAFT DESIGN	DOUBLE
VOLTAGE	380V/50Hz
DIMENSION (L*W*H)	1200*600*1000MM
POWER (KW)	5
WEIGHT (T)	0.32
WARRANTY	1 YEAR
KEY SELLING POINTS	MULTIFUNCTIONAL
CORE COMPONENTS	MOTOR
BLADES MATERIAL	9CrSi/D2/SKD-11
RAW MATERIAL	STEEL DRUM, ZIP-TOP CAN, AND OTHER
CRUSHING MATERIAL	WASTE PLASTIC LUMPS SHREDDING CRUSHING RECYCLING
USAGE	METAL SHREDDER MACHINE
TYPE	SHREDDER MACHINE
FUNCTION	PLASTIC CUTTER GRINDER CRUSHER SHREDDER MACHINE

