

ސަލާސަތު 1

ބިއްލެވުމުގެ ޖަލްޞަވާ

ބިއްލެވުމުގެ ޖަލްޞަވާގެ ނަންބަރު	ބިއްލެވުމުގެ ނަންބަރު
<p>ބިއްލެވުމުގެ ޖަލްޞަވާގެ ނަންބަރު: ދިވެހިރާއްޖޭގެ ޖުމްހޫރީ ސަރުކާރުގެ ފަރާތުން ދަނީ (IUL)266-PR/266/2022/175</p> <p>ބިއްލެވުމުގެ ޖަލްޞަވާގެ ނަންބަރު: 23 ޖުލައި 2022 (ބަންދު)</p>	1.1
<p>ބިއްލެވުމުގެ ޖަލްޞަވާގެ ނަންބަރު: 23 ޖުލައި 2022 05 ޖުލައި 2022 10:15 ގައި</p> <p>ނަންބަރު: 6527177 6527166</p>	8.1
<p>ބިއްލެވުމުގެ ޖަލްޞަވާގެ ނަންބަރު: bids@kulhudhuffushicity.gov.mv</p> <p>ބިއްލެވުމުގެ ޖަލްޞަވާގެ ނަންބަރު: 1 ޖުލައި 2022 (ބަންދު)</p> <p>ނަންބަރު: 10:15</p> <p>ނަންބަރު: 6527177 6527166</p>	9.1
<p>ބިއްލެވުމުގެ ޖަލްޞަވާގެ ނަންބަރު: bids@kulhudhuffushicity.gov.mv</p> <p>ބިއްލެވުމުގެ ޖަލްޞަވާގެ ނަންބަރު: 6527177 6527166</p> <p>ނަންބަރު: 6527177 6527166</p>	9.2
<p>ނަންބަރު: 13.1</p>	13.1
<p>ބިއްލެވުމުގެ ޖަލްޞަވާގެ ނަންބަރު: 6 ޖުލައި 2022 (ބަންދު)</p> <p>ނަންބަރު: 10:15</p> <p>ނަންބަރު: 6527177 6527166</p>	17.1
<p>ބިއްލެވުމުގެ ޖަލްޞަވާގެ ނަންބަރު: 6 ޖުލައި 2022 (ބަންދު)</p> <p>ނަންބަރު: 10:15</p> <p>ނަންބަރު: 6527177 6527166</p>	19.1
<p>ނަންބަރު: 22.1</p>	22.1
<p>ނަންބަރު: 28.1</p> <p>500.00 (ފަންޖެރިޔާ ޖަލްޞަވާ) ފަންޖެރިޔާ</p>	28.1
<p>ނަންބަރު: 30.1</p> <p>2% ފަންޖެރިޔާ</p>	30.1

2 - 2022 - 2023

(A) 2022-2023

- 1.1 1. 2022-2023
 - 1.1.1 2022-2023
 - 2.1 2022-2023
 - 2.1.1 2022-2023
 - 2.1.2 2022-2023
 - 2.1.3 2022-2023
 - 2.1.4 2022-2023
- 2.2 2022-2023
- 3.1 2022-2023
- 3.2 2022-2023

3.3.1 3.3
 3.3.1 3.3
 3.3.1 3.3
 3.3.1 3.3
 3.3.1 3.3

3.3.2 3.3.2
 3.3.2 3.3.2
 3.3.2 3.3.2
 3.3.2 3.3.2

3.3.2 3.3.2
 3.3.2 3.3.2
 3.3.2 3.3.2
 3.3.2 3.3.2

3.3.4 3.3.4
 3.3.4 3.3.4
 3.3.4 3.3.4
 3.3.4 3.3.4

3.3.5 3.3.5
 3.3.5 3.3.5
 3.3.5 3.3.5
 3.3.5 3.3.5

4 4.1 4
 4.1 4.1
 4.1 4.1
 4.1 4.1

5 5.1 5
 5.1 5.1
 5.1 5.1
 5.1 5.1

6 6.1 6
 6.1 6.1
 6.1 6.1
 6.1 6.1

6.2 6.2
 6.2 6.2
 6.2 6.2
 6.2 6.2

(8) 7.1 7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6

7.1 7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6

7.1.1

7.1.2

7.1.3

7.1.4

7.1.5

7.1.6

8.1 8.2 9.1 9.2 9.3

8.1 8.2

9.1 9.2 9.3

9.1 9.2 9.3

9.1 9.2 9.3

10.1 10.1

10.1

(ب) مرسوم العمل في القطاع الخاص

11.1 مرسوم تنظيم العمل في القطاع الخاص... 11 مرسوم تنظيم العمل في القطاع الخاص

12.1 مرسوم تنظيم العمل في القطاع الخاص... 12 مرسوم تنظيم العمل في القطاع الخاص

13.1 مرسوم تنظيم العمل في القطاع الخاص... 13 مرسوم تنظيم العمل في القطاع الخاص

14.1 مرسوم تنظيم العمل في القطاع الخاص... 14 مرسوم تنظيم العمل في القطاع الخاص

15.1 مرسوم تنظيم العمل في القطاع الخاص... 15 مرسوم تنظيم العمل في القطاع الخاص

(ب) مرسوم تنظيم العمل

16.1 مرسوم تنظيم العمل... 16 مرسوم تنظيم العمل

16.2 مرسوم تنظيم العمل... 16.2 مرسوم تنظيم العمل

16.3 مرسوم تنظيم العمل... 16.3 مرسوم تنظيم العمل

16.4 مرسوم تنظيم العمل... 16.4 مرسوم تنظيم العمل

17.1 مرسوم تنظيم العمل... 17 مرسوم تنظيم العمل

17.2 مرسوم تنظيم العمل... 17.2 مرسوم تنظيم العمل

- 17.3 በጎንደር ከተማ አስተዳደር ዳይሬክቶሬት የጠየቀውን ገንዘብ ገደብ እንዲሰጥ ይደረጋል።
- 18.1 የጎንደር ከተማ አስተዳደር ዳይሬክቶሬት የጠየቀውን ገንዘብ ገደብ እንዲሰጥ ይደረጋል።
- 19.1 ገንዘብ ገደብ ለማሰጠት የጎንደር ከተማ አስተዳደር ዳይሬክቶሬት የጠየቀውን ገንዘብ ገደብ እንዲሰጥ ይደረጋል።
- 19.2 የጎንደር ከተማ አስተዳደር ዳይሬክቶሬት የጠየቀውን ገንዘብ ገደብ እንዲሰጥ ይደረጋል።
- 19.3 የጎንደር ከተማ አስተዳደር ዳይሬክቶሬት የጠየቀውን ገንዘብ ገደብ እንዲሰጥ ይደረጋል።
- 20.1 የጎንደር ከተማ አስተዳደር ዳይሬክቶሬት የጠየቀውን ገንዘብ ገደብ እንዲሰጥ ይደረጋል።
- 20.2 የጎንደር ከተማ አስተዳደር ዳይሬክቶሬት የጠየቀውን ገንዘብ ገደብ እንዲሰጥ ይደረጋል።
- 21.1 የጎንደር ከተማ አስተዳደር ዳይሬክቶሬት የጠየቀውን ገንዘብ ገደብ እንዲሰጥ ይደረጋል።
 - 21.1.1 የጎንደር ከተማ አስተዳደር ዳይሬክቶሬት የጠየቀውን ገንዘብ ገደብ እንዲሰጥ ይደረጋል።
 - 21.1.2 የጎንደር ከተማ አስተዳደር ዳይሬክቶሬት የጠየቀውን ገንዘብ ገደብ እንዲሰጥ ይደረጋል።
 - 22.1.3 የጎንደር ከተማ አስተዳደር ዳይሬክቶሬት የጠየቀውን ገንዘብ ገደብ እንዲሰጥ ይደረጋል። (የጎንደር ከተማ አስተዳደር ዳይሬክቶሬት)
- 22.1 የጎንደር ከተማ አስተዳደር ዳይሬክቶሬት የጠየቀውን ገንዘብ ገደብ እንዲሰጥ ይደረጋል።
- 23.1 የጎንደር ከተማ አስተዳደር ዳይሬክቶሬት የጠየቀውን ገንዘብ ገደብ እንዲሰጥ ይደረጋል።

24. قانون مخصص

قانون مخصص
بمبلغ 5,000,000 (خمس ملايين)
مخصصاً لـ (المستجد)
سنة 2022-23

24.1

قانون مخصص بمبلغ 2,500,000 (أربع ملايين وخمسمائة ألفاً)
مخصصاً لـ (خمس ملايين)
مخصصاً لـ (المستجد)
سنة 2022-23

(أ) قانون مخصص بمبلغ 2,500,000 (أربع ملايين وخمسمائة ألفاً)
مخصصاً لـ (خمس ملايين)
مخصصاً لـ (المستجد)
سنة 2022-23

(ب) قانون مخصص بمبلغ 2,500,000 (أربع ملايين وخمسمائة ألفاً)
مخصصاً لـ (خمس ملايين)
مخصصاً لـ (المستجد)
سنة 2022-23

(ج) قانون مخصص بمبلغ 2,500,000 (أربع ملايين وخمسمائة ألفاً)
مخصصاً لـ (خمس ملايين)
مخصصاً لـ (المستجد)
سنة 2022-23

24.2

قانون مخصص بمبلغ 2,500,000 (أربع ملايين وخمسمائة ألفاً)
مخصصاً لـ (خمس ملايين)
مخصصاً لـ (المستجد)
سنة 2022-23

(س) چونکہ اس کا مقصد ہے کہ ایسی تمام چیزیں جو ایک شہر کی حکومت کے پاس ہیں، ان کی ایک کاپی یا اس کے برابر ہو۔

(س) دیکھو کہ (س) اور (س) کے تحت مقررہ تمام چیزیں جو ایک شہر کی حکومت کے پاس ہیں، ان کی ایک کاپی یا اس کے برابر ہو۔

1. اس کے تحت مقررہ تمام چیزیں جو ایک شہر کی حکومت کے پاس ہیں، ان کی ایک کاپی یا اس کے برابر ہو۔

2. اس کے تحت مقررہ تمام چیزیں جو ایک شہر کی حکومت کے پاس ہیں، ان کی ایک کاپی یا اس کے برابر ہو۔

3. اس کے تحت مقررہ تمام چیزیں جو ایک شہر کی حکومت کے پاس ہیں، ان کی ایک کاپی یا اس کے برابر ہو۔

26.1 اس کے تحت مقررہ تمام چیزیں جو ایک شہر کی حکومت کے پاس ہیں، ان کی ایک کاپی یا اس کے برابر ہو۔

26. اس کے تحت مقررہ تمام چیزیں جو ایک شہر کی حکومت کے پاس ہیں، ان کی ایک کاپی یا اس کے برابر ہو۔

(س) اس کے تحت مقررہ تمام چیزیں جو ایک شہر کی حکومت کے پاس ہیں، ان کی ایک کاپی یا اس کے برابر ہو۔

(س) اس کے تحت مقررہ تمام چیزیں جو ایک شہر کی حکومت کے پاس ہیں، ان کی ایک کاپی یا اس کے برابر ہو۔

(س) اس کے تحت مقررہ تمام چیزیں جو ایک شہر کی حکومت کے پاس ہیں، ان کی ایک کاپی یا اس کے برابر ہو۔

(س) اس کے تحت مقررہ تمام چیزیں جو ایک شہر کی حکومت کے پاس ہیں، ان کی ایک کاپی یا اس کے برابر ہو۔

27. اس کے تحت مقررہ تمام چیزیں جو ایک شہر کی حکومت کے پاس ہیں، ان کی ایک کاپی یا اس کے برابر ہو۔

27.1 اس کے تحت مقررہ تمام چیزیں جو ایک شہر کی حکومت کے پاس ہیں، ان کی ایک کاپی یا اس کے برابر ہو۔

አሰጣጥ ለማድረግ ያለፈውን የገንዘብ ገቢ ለማሳደግ ይኖራል።

28.1 የገንዘብ ገቢ ለማሳደግ ያለፈውን የገንዘብ ገቢ ለማሳደግ ይኖራል።

29.1 የገንዘብ ገቢ ለማሳደግ ያለፈውን የገንዘብ ገቢ ለማሳደግ ይኖራል።

29.2 የገንዘብ ገቢ ለማሳደግ ያለፈውን የገንዘብ ገቢ ለማሳደግ ይኖራል።

29.3 የገንዘብ ገቢ ለማሳደግ ያለፈውን የገንዘብ ገቢ ለማሳደግ ይኖራል።

የገንዘብ ገቢ ለማሳደግ ያለፈውን የገንዘብ ገቢ ለማሳደግ ይኖራል።

(ሀ) የገንዘብ ገቢ ለማሳደግ ያለፈውን የገንዘብ ገቢ ለማሳደግ ይኖራል።

30.1 የገንዘብ ገቢ ለማሳደግ ያለፈውን የገንዘብ ገቢ ለማሳደግ ይኖራል።

30.2 የገንዘብ ገቢ ለማሳደግ ያለፈውን የገንዘብ ገቢ ለማሳደግ ይኖራል።

30.3 የገንዘብ ገቢ ለማሳደግ ያለፈውን የገንዘብ ገቢ ለማሳደግ ይኖራል።

30.4 የገንዘብ ገቢ ለማሳደግ ያለፈውን የገንዘብ ገቢ ለማሳደግ ይኖራል።

30.5 የገንዘብ ገቢ ለማሳደግ ያለፈውን የገንዘብ ገቢ ለማሳደግ ይኖራል።

3 - 35.1-35.6

35.1-35.6

35.1 "35.1-35.6" 35.1-35.6

35.2 "35.2-35.7" 35.2-35.7

35.3 "35.3-35.8" 35.3-35.8

35.4 "35.4-35.9" 35.4-35.9

35.5 "35.5-35.10" 35.5-35.10

35.6 "35.6-35.11" 35.6-35.11

"35.7-35.12" 35.7-35.12

35.7 "35.7-35.13" 35.7-35.13

36 "36-35.14" 36-35.14

36.2. انما تسمى امانة كوفيفي بـ "البلدية" وتكون لها صلاحيات وسلطات امانة كوفيفي
 كما تسمى بـ "البلدية"، وتكون لها صلاحيات وسلطات امانة كوفيفي
 انما تسمى بـ "البلدية".

36.3. انما تسمى امانة كوفيفي بـ "البلدية" وتكون لها صلاحيات وسلطات امانة كوفيفي
 وتسمى امانة كوفيفي بـ "البلدية".

37.1. انما تسمى امانة كوفيفي بـ "البلدية" وتكون لها صلاحيات وسلطات امانة كوفيفي
 وتسمى امانة كوفيفي بـ "البلدية".

37. مرسوم كوفيفي
 دس امانة كوفيفي

37.2. 37.1 انما تسمى امانة كوفيفي بـ "البلدية" وتكون لها صلاحيات وسلطات امانة كوفيفي
 وتسمى امانة كوفيفي بـ "البلدية".

38.1. انما تسمى امانة كوفيفي بـ "البلدية" وتكون لها صلاحيات وسلطات امانة كوفيفي
 وتسمى امانة كوفيفي بـ "البلدية".

38. مرسوم كوفيفي
 دس امانة كوفيفي

38.2. انما تسمى امانة كوفيفي بـ "البلدية" وتكون لها صلاحيات وسلطات امانة كوفيفي
 وتسمى امانة كوفيفي بـ "البلدية".

38.3. دس امانة كوفيفي بـ "البلدية" وتكون لها صلاحيات وسلطات امانة كوفيفي
 وتسمى امانة كوفيفي بـ "البلدية".

39.1. انما تسمى امانة كوفيفي بـ "البلدية" وتكون لها صلاحيات وسلطات امانة كوفيفي
 وتسمى امانة كوفيفي بـ "البلدية".

39. انما تسمى امانة كوفيفي بـ "البلدية"

39.2. انما تسمى امانة كوفيفي بـ "البلدية" وتكون لها صلاحيات وسلطات امانة كوفيفي
 وتسمى امانة كوفيفي بـ "البلدية".

- 42. ስራ ስርዓት ለማስፈጸም ጋራ ስነ ምግባር ስርዓት ለግብርና ስራ ማስፈጸም ይጠቅም ማለት ነው።
- 43. ጋራ ስነ ምግባር ስርዓት ለግብርና ስራ ማስፈጸም ይጠቅም ማለት ነው።
- 44. ስራ ስርዓት ለማስፈጸም ጋራ ስነ ምግባር ስርዓት ለግብርና ስራ ማስፈጸም ይጠቅም ማለት ነው።
- 45. ስራ ስርዓት ለማስፈጸም ጋራ ስነ ምግባር ስርዓት ለግብርና ስራ ማስፈጸም ይጠቅም ማለት ነው።

3 - ትቃራኒ

3.1 ትቃራኒ ማሳሰቢያ

3.1 ትቃራኒ ማሳሰቢያ		
	-1.1	ጋሪ ጉዞ ማስፈጸም
	-1.2	ጋሪ ጉዞ ማስፈጸም ለማድረግ ለሚገባው ሰው ማዕቀብ ማዘጋጀት
	-1.3	ጋሪ ጉዞ ማስፈጸም
	-1.4	ጋሪ ጉዞ ማስፈጸም ለማድረግ ለሚገባው ሰው ማዕቀብ ማዘጋጀት
	-1.5	ጋሪ ጉዞ ማስፈጸም
	-1.6	ጋሪ ጉዞ ማስፈጸም
	-1.7	ጋሪ ጉዞ ማስፈጸም
3.2 ትቃራኒ ማሳሰቢያ (ሰው ማዕቀብ ማዘጋጀት ለሚገባው ሰው ማዕቀብ ማዘጋጀት)		
	#	ጋሪ ጉዞ ማስፈጸም

4 - ބަންދުވާ

މި ބަންދުވާގެ ބަޔާން ބަޔާން ބަޔާން ބަޔާން ބަޔާން

ބަންދުވާގެ ބަޔާން ބަޔާން ބަޔާން ބަޔާން ބަޔާން				
ނަންބަރު (ބަންދުވާ)	ބަންދުވާގެ ބަޔާން	ބަންދުވާގެ ބަޔާން	#	
ބަންދުވާ				
ބަންދުވާގެ ބަޔާން ބަޔާން ބަޔާން ބަޔާން ބަޔާން				
ނަންބަރު (ބަންދުވާ)	ބަންދުވާގެ ބަޔާން	ބަންދުވާގެ ބަޔާން	ބަންދުވާގެ ބަޔާން	#
ބަންދުވާ				

5 - ބަންދު

ބަންދު 5 (ފަށަލަ) ގަވާއިދުގެ ތެރޭގައި ބަންދުކުރި ފަރާތްތަކުގެ ނަންމުތަކުގެ ލިސްޓު

ބަންދުކުރި ފަރާތްތަކުގެ ނަންމުތަކުގެ ލިސްޓު

ނަންމު (ބަންދުކުރި ފަރާތް)	ނަންމު (ފަރާތް)	ނަންމު (ބަންދުކުރި ފަރާތް)	ނަންމު (ފަރާތް)	#
ބަންދު				

ገጽ 6 ትርጉሙ

ወጪው ለገዢው የሚገኝ ለውጥ ደንብ ለማረጋገጥ ይጠቀሙ

የገጽ ቁጥር	የገጽ ትርጉም	የገጽ ትርጉም
95	$95 \times \text{የገጽ ትርጉም} \div \text{የገጽ ትርጉም}$ (ገጽ ለውጥ ደንብ ለማረጋገጥ ይጠቀሙ)	ገጽ
5	$5 \times \text{የገጽ ትርጉም} / \text{የገጽ ትርጉም}$ (ገጽ ለውጥ ደንብ ለማረጋገጥ ይጠቀሙ)	የገጽ ትርጉም
100		ገጽ

ބަންދުގެ ފޮރމް
(ބަންދުގެ ފޮރމް)

Form of Bid Security (Bank Guarantee)

WHEREAS,[name of Bidder] (hereinafter called “the Bidder”) [company registration number] has submitted his Bid for the Project no.....issued by the Secretariat of Kulhudhuffushi City Council onfor construction of [name of Contract] (hereinafter called “the Bid”) under Invitation of bidders No. [Announcement Number]

KNOW ALL PEOPLE by these presents that We [name of Bank] of [name of country] having our registered office at (hereinafter called “the Bank”) are bound unto[name of Purchaser] (hereinafter called “the Purchaser”) in the sum of *..... for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors, and assigns by these presents.

SEALED with the Common Seal of the said Bank thisday of20.....

THE CONDITIONS of this obligation are:

- (1) If, after Bid opening, the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid;
or
(2) If the Bidder having been notified of the acceptance of his Bid by the Purchaser during the period of Bid validity:
(a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, if required; or
(b) fails or refuses to furnish the Performance Security, in accordance with the Instruction to Bidders;
or
(c) does not accept the correction of the Bid Price pursuant to Clause 27,

* The Bidder should insert the amount of the Guarantee in words and figures denominated in Maldivian Rufiyaa. This figure should be the same as shown in Clause 28.1 of the Instructions to Bidders.

we undertake to pay to the Purchaser up to the above amount upon receipt of his first written demand, without the Purchaser’s having to substantiate his demand, provided that in his demand the Purchaser will note that the amount claimed by him is due to him owing to the occurrence of one or any of the three conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date days after the deadline for submission of bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Purchaser, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE..... SIGNATURE OF THE BANK

WITNESS SEAL

[signature, name, and address]

5 - مَوَدَعَاتُ

No.	Qty	Description	Rate	Total
1	3	Camcorder		
2	1	Video Input/Output Card		
3	1	PCEIe Card Expansion System		
4	300m	Video Cable		
5	300m	Microphone Cable		
6	1	Cable Crimper		
7	50	Cable Connector		
8	20	Male XLR Connector		
9	20	Female XLR Connector		
10	10	Phone Plugs		
11	1	Handheld Microphone System		
12	1	USB Audio Interface		
13	5	Cable Reel		
14	1	Headphone		
15	3	BiDirectional SDI/HDMI Converter (with power supply)		
16	3	Tripod system with fluid head		
17	1	DSLR Camera with FE 24-70 F2.8 GM Lens		
18	1	Camera Lens mount adapter		
19	1	Camera Lens mount adapter		
20	1	Wireless Multi-Camera Tally Light System		
21	2	Laptop		
22	1	Wireless Video Transmitter & Receiver		
23	1	Smart phone		
24	1	Drone		
25	1	Camera Lens 18-35mm		
26	1	Camera Lens EF 50mm		
27	1	Camera Lens 70-200mm		
28	1	Walkie-Talkie system (6-piece pack)		
29	3	Microphone shotgun with dead cat		
30	3	Wireless Audio pack		
31	4	Clip mic		
32	2	Powered USB Hub		
33	1	Camera Backpack		
34	2	Mini HDMI to HDMI		
35	2	XLR to 3.5mm Converter		
36	1	Gimbal Stabilizer combo with Hard Case		
37	1	Flash Light with Light stand, Reflective Umbrella and Flash Trigger		

38	1	Item #38: Flash Head		
39	1	Item #39: Flash Head		
			Sub Total	
			GST	
			Net Total	

6 - مەسىلە
دۆلەت ئۆزگەرتىش ۋە تۈزۈش

دۆلەت ئۆزگەرتىش ھۆكۈمىتى

بۇ، ئۆزگەرتىش ھۆكۈمىتى تەرىپىدىن ئۆزگەرتىش ھۆكۈمىتى دائىرىسىدىكى ئىقتىسادىي تەرەققىيات ۋە تۇرمۇش دەرىجىسىنى ياخشىلاش ئۈچۈن، ئۆزگەرتىش ھۆكۈمىتى تەرىپىدىن ئۆزگەرتىش ھۆكۈمىتى دائىرىسىدىكى ئىقتىسادىي تەرەققىيات ۋە تۇرمۇش دەرىجىسىنى ياخشىلاش ئۈچۈن.

1. چۆڭ اۆلكىسى دائىرىسىدىكى ئىقتىسادىي تەرەققىيات ۋە تۇرمۇش دەرىجىسىنى ياخشىلاش

1.1. چۆڭ اۆلكىسى دائىرىسىدىكى ئىقتىسادىي تەرەققىيات ۋە تۇرمۇش دەرىجىسىنى ياخشىلاش ئۈچۈن، ئۆزگەرتىش ھۆكۈمىتى تەرىپىدىن ئۆزگەرتىش ھۆكۈمىتى دائىرىسىدىكى ئىقتىسادىي تەرەققىيات ۋە تۇرمۇش دەرىجىسىنى ياخشىلاش ئۈچۈن.

1.2. چۆڭ اۆلكىسى دائىرىسىدىكى ئىقتىسادىي تەرەققىيات ۋە تۇرمۇش دەرىجىسىنى ياخشىلاش ئۈچۈن، ئۆزگەرتىش ھۆكۈمىتى تەرىپىدىن ئۆزگەرتىش ھۆكۈمىتى دائىرىسىدىكى ئىقتىسادىي تەرەققىيات ۋە تۇرمۇش دەرىجىسىنى ياخشىلاش ئۈچۈن.

1.3. چۆڭ اۆلكىسى دائىرىسىدىكى ئىقتىسادىي تەرەققىيات ۋە تۇرمۇش دەرىجىسىنى ياخشىلاش ئۈچۈن، ئۆزگەرتىش ھۆكۈمىتى تەرىپىدىن ئۆزگەرتىش ھۆكۈمىتى دائىرىسىدىكى ئىقتىسادىي تەرەققىيات ۋە تۇرمۇش دەرىجىسىنى ياخشىلاش ئۈچۈن.

1.4. چۆڭ اۆلكىسى دائىرىسىدىكى ئىقتىسادىي تەرەققىيات ۋە تۇرمۇش دەرىجىسىنى ياخشىلاش ئۈچۈن، ئۆزگەرتىش ھۆكۈمىتى تەرىپىدىن ئۆزگەرتىش ھۆكۈمىتى دائىرىسىدىكى ئىقتىسادىي تەرەققىيات ۋە تۇرمۇش دەرىجىسىنى ياخشىلاش ئۈچۈن.

1.5. چۆڭ اۆلكىسى دائىرىسىدىكى ئىقتىسادىي تەرەققىيات ۋە تۇرمۇش دەرىجىسىنى ياخشىلاش ئۈچۈن، ئۆزگەرتىش ھۆكۈمىتى تەرىپىدىن ئۆزگەرتىش ھۆكۈمىتى دائىرىسىدىكى ئىقتىسادىي تەرەققىيات ۋە تۇرمۇش دەرىجىسىنى ياخشىلاش ئۈچۈن.

2. ڊيٽا ٽيبل

Item #1: Camcorder**Quantity: 3****Minimum requirements**

Image Sensing Device	
Sensor	1"-Type CMOS Sensor
Pixels	Effective: 14.2 Megapixel
Lens	
Magnification	X12
Focal length	9.3 to 111.6mm (35mm Equivalent Focal Length: 29 to 348mm)
Image stabilizer	Optical in Integrated Lens
ND filter	Mechanical Filter Wheel with 2 Stop (1/4), 4 Stop (1/16), 6 Stop (1/64) ND Filters
Minimum Aperture	f/2.8 to 4.5
Focus Control	Autofocus Manual Focus
LCD Panel	3.5"
Recording media	SD Cards (2 slots)
Terminals	
Video	1 x HDMI Output 1 x BNC (Composite) Output 1 x BNC (3G-SDI) Output
Audio	1 x HDMI Output 1 x BNC (Composite) Output 1 x BNC (3G-SDI) Output
Power	1 x Barrel Input
Other	1 x Micro-USB 1 x Micro-USB Control 1 x 2.5 mm Sub-Mini (LANC) Control
Wireless	2.4 / 5 GHz Wi-Fi 5 (802.11ac) NFC
Accessories	6 x SD Memory card 128GB, 160MBps (2 for each camcorder) 3 x Spare battery pack (1 per camcorder) 3 x UV filter (1 per camcorder) 3 x Camcorder bag (1 per camcorder)
Warranty	Minimum 1 Year

Item #2: Video Input/Output Card**Quantity: 1****Minimum Requirements**

General	
Host Connection	PCIe x4 (PCIe 2.0)
Video Input Connectors	4 x BNC (12G-SDI) Female
Video Input Format	SDI (8/10/12-Bit 4:4:4/4:2:2 RGB, YUV) 1080p at 23.98/24/25/29.97/30/50/59.94/60 fps 1080PsF 23.98/24/25/29.97/30 fps 1080i 50/59.94/60 fps 720p 50/59.94/60 fps PAL 50 fps NTSC 60 fps
Audio Input Format	Analog: 48 kHz / 24-Bit
Video Standart Compliance	SMPTE 259M/292M/296M/372M/425M ITU -R BT.601/BT.656
Other I/O	1 x BNC Blackburst, Reference, Tri-Level Sync Input
OS Compatibility	Windows 8.1.10 or Later macOS 10.14.15 or Later Linux
Dimensions	3.7" / 9.4 cm

Item #3: PCIe Card Expansion System**Quantity: 1****Minimum Requirements**

General	
Expansion Slots	1 x PCIe 3.0 x8 (x4 mode)
Supported PCI Card Sizes	Full-Height, Half-Length, Single-Width
Maximum GPU Length	7.75" / 19.68 cm
Inputs/Outputs	2 x USB-C (Thunderbolt 3)
Data Transfer Rates	Thunderbolt 3: 40 Gb/s
Power Source	60 W External Adapter
OS Compatibility	Windows macOS
Host Cable Length	1.64' / 0.5 m
Dimensions	5.6 x 8.6 x 3.5" / 14.2 x 21.8 x 8.9 cm

Item #4: Video Cable**Quantity: 300m****Minimum Requirements**

General	
Outer Diameter	Nominal: 0.27" / 7 mm Inner Conductor: 0.04" / 1.02 mm Insulation: 0.18" / 4.57 mm
Conductor	Inner Conductor Composition: 1/1.02A (18) Quantity/mm (AWG) Outer Conductor Shield Coverage and Composition (91% or More): 0.14TA mm, 6 Ends, 24 Carriers
Resistance	Inner Conductor: ≤23.3 Ohms/km Outer Conductor: ≤9.9 Ohms/km
Maximum Transmission Distance	Composite NTSC: 1807.74' / 551 m @ 143 Mb/s (SMPTE 259M) Composite PAL: 1653.54' / 504 m @ 177 Mb/s (ITU-R BT.601) Component (4:2:2): 1361.55' / 415 m @ 270 Mb/s (SMPTE 259M) Component (4:2:2) 16 x 9: 1184.38' / 361 m @ 360 Mb/s (SMPTE 259M) SDI: 961.28' / 293 m @ 540 Mb/s (SMPTE 344M) HD-SDI: 377.29' / 115 m @ 1.5 Gb/s (SMPTE 292M) HD 1080p: 259.18' / 79 m @ 3 Gb/s (SMPTE 424M)
Length	984.25' / 300 m
Weight	41 lb / 18.6 kg

Item #5: Microphone Cable**Quantity: 300m****Minimum Requirements**

General	
Outer Diameter	0.2" / 6 mm, nominal
PVC Jacket Thickness	0.04" / 1.1 mm, nominal
Number of Conductors	4 (2 blue and 2 white)
Insulation	Type: IPE Thickness: 0.6" / 15.7 mm Dielectric Strength: 500 VAC/minute Insulation Resistance: 1,000 MOhms per 3' / 0.9 m
Conductor	AWG (AC): 24 (40/3.15 quantity/mm) Cross Sectional Area: 310 mm ² AWG (Quad): 21
Nominal Impedence	44 Ohms
Maximum Transmission Distance	Composite NTSC: 1807.74' / 551 m @ 143 Mb/s (SMPTE 259M) Composite PAL: 1653.54' / 504 m @ 177 Mb/s (ITU-R BT.601) Component (4:2:2): 1361.55' / 415 m @ 270 Mb/s (SMPTE 259M) Component (4:2:2) 16 x 9: 1184.38' / 361 m @ 360 Mb/s (SMPTE 259M) SDI: 961.28' / 293 m @ 540 Mb/s (SMPTE 344M)

	HD-SDI: 377.29' / 115 m @ 1.5 Gb/s (SMPTE 292M) HD 1080p: 259.18' / 79 m @ 3 Gb/s (SMPTE 424M)
Length	1000' / 305m
Weight	35 lb / 16 kg

Item #6: Cable Crimper**Quantity: 1****Minimum Requirements**

General	
Compatibility	Compatible with RG58/59/62AU and BNC/TNC cables
Connection	BNC/TNC and 3-piece
Range	Crimp Range: 0.256", 0.213", 0.068" Hex

Item #7: Cable Connector**Quantity: 50****Minimum Requirements**

General	
Connector 1	BNC Male
Connector 2	Rear Twist
Crimp Size	Pin: 1.6mm, Square Shield: 7.36mm, Hex

Item #8: Male XLR Connector**Quantity: 20****Minimum Requirements**

General	
Type	Male
Shell	Nickel-plated
Contacts	Silver cage-type

Item #9: Female XLR Connector**Quantity: 20****Minimum Requirements**

General	
Type	Female
Shell	Nickel-plated
Contacts	Silver cage-type

Item #10: Phone Plugs**Quantity: 10****Minimum Requirements**

System	
Size	1/4"
Shell Colour	Black
	Audio Line out / Audio In (Jack)

Item #11: Handheld Microphone System**Quantity: 1****Minimum Requirements**

System	
Wireless Technology	Analog UHF
Number of RF Channel Frequencies	1680
Included Transmitters	1 x Bodypack with Microphone
RF Frequency Band	G: 566 to 608 MHz
RF Bandwidth	42 MHz
Operating Range	330' / 100.6 m (Line of Sight)
Maximum Transmitters per Band	12
Microphone Type	Handheld Capsule
Sound Field	Mono
Polar Pattern	Cardiod
Receiver	
Receiver Type	Camera Mount (Shoe Mount)
Antenna	1 x Flexible Whip
Number of Audio Channels	1
Audio I/O	1 x 1/8" / 3.5 mm TRS Female Unbalanced Output (Lockable)
Gain Range	42 dB (6 dB Steps)
Battery Type	2 x AA (Included)
Display & Indicators	1 x Backlit LCD (Battery Status, Output Level, RF Level)
Housing	Metal
Transmitter	
Transmitter Type	Handheld
RF Output Power	30mW
Frequency Response	80 Hz to 18 kHz (Mic) 80 Hz to 18 kHz (Line)
Antenna	1 x Internal
Gain Range	42 dB (6 dB Steps)
Battery Type	2 x AA (Included)
Display & Indicators	1 x Backlit LCD (Battery Status, Output Level, RF Level)
Housing	Metal
Warranty	Minimum 1 Year

Item #12: USB Audio Interface**Quantity: 1****Minimum Requirements**

System	
Channels of I/O	Analog: 2 Inputs / 2 Outputs at 192 kHz
Number of Microphone Preamps	2 preamps
Connectivity	
Analog Audio I/O	2 x Combo XLR-1/4" TRS Balanced/Unbalanced Mic/Line/Hi-Z Input (Front Panel) 2 x 1/4" TRS Balanced Monitor Output 1 x 1/4" TRS Unbalanced Headphone Output (Front Panel)
Phantom Power	48 V, Selectable On/Off (Applied to All Inputs)

Host Connection	USB-C
OS Compatibility	macOS 10.12 or Later macOS 11 Windows 7 or Later iPadOS
Included Plugins	Dynamics: Focusrite Red 3 Drawmer S73 Equalization: Focusrite Red 2 Virtual Instruments: XLN Audio Reverb & Room: Softube TSAR-1R Reverb Delay: Softube Tube Delay Harmonic & Tape: Softube Saturation Knob

Item #13: Cable Reel**Quantity: 05****Minimum Requirements**

General	
Material	Thermo-plastic with Steel frame
Dimensions	Center Hub Diameter: 4.75" / 12.1 cm Center Hub Depth: 5" / 12.7 cm Outer Hub Diameter: 10.75" / 27.3 cm Overall Reel Height: 15" / 38.1 cm Feed-Through Hole Diameter: 0.47" / 1.2 cm Overall: 15 x 12 x 10" / 38.1 x 30.5 x 25.4 cm
Weight	13lb / 5.9kg

Item #14: Headphone**Quantity: 1****Minimum Requirements**

System	
Earpiece Design	Over-Ear (Circumaural), Closed-Back
Earpiece Swivel	1680
Driver Type	1 x Bodypack with Microphone
RF Frequency Band	Dynamic
Wired Connectivity	
Audio Connector to Source	1 x 1/8" / 3.5 mm TRS Male Straight
Audio Connector to earpiece	1 x 2.5 mm TRS Male
Cable Length	9.8' / 3 m 3.9 to 9.8' / 1.2 to 3 m

Item #15: BiDirectional SDI/HDMI Converter (with power supply)**Quantity: 03****Minimum Requirements**

Input	
Video Input Connectors	1 x BNC (3G-SDI / HD-SDI / SD-SDI) 1 x HDMI (HDMI 2.0)
Input Video Format	SDI (8/10-Bit 4:2:2 RGB, YUV) DCI 2K at 23.98/24/25/29.97/30/47.95/48/50/59.94/60 fps DCI 2KPsF 25/29.97/30 fps 1080p 23.98/24/25/29.97/30/47.95/48/50/59.94/60 fps 1080PsF 25/29.97/30 fps 1080i 50/59.94/60 fps 720p 50/59.94/60 fps NTSC 59.94 fps PAL 50 fps HDMI (8/10-Bit 4:2:2 RGB, YUV) 1080p at 23.98/24/25/29.97/30/47.95/48/50/59.94/60 fps 1080i 50/59.94/60 fps 720p 50/59.94/60 fps NTSC 29.97 fps PAL 25 fps
Embedded Audio Input	HDMI SDI
Output	
Video Output Connectors	1 x BNC (3G-SDI / HD-SDI / SD-SDI) 1 x HDMI (HDMI 2.0)
Video Output Format	SDI (8/10-Bit 4:2:2 RGB, YUV) DCI 2K at 23.98/24/25/29.97/30/47.95/48/50/59.94/60 fps DCI 2KPsF 25/29.97/30 fps 1080p 23.98/24/25/29.97/30/47.95/48/50/59.94/60 fps 1080PsF 25/29.97/30 fps 1080i 50/59.94/60 fps 720p 50/59.94/60 fps NTSC 29.97 fps PAL (768 x 576) 25 fps
Embedded Audio Output	HDMI SDI
Connectivity & Compatibility	
Video Standard Compliance	SMPTE 259M/292M/296M/424M/425M-A/425M-B
Other I/O	1 x USB Type-C Input
OS Compatibility	macOS 10.14.15 or Later Windows 10
Power Connector	1 x USB Type-C (4.4 to 5.2 VDC) Input

Item #16: Tripod system with fluid head**Quantity: 3****Minimum requirements**

General	
Load Capacity	17 lb / 7.71 kg
Maximum Working Height	64.25" / 163.19 cm (with Spreader)
Minimum Working Height	29" / 73.66 cm (with Spreader)
Folded Length	32.6" / 82.8 cm
Material	Aluminum
Head	
Base Mount	75 mm Half Ball
Counterbalance System	Fixed
Pan Handle Fittings	2 x Rosette
Pan Handle Length	15 to 23" / 38.1 to 58.42 cm
Accessory Mounting	2 x 1/4"-20 Female Thread
Drag Type	Fluid
Vertical Tilt	+70° to -80°
Panning Range	360°
Independent Pan Lock	Yes
Independent Tilt Lock	Yes
Legs	
Leg Lock Type	Lever Lock
Independent Leg Spread	Yes
Leg Sections	3
Feet Features	Dual Spiked
Spreader	Mid-Level (Integrated)

Item #17: DSLR Camera with FE 24-70 F2.8 GM Lens**Quantity: 1****Minimum requirements**

General	
Lens Mount	Sony E
Sensor Type	35.9 x 23.9 mm (Full-Frame) CMOS
Sensor Resolution	Actual: 34.1 Megapixel Effective: 33 Megapixel
Shutter Speed	1/8000 to 30 Seconds
ISO Sensitivity	Photo 100 to 51,200 (Extended: 50 to 204,800) Video 100 to 51,200 (Extended: 100 to 102,400)
Image Stabilization	Sensor-Shift, 5-Axis
Continuous Shooting	Up to 10 fps at 33 MP for up to 828 Frames (Raw) / Unlimited Frames (JPEG)
Battery	1 x NP-FZ100 Rechargeable Lithium-Ion, 7.2 VDC, 2280 mAh (Approx. 520 Shots)
Interface	
Memory Card Slot	Slot 1: CFexpress Type A / SD (UHS-II) Slot 2: SD/SDHC/SDXC (UHS-II)
Video I/O	1 x HDMI Output
Audio I/O	1 x 1/8" / 3.5 mm TRS Stereo Headphone Output 1 x 1/8" / 3.5 mm TRS Stereo Microphone Input
Power I/O	1 x USB-C Input/Output

Other I/O	1 x Sony Multi/Micro-USB Input/Output (Shared with Remote Input) 1 x USB-C (USB 3.2 / 3.1 Gen 2) Input/Output (Shared with Power Input)
Wireless	Bluetooth, Wi-Fi
Monitor	
Size & Resolution	3.0", 1,036,800 Dot
Display Type	Free-Angle Tilting Touchscreen LCD
Viewfinder	
Type	Built-In Electronic (OLED)
Size & Resolution	3,680,000 Dot
Coverage	100%
Focus	
Focus Type	Auto and Manual Focus
Focus Mode	Continuous-Servo AF, Direct Manual Focus, Manual Focus, Single-Servo AF
Warranty	Minimum 1 Year
FE 24-70mm F/2.8 GM Lens	
Focal Length	24 to 70mm
Maximum Aperture	f/2.8
Minimum Aperture	f/22
Lens Mount	Sony E
Diaphragm Blades	9, Rounded
Filter Size	82 mm (Front)
Dimensions	3.4 x 5.4" / 87.6 x 136 mm
Weight	1.9 lb / 886 g

Item #18: Camera Lens mount adapter**Quantity: 1****Minimum requirements**

Key Features	EF/EF-S Lens to EOS R Camera
	Maintains AF and Image Stabilization
	Dust- and Water-Resistant
	Includes Drop-In Circular Polarizer A

Item #19: Camera Lens mount adapter**Quantity: 1****Minimum requirements**

Key Features	Sigma EF Mount Lenses to Sony E
	Maintains AF and Image Stabilization
	Dust- and Water-Resistant
	Includes Drop-In Circular Polarizer A

Item #20: Wireless Multi-Camera Tally Light System**Quantity: 1 Tally Box with 4 Tally Lamps****Minimum requirements**

General	
USB I/O	5 x USB-C Female Input
Control I/O	1 x DB-9, RS-232 Input (Tally Box) 1 x Barrel, RS-485 Input (Tally Box) 1 x GPIO Input (Tally Box) 1 x 1-Pin, Antenna Input 1 x Barrel, RS-485 Input (Per Tally Lamp) 1 x Barrel, Tally Output (Per Tally Lamp)
Wireless	Yes
Battery	1 x 18650 Lithium-Ion

Item #21: Laptop**Quantity: 2****Minimum requirements**

Processor	Intel Core i7-11800H (11th Gen) 2.3 to 4.6 GHz 8-Core
RAM	32GB DDR4 3200 MHz (User replaceable)
GPU	NVIDIA GeForce RTX 3080 (155 W TGP) with 16 GB GDDR6 VRAM
Operating System	Windows 11 Professional (64-Bit Genuine)
Display size	17.3"
Storage	1 TB SSD NVMe
Input/Output	3 x USB Type-A (USB 3.1 / USB 3.2 Gen 1) 1 x Type-C USB 3.1 / USB 3.2 Gen 1 1 x Type-C Thunderbolt 4 (Supports DisplayPort and 100 W Power Delivery) 1 x HDMI 2.1 Output / 1 x Mini DisplayPort 1.4 1 x 1/8" / 3.5 mm Headphone/Microphone Input/Output 2 x 2 W and Subwoofer Built-In Microphones
Communications	1 x RJ45 Gigabit Ethernet port Wi-Fi 6 with Dual-Band (2.4 & 5Ghz) and MU-MIMO 2 x 2 support Bluetooth version 5.1 or above Webcam (User-facing 720p)
Battery	80Wh, 6.6hours battery life
Keyboard	Notebook Keyboard with Backlight, Number Pad
Pointing device	TouchPad
Accessories	Bluetooth Mouse - Precision scrolling wheel - Bluetooth Low Energy and 2.4 GHz wireless connection - DPI (Min/Max): 1000± - Battery: 18 months - Wireless range: 10 m
Warranty	Minimum 1 Year

Item #22: Wireless Video Transmitter & Receiver**Quantity: 1****Minimum requirements**

Input/Output	Video	Receiver: 1 x HDMI Type A Output
	Embedded Audio	HDMI
Wireless	Wireless Range	1200' / 365.8 m (Line-of-Sight)
	Latency	≤ 60 ms
	Wi-Fi	Yes
Display	Size	1.3"
Power	Battery Type	Transmitter/Receiver: 1 x L-Series
	Power Consumption	Transmitter: 4.5 W (Typical) Receiver: 5.5 W (Typical)
General	Features	Support Android and IOS
	Packaging Info	1 x Transmitter
		1 x Receiver
		1 x Charger
		4 x Battery 4000mAh
	Antennas for all antenna ports.	
Warranty	Minimum 1 Year	

Item #23: Smart phone**Quantity: 1****Minimum requirements**

Build	Glass front (Gorilla Glass victus+), glass back Gorilla Glass victus+), aluminium frame
Display	Type: Dynamic AMOLED 2X, 120Hz, HDR10+, 1750 nits (peak) Size: 6.8 inches Resolution: 1440 x 3088 pixels
Platform	OS: Android 12, one UI 4.1 CPU: Octa-core (1x2.8 GHz Cortex-X2 & 3x2.50 GHz Cortex-A710 & 4x1.8 GHz Cortex-A510)
Memory	Internal: 512GB RAM: 12GB
Camera	Main camera (Quad) Wide: 108MP, f/1.8, 23mm, laser AF Periscope telephoto: 10MP, f/4.9. 230mm Telephoto: 10MP, f/2.4, 70mm Selfie: 40MP, f/2.2
Water resistance	IP68 dust/water resistant (up to 1.5m for 30 mins)
Operating System	Android
Warranty	Minimum 1 Year

Item #24: Drone**Quantity: 1****Minimum requirements**

Aircraft	Dimensions Folded (without propellers)	221×96.3×90.3 mm (Length ×Width ×Height)
	Dimensions Unfolded (without propellers)	347.5×283×107.7 mm (Length ×Width x Height)
	Max Service Ceiling Above Sea Level	6000 m
	Max Flight Time (no wind)	46 minutes
	Max Hovering Time (no wind)	40 minutes
	Internal Storage	8 GB
Hasselblad Camera	Sensor	4/3 CMOS, Effective pixels: 20 MP
	Lens	FOV: 84° Format Equivalent: 24 mm Aperture: f/2.8 to f/11 Focus: 1 m to ∞ (with autofocus)
	ISO Range	Video: 100-6400 Still Image: 100-6400
Tele Camera	Sensor	1/2-inch CMOS
	Shutter Speed	Electronic Shutter: 2-1/8000 s
	Lens	FOV: 15° Format Equivalent: 162mm Aperture: f/4.4 Focus: 3 m to ∞
	ISO Range	Video: 100-6400 Still Image: 100-6400
Sensing	Sensing System	Omnidirectional binocular vision system, supplemented with an infrared sensor at the bottom of the aircraft
Battery	Capacity	5000 mAh
	Voltage	17.6V
	Battery Type	LiPo 4S
Battery charger	Input	100-240 V AC, 47-63 Hz, 2.0 A
	USB-C Output	USB-C: 5.0 V=5.0 A/9.0 V=5.0 A/12.0 V=5.0 A/15.0 V=4.3 A/20.0 V=3.25 A/5.0~20.0 V=3.25 A
	USB-A output	USB-A: 5 V=2 A
	Rated power	65 W
Charging Hub	Input	USB-C: 5-20 V=5.0 A max
	Output	Battery: 12-17.6 V=5.0 A max
	Rated Power	65 W
	Charging Type	Charges three batteries in sequence.
Remote Controller	Battery Life	Without charging any mobile device: 6 hr
	Battery Life	when charging mobile device: 4 hr
	Supported USB Port Types	lightning
		Micro USB USB-C

	Supported USB Port Types 1 x Drone with Hasselblad Camera and Tele Camera	
Package	1 x Remote Controller	
	1 x Charging Hub	
	3 x Battery	
	1 x Charger	
	1 x Carrying bag	
	1 x ND Filters set	
Warranty	Minimum 1 Year	

Item #25: Camera Lens 18-35mm**Quantity: 1****Minimum requirements**

Name	Sigma 18-35mm f/1.8 DC HSM Art
Focal Length	18 to 35mm (35mm Equivalent Focal Length: 28.8 to 56mm)
Maximum Aperture	f/1.8
Minimum Aperture	f/16
Lens Mount	Canon EF
Lens format coverage	APS-C
Angle of view	76.5° to 44.2°
Minimum focus distance	11.02" / 28 cm
Optical design	17 Elements in 12 Groups
Diaphragm blades	9, Rounded
Focus type	Autofocus
Filter size	72 mm (Front)

Item #26: Camera Lens EF 50mm**Quantity: 1****Minimum requirements**

Name	Canon EF 50mm f/1.8 STM Lens
Focal Length	50mm
Maximum Aperture	f/1.8
Minimum Aperture	f/22
Lens Mount	Canon EF
Lens format coverage	Full frame
Angle of view	46°
Minimum focus distance	13.78"/35cm
Optical design	6 elements in 5 groups
Diaphragm blades	7, rounded
Focus type	Auto focus
Filter size	49 mm

Item #27: Camera Lens 70-200mm**Quantity: 1****Minimum requirements**

Name	Sigma 70-200mm f/2.8 DG OS HSM Sports Lens for Canon EF
Focal Length	70 to 200mm
Maximum Aperture	f/2.8
Minimum Aperture	f/22

Lens Mount	Canon EF
Lens format coverage	Full frame
Angle of view	34.3° to 12.3°
Minimum focus distance	3.94' / 1.2 m
Optical design	24 Elements in 22 Groups
Diaphragm blades	7, rounded
Tripod collar	Fixed and rotating
Focus type	Auto focus
Image stabilization	Yes
Filter size	82 mm

Item #28: Walkie-Talkie system (6-piece pack)**Quantity: 1****Minimum requirements**

General	Power	2W/0.5W
	Color	Black
	Channel Capacity	16
	Battery Capacity	20 Hours of Battery Life Per Charge
	Range	1km
Transmitter	Output Power	2W/1W
Package	Walkie-talkie	6
	Battery	6
	Belt Clip	6
	USB charging cable	6
	User manual	1
	6 walkie-talkie charging dock	1

Item #29: Microphone shotgun with dead cat**Quantity: 3****Minimum requirements**

Features	For Cameras and Portable Recorders 70-Hr Run Time via 9V Battery
Package content	1 x Microphone
	1 x Dead cat
	1 x Boom pole
	1 x TRS Extension

Item #30: Wireless Audio pack**Quantity: 3****Minimum requirements**

Operating Time	Up to 7 hours
Analog inputs	3.5mm TRS (lavalier microphone input)
Analog Outputs	3.5mm TRS
Transmission Range	200m (line of sight)
Computer connectivity	USB Type-C
Features	On-board recording – over 40 hours of internal memory
	Manageable by RØDE Central App
Compatible devices	Computer
	Smartphone
	Cameras

Package content	1 x Receiver with dual channel support
	2 x Transmitter
	1 x Furry
	1 x Carry Pouch
	1 x 3.5mm TRS to 3.5mm TRS cable
	3 x USB Type-C to USB-A Cable

Item #31: Clip mic**Quantity: 4****Minimum requirements**

Acoustic Principle	Permanently Polarised Condenser
Polar Pattern	Omnidirectional
Frequency Range	20Hz - 20kHz
Power Requirements	Powered from plug-in power TRS socket (2.7V)
Output Connection	3.5mm TRS plug
Package content	1 x Microphone
	1 x Clip
	1 x Pop shield
	1 x Pouch

Item #32: Powered USB Hub**Quantity: 2****Minimum requirements**

Power	Power Source	AC Adapter
	Maximum Power Consumption	48 W
	AC Input Power	100 to 240 VAC, 50 / 60 Hz at 1.5 A
	DC Input Power	12 VDC at 4 A
Features	Connection to computer	USB Type-C and USB Type-A
	IO Ports	USB 3.0 Type-A x6

Item #33: Camera Backpack**Quantity: 1****Minimum requirements**

Type	Backpack
Features	Adjustable Dividers Laptop Compartment Rain Cover
Material	Nylon, Polyester

Item #34: Mini HDMI to HDMI**Quantity: 2****Length: 3m****Item #35: XLR to 3.5mm Converter****Quantity: 2**

Item #36: Gimbal Stabilizer combo with Hard Case**Quantity: 01****Minimum Requirements**

General	
Grip Design	Single Hand Grip
Load Capacity	9.9 lb / 4.5 kg
Number of Axes	3-Axis (Pitch (Tilt), Roll, Yaw (Pan))
Rotation Range	Controllable Range Yaw (Pan): 360° Unlimited Pitch (Tilt): 326° (-112 to 214°) Roll: 335° (-95 to 240°)
Follow Speed	Pan: 360°/s Tilt: 360°/s Roll: 360°/s
Camera Mounting Screw	1 x 1/4"-20 Male
Inputs/Outputs	3 x USB-C (Control) Output 1 x USB-C (Power)
Wireless Protocol	Bluetooth 5.0
Battery Capacity	1950 mAh / 30 Wh
Battery Runtime	12 Hours
Battery Chemistry	Lithium-Ion Polymer (LiPo)
Display	Fixed Touchscreen OLED
Material	Carbon Fiber
Mounting	1 x 1/4"-20 Female 1 x Cold Shoe Mount
Weight	3.3 lb / 1497 g

Item #37: Flashlight with Light stand, Reflective Umbrella and Flash Trigger**Quantity: 1****Minimum requirements**

Flash Head	
Maximum Power	400 Ws
Recycle Time	0.3 to 1.2 Seconds
Color Temperature	5600K
Accessory Fitting	S Type
Color	Black
Modelling Light	
Type	Tungsten
Wattage	150W
Sync	
Sync Type	Optical, Radio
Built-in Wireless Receiver	Yes
Wireless Frequency Bands	2.4GHz
Light Stand	
Load Capacity	9.98KGs
Maximum Height	114"
Minimum Height	48"
Material	Aluminium
Weight	1 – 3KG
Air Cushioned	Yes
Colour	Black

Light Mounting Bracket	Yes
Umbrella Mounting Bracket	Yes
Reflective Umbrella	
Interior Colour	White
Exterior Colour	Black
Rods Material	Fiberglass
Number of Ribs	16
Diameter	7 Feet
Shape	Parabolic
Flash Trigger for Canon Camera	
Channels	32
Groups	16
Wireless Range	100M
Radio Frequency	2.4GHz
Control Modes	E-TTL, E-TTL II, Manual, TTL
Sync Speed	1/8000 Sec
Battery Type	2 x AA
Package Contents	1 x Flash Light
	1 x Light Stand
	1 x Reflective Umbrella
	1 x Light Mounting Bracket
	1 x Umbrella Mounting Bracket
	1 x Modelling Lamp
	1 x Power Cable
	1 x Flash Trigger

Item #38: Flash Head**Quantity: 1****Minimum requirements**

Flash Head	
Guide Number	196.9' / 60 m at ISO 100 (200 mm Position)
Coverage	20 to 200 mm
Auto Zoom Head	Yes
Flash Duration	1/300 to 1/20000 Second
Recycle Time	Approx. 1.5 Seconds
Exposure Control	ADI / P-TTL, Manual
Flash Compensation	-1/1 to +1/4 EV
Wireless Channels	32
Internal Power	1 x Rechargeable
Off-Camera Terminal	2.5 mm

Item #39: Flash Head**Quantity: 1****Minimum requirements**

Flash Head	
Guide Number	196.9' / 60 m at ISO 100 (200 mm Position)
Coverage	20 to 200 mm
Auto Zoom Head	Yes
Flash Duration	1/300 to 1/20000 Second
Recycle Time	Approx. 1.5 Seconds
Exposure Control	E-TTL / E-TTL II, Manual
Flash Compensation	-1/1 to +1/4 EV
Wireless Channels	32
Internal Power	1 x Rechargeable
Off-Camera Terminal	2.5 mm